

تحليل تأثير السجلات الطبية الإلكترونية على جودة الخدمات الصحية في المستشفيات الخاصة

Analyzing the Impact of Electronic Medical Records on the Quality of Healthcare Services in Private Hospitals

Prepared by

Student Name: Zeinab Ismail Al-Haddad

Academic ID: 253000872

Supervision

Dr. Fayez Ali Jarad

Dr. Al-Faisal Abdulhamid Mohammad

DECLARATION

I hereby declare that this thesis entitled:

"The Impact of Electronic Medical Records on Healthcare Service Quality in Private Hospitals"

is my own original work and has not been submitted, either in whole or in part, for the award of any degree or diploma at this or any other university or institution.

I further declare that all sources of information, ideas, and materials used in this thesis have been appropriately acknowledged and referenced in accordance with the APA (7th Edition) referencing style. Any assistance received during the preparation of this thesis has been duly recognized. I confirm that this research was conducted in accordance with the academic regulations and ethical standards of MedOcean University.

Student Name: Zeinab Ismail Al-Haddad

Student ID: 253000872

Date: 2026

Dedication

I dedicate this thesis to my beloved parents, whose unconditional love, endless encouragement, and unwavering support have been the greatest source of strength throughout my academic journey. Their sacrifices, patience, and prayers have inspired me to persevere and achieve this important milestone.

I also dedicate this work to my family, whose understanding, encouragement, and continuous motivation have provided me with the confidence to overcome every challenge. Their belief in my abilities has been a constant source of inspiration.

This achievement is a reflection of their love, support, and faith in me. May this work express my deepest gratitude and appreciation for everything they have done for me.

Acknowledgements

First and foremost, I would like to express my sincere gratitude to Almighty Allah for granting me the strength, patience, and guidance to complete this thesis successfully.

I would like to extend my deepest appreciation to my supervisors, **Dr. Fayez Ali Jarad** and **Dr. Al-Faisal Abdulhamid Mohammad**, for their invaluable guidance, continuous encouragement, constructive feedback, and generous support throughout every stage of this research. Their knowledge, patience, and insightful comments have greatly contributed to the successful completion of this study.

I am also grateful to the faculty members of my department for providing an excellent academic environment and for sharing their valuable knowledge and expertise throughout my postgraduate studies.

My sincere thanks are extended to all healthcare professionals who participated in this research. Their valuable time, cooperation, and willingness to contribute made this study possible.

Finally, I would like to express my heartfelt appreciation to my beloved parents and family for their unconditional love, constant encouragement, endless prayers, and unwavering support throughout my academic journey. Their belief in me has been my greatest source of motivation, and this achievement would not have been possible without them.

Abstract

The healthcare sector has experienced rapid digital transformation, with Electronic Medical Records (EMRs) becoming an essential tool for improving healthcare service quality. EMRs enhance clinical documentation, support decision-making, improve operational efficiency, and promote patient safety. Despite their widespread adoption in Saudi Arabia, evidence regarding their impact on healthcare service quality in private hospitals remains limited. Therefore, this study aimed to examine the impact of Electronic Medical Records on healthcare service quality in private hospitals.

A quantitative cross-sectional research design was employed. Data were collected through a structured questionnaire administered to healthcare professionals working in selected private hospitals in Saudi Arabia. Electronic Medical Records served as the independent variable, while healthcare service quality was measured through four dimensions: Operational Efficiency, Documentation Quality, Patient Safety, and Patient Satisfaction. Data were analyzed using SPSS through descriptive statistics, reliability analysis, Pearson correlation, and multiple regression.

The findings indicated that Electronic Medical Records have a statistically significant positive impact on healthcare service quality. EMRs improved operational efficiency, enhanced documentation quality, strengthened patient safety by reducing medical errors, and increased patient satisfaction through improved communication and continuity of care.

The study concludes that Electronic Medical Records are an effective digital health tool for improving healthcare service quality in private hospitals. It recommends continued investment in digital infrastructure, staff training, and system integration to maximize the benefits of EMRs and support Saudi Vision 2030.

Keywords: Electronic Medical Records, Healthcare Service Quality, Operational Efficiency, Documentation Quality, Patient Safety, Patient Satisfaction, Private Hospitals, Saudi Arabia.

Table of Contents

CHAPTER ONE

INTRODUCTION

1.1Background of the Study.....	13
1.2 Problem Statement.....	14
1.3 Research Questions.....	16
1.4Research Objectives.....	16
1.5Research Hypotheses.....	17
1.6 Significance of the Study	18
1.7 Scope of the Study.....	19
1.8 Operational Definitions.....	20
1.9 Limitations of the Study.....	21
1.10 Organization of the Thesis.....	22

CHAPTER TWO

CHAPTER TWO: LITERATURE REVIEW

2.1 Introduction.....	24
2.2 Electronic Medical Records (EMRs).....	26
2.3 Healthcare Service Quality.....	37
2.4 The Relationship between Electronic Medical Records and Healthcare Service Quality.....	41
2.5 Previous Studies	42

CHAPTER THREE

RESEARCH METHODOLOGY

3.1 Introduction	46
3.2 Research Philosophy.....	46
3.3 Research Approach.....	47
3.4 Research Design.....	48
3.5 Conceptual Framework.....	49
3.6 Study Variables.....	50
3.7 Research Hypotheses.....	51
3.8 Population of the Study.....	51
3.9 Sampling Technique.....	52
3.10 Sample Size.....	54
3.11 Data Collection Instrument.....	55
3.13 Pilot Study.....	55
3.14 Data Collection Procedure.....	57
3.15 Ethical Considerations.....	57
3.16 Data Analysis Techniques.....	57
3.17 Chapter Summary.....	58

CHAPTER FOUR

CHAPTER FOUR: DATA ANALYSIS AND RESULTS

4.1 Introduction.....	59
4.2 Response Rate.....	59

4.3 Demographic Characteristics of Respondents.....	60
4.4 Reliability Analysis	65
4.5 Descriptive Statistics.....	66
4.6 Correlation Analysis.....	67
4.7 Multiple Regression Analysis.....	68
4.8 Hypothesis Testing.....	69
4.9 Chapter Summary.....	71

CHAPTER FIVE:

DISCUSSION, CONCLUSIONS, AND RECOMMENDATIONS

5.1 Introduction.....	72
5.2 Results.....	73
5.3 Discussion of Findings.....	84
5.4 Conclusion.....	85
5.5 Recommendations.....	86
5.6 Limitations of the Study.....	87
5.7 Suggestions for Future Research.....	87
5.8 Chapter Summary.....	88

References.....	89
------------------------	-----------

APPENDICES

Research Questionnaire.....	92
------------------------------------	-----------

LIST OF TABLES

• Table 4.1: Survey Response Rate.....	59
• Table 4.2: Distribution of Respondents by Gender.....	60
• Table 4.3: Distribution of Respondents by Age Group.....	61
• Table 4.4: Distribution of Respondents by Job Position.....	62
• Table 4.5: Distribution of Respondents by Years of Experience.....	63
• Table 4.6: Distribution of Respondents by Department.....	64
• Table 4.7: Reliability Statistics (Cronbach's Alpha).....	66
• Table 4.8: Descriptive Statistics of Study Constructs.....	66
• Table 4.9: Pearson Correlation Matrix.....,,,,,	67
• Table 4.10: Multiple Regression Analysis: Impact of EMR Adoption on Healthcare Service Quality.....	68

LIST OF FIGURES

- **Figure 4.1:** Gender Distribution of Respondents60
- **Figure 4.2:** Age Distribution of Respondents61
- **Figure 4.3:** Job Position Distribution of Respondents.....62
- **Figure 4.4:** Years of Experience Distribution of Respondents63
- **Figure 4.5:** Department Distribution of Respondents.....65

LIST OF ABBREVIATIONS

ABBREVIATION	FULL TERM
AI	ARTIFICIAL INTELLIGENCE
CDSS	CLINICAL DECISION SUPPORT SYSTEM
CPOE	COMPUTERIZED PHYSICIAN ORDER ENTRY
EHR	ELECTRONIC HEALTH RECORD
EMR	ELECTRONIC MEDICAL RECORD
HIS	HEALTH INFORMATION SYSTEM
HIT	HEALTH INFORMATION TECHNOLOGY
HITECH	HEALTH INFORMATION TECHNOLOGY FOR ECONOMIC AND CLINICAL HEALTH ACT
HIE	HEALTH INFORMATION EXCHANGE
ICT	INFORMATION AND COMMUNICATION TECHNOLOGY
IT	INFORMATION TECHNOLOGY
MOH	MINISTRY OF HEALTH
SPSS	STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES
TAM	TECHNOLOGY ACCEPTANCE MODEL
TOE	TECHNOLOGY–ORGANIZATION– ENVIRONMENT FRAMEWORK
WHO	WORLD HEALTH ORGANIZATION

CHAPTER ONE

INTRODUCTION

The healthcare industry has undergone substantial transformation in recent decades due to the rapid advancement of digital technologies and health information systems. Healthcare organizations are increasingly adopting innovative technological solutions to improve clinical performance, enhance operational efficiency, strengthen patient safety, and deliver high-quality healthcare services. Among these innovations, Electronic Medical Records (EMRs) have become one of the most significant components of modern healthcare systems because they facilitate the secure collection, storage, retrieval, and exchange of patient information while supporting evidence-based clinical practice (World Health Organization [WHO], 2021).

Electronic Medical Records have fundamentally changed the way healthcare organizations manage patient information and deliver healthcare services. Unlike traditional paper-based records, EMRs provide healthcare professionals with immediate access to comprehensive and up-to-date patient information, enabling more accurate diagnoses, timely clinical interventions, improved communication among multidisciplinary healthcare teams, and more efficient healthcare delivery. In addition, EMRs contribute to reducing medical errors, improving documentation quality, optimizing resource utilization, and supporting informed clinical decision-making through integrated digital technologies (Sutton et al., 2020; Li et al., 2022).

Improving healthcare service quality has become a strategic priority for healthcare organizations worldwide. Healthcare quality encompasses multiple dimensions, including operational efficiency, documentation accuracy, patient safety, effectiveness of care, and patient satisfaction. The increasing demand for safe, efficient, and patient-centered healthcare has encouraged hospitals to invest in digital health technologies that improve organizational performance while ensuring better clinical outcomes. Consequently, Electronic Medical Records are now recognized as strategic organizational resources that contribute significantly to healthcare quality improvement (Modi & Feldman, 2022; Khairat et al., 2022).

In Saudi Arabia, digital transformation within the healthcare sector represents one of the major objectives of Saudi Vision 2030 and the Health Sector Transformation Program. Significant investments have been made to modernize healthcare infrastructure, expand digital health

services, promote interoperability among healthcare institutions, and encourage the widespread implementation of Electronic Medical Record systems across both public and private hospitals. These national initiatives aim to improve healthcare accessibility, enhance patient safety, increase operational efficiency, and achieve sustainable improvements in healthcare service quality (Saudi Ministry of Health, 2023).

Despite the rapid expansion of Electronic Medical Record implementation, questions remain regarding the extent to which these systems improve healthcare service quality within private hospitals. Although previous studies have reported numerous organizational and clinical benefits associated with EMR adoption, variations in implementation strategies, user competency, technological infrastructure, and organizational readiness may influence the effectiveness of these systems. Therefore, further empirical investigation is required to understand how Electronic Medical Records affect different dimensions of healthcare service quality within private healthcare organizations. Accordingly, this study investigates the impact of Electronic Medical Records on healthcare service quality in private hospitals by examining their influence on Operational Efficiency, Documentation Quality, Patient Safety, and Patient Satisfaction. The findings are expected to provide empirical evidence that supports healthcare managers, policymakers, and healthcare professionals in optimizing the implementation and utilization of Electronic Medical Record systems while contributing to the ongoing digital transformation of healthcare services.

1.1 Background of the Study

The healthcare sector has undergone rapid digital transformation over the past two decades, driven by advances in information and communication technologies. One of the most significant developments has been the adoption of Electronic Medical Records (EMRs), which have replaced traditional paper-based records and improved the management of clinical information. EMRs enable healthcare professionals to access accurate and up-to-date patient information, support clinical decision-making, enhance documentation quality, and improve the efficiency of healthcare services (World Health Organization [WHO], 2021; Sutton et al., 2020).

Unlike paper records, EMRs provide a centralized electronic system that stores patients' demographic information, medical history, diagnoses, laboratory results, medications, and treatment plans. This allows healthcare providers to retrieve information quickly, improve

communication among multidisciplinary teams, and ensure continuity of patient care (Li et al., 2022; Khairat et al., 2022).

Globally, the adoption of EMRs has increased due to their positive impact on healthcare quality, including improved operational efficiency, enhanced patient safety, reduced medical errors, and better resource management (Modi & Feldman, 2022; WHO, 2021). In Saudi Arabia, digital health transformation is a key objective of Saudi Vision 2030, with significant investments made to expand EMR implementation across public and private healthcare organizations (Saudi Ministry of Health, 2023).

Private hospitals play a vital role in delivering healthcare services and increasingly rely on EMRs to improve documentation, streamline clinical workflows, enhance communication, and increase patient satisfaction. However, the effectiveness of EMRs depends on factors such as system usability, user competency, organizational readiness, and technical support (Kruse et al., 2022).

Although previous studies have reported several benefits of EMRs, limited empirical evidence exists regarding their impact on healthcare service quality in private hospitals in Saudi Arabia. Therefore, this study examines the impact of Electronic Medical Records on healthcare service quality by focusing on four key dimensions: Operational Efficiency, Documentation Quality, Patient Safety, and Patient Satisfaction. The findings are expected to provide valuable evidence for healthcare organizations and policymakers seeking to strengthen digital transformation and improve healthcare service quality.

1.2 Problem Statement

The rapid digital transformation of healthcare systems has significantly increased the adoption of Electronic Medical Records (EMRs) as healthcare organizations seek to improve service quality, operational performance, and patient outcomes. Electronic Medical Records have become essential components of modern healthcare because they facilitate efficient information management, improve communication among healthcare professionals, and support evidence-based clinical decision-making. Despite these potential advantages, the successful implementation of EMRs remains a complex organizational process that requires adequate technological infrastructure, user competency, organizational readiness, and continuous management support (World Health Organization [WHO], 2021; Li et al., 2022).

Healthcare service quality remains one of the primary challenges facing healthcare organizations worldwide. Hospitals are expected to provide healthcare services that are safe, efficient, patient-centered, timely, and well-documented while simultaneously responding to increasing patient expectations and growing operational demands. Although Electronic Medical Records are widely recognized as effective tools for improving healthcare quality, empirical evidence indicates that their organizational impact varies considerably across healthcare institutions. Differences in implementation strategies, system usability, staff acceptance, training, and organizational culture may influence whether Electronic Medical Record systems achieve their intended objectives (Khairat et al., 2022; Kruse et al., 2022).

Within Saudi Arabia, the healthcare sector has undergone substantial digital transformation under the Health Sector Transformation Program and Saudi Vision 2030, both of which emphasize the adoption of digital health technologies to improve healthcare accessibility, operational efficiency, patient safety, and healthcare quality. Considerable investments have been made to implement Electronic Medical Record systems throughout healthcare organizations. Nevertheless, successful technological implementation alone does not necessarily guarantee improvements in healthcare service quality. Continuous evaluation is therefore required to determine whether Electronic Medical Records are producing measurable organizational and clinical benefits (Saudi Ministry of Health, 2023).

Although previous international studies have reported positive associations between Electronic Medical Records and healthcare quality, many of these studies have been conducted in developed countries with healthcare environments that differ substantially from those in Saudi Arabia. Furthermore, existing studies have frequently focused on public healthcare organizations, while relatively limited empirical evidence is available regarding the effectiveness of Electronic Medical Records in private hospitals. Since private hospitals operate under different administrative structures, competitive pressures, financial resources, and organizational priorities, their experiences with Electronic Medical Record implementation may differ from those reported in public healthcare settings (Modi & Feldman, 2022).

Therefore, the present study seeks to address this gap by examining the impact of Electronic Medical Records on healthcare service quality in private hospitals. Specifically, the study investigates whether the implementation of Electronic Medical Records significantly influences operational efficiency, documentation quality, patient safety, and patient satisfaction. The findings are expected to contribute to the existing literature while providing practical evidence

that supports healthcare administrators, policymakers, and hospital managers in optimizing Electronic Medical Record implementation and improving healthcare service quality within private healthcare organizations.

1.3 Research Questions

This study seeks to investigate the impact of Electronic Medical Records on healthcare service quality in private hospitals. Specifically, the study aims to answer the following research questions:

1. What is the level of Electronic Medical Record implementation in private hospitals?
2. What is the level of healthcare service quality in private hospitals in terms of operational efficiency, documentation quality, patient safety, and patient satisfaction?
3. Is there a statistically significant relationship between Electronic Medical Records and healthcare service quality in private hospitals?
4. What is the impact of Electronic Medical Records on operational efficiency in private hospitals?
5. What is the impact of Electronic Medical Records on documentation quality in private hospitals?
6. What is the impact of Electronic Medical Records on patient safety in private hospitals?
7. What is the impact of Electronic Medical Records on patient satisfaction in private hospitals?

1.4 Research Objectives

The primary objective of this study is to examine the impact of Electronic Medical Records on healthcare service quality in private hospitals.

The specific objectives are as follows:

1. To assess the level of Electronic Medical Record implementation in private hospitals.
2. To evaluate the level of healthcare service quality in terms of operational efficiency, documentation quality, patient safety, and patient satisfaction.

3. To examine the relationship between Electronic Medical Records and healthcare service quality in private hospitals.
4. To determine the impact of Electronic Medical Records on operational efficiency.
5. To investigate the impact of Electronic Medical Records on documentation quality.
6. To examine the impact of Electronic Medical Records on patient safety.
7. To evaluate the impact of Electronic Medical Records on patient satisfaction.

1.5 Research Hypotheses

Based on the conceptual framework and the literature reviewed, the following hypotheses are proposed:

Main Hypothesis

H0: Electronic Medical Records have no statistically significant impact on healthcare service quality in private hospitals.

H1: Electronic Medical Records have a statistically significant positive impact on healthcare service quality in private hospitals.

Sub-Hypotheses

H01: Electronic Medical Records have no statistically significant impact on operational efficiency in private hospitals.

H11: Electronic Medical Records have a statistically significant positive impact on operational efficiency in private hospitals.

H02: Electronic Medical Records have no statistically significant impact on documentation quality in private hospitals.

H12: Electronic Medical Records have a statistically significant positive impact on documentation quality in private hospitals.

H03: Electronic Medical Records have no statistically significant impact on patient safety in private hospitals.

H13: Electronic Medical Records have a statistically significant positive impact on patient safety in private hospitals.

H04: Electronic Medical Records have no statistically significant impact on patient satisfaction in private hospitals.

H14: Electronic Medical Records have a statistically significant positive impact on patient satisfaction in private hospitals.

1.6 Significance of the Study

This study is significant because it examines the impact of Electronic Medical Records (EMRs) on healthcare service quality in private hospitals, focusing on four dimensions: Operational Efficiency, Documentation Quality, Patient Safety, and Patient Satisfaction. As healthcare organizations increasingly adopt digital health technologies, evaluating the effectiveness of EMRs has become essential for improving healthcare quality and organizational performance.

From a theoretical perspective, the study contributes to the literature by providing empirical evidence on the relationship between EMRs and healthcare service quality in the context of private hospitals in Saudi Arabia. It also supports the application of established theoretical models, including the Technology Acceptance Model (TAM), the DeLone and McLean Information Systems Success Model, and the Donabedian Healthcare Quality Model (Davis, 1989; DeLone & McLean, 2003; Donabedian, 1988).

From a practical perspective, the findings will assist hospital administrators and healthcare managers in evaluating EMR implementation and identifying strategies to improve healthcare service quality through better system integration, staff training, and organizational support. The study also benefits healthcare professionals by highlighting the role of EMRs in improving documentation, communication, clinical decision-making, and patient safety (Khairat et al., 2022; Li et al., 2022; Sutton et al., 2020).

From a policy perspective, the findings may support healthcare policymakers in assessing digital health initiatives under Saudi Vision 2030 and developing policies that promote effective EMR implementation and healthcare quality improvement (Saudi Ministry of Health, 2023).

Finally, this study provides a useful foundation for future research by identifying research gaps and encouraging further studies on Electronic Medical Records and healthcare service quality in different healthcare settings.

1.7 Scope of the Study

The present study examines the impact of Electronic Medical Records on healthcare service quality in private hospitals. The study focuses specifically on healthcare professionals who routinely use Electronic Medical Record systems during the delivery of healthcare services, including physicians, nurses, pharmacists, laboratory specialists, and other allied healthcare professionals.

Conceptually, the study investigates Electronic Medical Records as the independent variable, while healthcare service quality represents the dependent variable. Healthcare service quality is evaluated through four principal dimensions: Operational Efficiency, Documentation Quality, Patient Safety, and Patient Satisfaction. These dimensions were selected based on an extensive review of previous literature and their relevance to evaluating healthcare quality within digitally enabled healthcare environments. Geographically, the study is conducted in selected private hospitals in the Kingdom of Saudi Arabia. The focus on private hospitals reflects their increasing contribution to healthcare delivery and their growing investment in digital health technologies as part of national healthcare transformation initiatives.

Temporally, the study is limited to the period during which data were collected from participants. Consequently, the findings represent respondents' perceptions during the study period and do not necessarily reflect future changes in Electronic Medical Record implementation or healthcare service quality.

Methodologically, the study adopts a quantitative research approach using a structured questionnaire to collect primary data from healthcare professionals. Statistical analyses, including descriptive statistics, reliability analysis, Pearson correlation, and multiple regression analysis, are employed to examine the relationships between the study variables and test the proposed research hypotheses.

1.8 Operational Definitions

To ensure consistency in the interpretation of the study variables, the following operational definitions are adopted.

Electronic Medical Records (EMRs)

Electronic Medical Records (EMRs) refer to digital systems used within healthcare organizations to collect, store, manage, retrieve, and exchange patients' clinical information electronically. These systems contain comprehensive patient data, including demographic information, medical history, diagnoses, laboratory results, medication records, radiological reports, treatment plans, and clinical notes. In the present study, Electronic Medical Records represent the **independent variable** and are operationally measured through healthcare professionals' perceptions regarding the effectiveness of EMR implementation in private hospitals (World Health Organization [WHO], 2021; Li et al., 2022).

Healthcare Service Quality

Healthcare Service Quality refers to the degree to which healthcare services meet patients' needs and expectations while ensuring effectiveness, efficiency, safety, and patient-centered care. Within this study, healthcare service quality represents the dependent variable and is evaluated through four dimensions: Operational Efficiency, Documentation Quality, Patient Safety, and Patient Satisfaction (Donabedian, 1988; World Health Organization [WHO], 2021).

Operational Efficiency

Operational Efficiency refers to the ability of healthcare organizations to utilize available resources effectively while minimizing unnecessary time, effort, and operational costs during healthcare delivery. In this study, operational efficiency is measured through respondents' perceptions regarding the contribution of Electronic Medical Records to improving workflow efficiency, reducing administrative burden, facilitating communication, and enhancing resource utilization within private hospitals (Li et al., 2022).

Documentation Quality

Documentation Quality refers to the accuracy, completeness, consistency, accessibility, and timeliness of clinical documentation maintained within Electronic Medical Record systems. In

the present study, documentation quality is operationally measured through healthcare professionals' perceptions of the extent to which Electronic Medical Records improve clinical documentation and information management (Bowman, 2021).

Patient Safety

Patient Safety refers to the prevention of avoidable harm during healthcare delivery through accurate clinical documentation, effective communication, appropriate medication management, and evidence-based clinical decision-making. In this study, patient safety is measured according to respondents' perceptions regarding the contribution of Electronic Medical Records to reducing medical errors and improving safe clinical practice (Sutton et al., 2020).

Patient Satisfaction

Patient Satisfaction refers to patients' overall evaluation of the quality of healthcare services they receive, including accessibility, communication, responsiveness, continuity of care, and confidence in healthcare providers. Within this study, patient satisfaction is measured indirectly through healthcare professionals' perceptions regarding the influence of Electronic Medical Records on patients' healthcare experiences (Batbaatar et al., 2017).

1.9 Limitations of the Study

Like any empirical investigation, this study is subject to several limitations that should be considered when interpreting its findings.

First, the study employed a cross-sectional quantitative research design, which collected data at a single point in time. Consequently, the findings reflect participants' perceptions during the data collection period and do not capture potential changes in Electronic Medical Record utilization or healthcare service quality over time.

Second, the study was conducted exclusively in private hospitals. Therefore, the findings may not be fully generalizable to public hospitals, military hospitals, university hospitals, or primary healthcare centers, where organizational structures, financial resources, and healthcare management practices may differ.

Third, the study relied on self-administered questionnaires completed by healthcare professionals. Although respondents possess direct experience with Electronic Medical Record systems, self-reported data may be influenced by personal perceptions, response bias, or social desirability bias. Fourth, the study investigated only one independent variable—Electronic Medical Records—and four dimensions of healthcare service quality. Other organizational, technological, and human factors, including organizational culture, leadership support, digital literacy, user satisfaction, and system usability, were beyond the scope of this research and may also influence healthcare service quality.

Finally, the study focused on selected private hospitals in Saudi Arabia. Consequently, differences in healthcare systems, organizational policies, and technological infrastructure may limit the applicability of the findings to healthcare organizations in other countries.

Despite these limitations, the study provides valuable empirical evidence regarding the relationship between Electronic Medical Records and healthcare service quality and offers practical recommendations for healthcare organizations implementing digital health technologies.

1.10 Organization of the Thesis

This thesis is organized into five chapters, each addressing a specific aspect of the research process.

Chapter One introduces the research by presenting the background of the study, problem statement, research questions, research objectives, research hypotheses, significance of the study, scope of the study, operational definitions, study limitations, and the overall organization of the thesis.

Chapter Two reviews the relevant literature concerning Electronic Medical Records and healthcare service quality. The chapter discusses the theoretical foundations of the study, examines previous empirical research conducted internationally and regionally, identifies the existing research gap, and presents the conceptual framework together with the proposed research hypotheses.

Chapter Three describes the research methodology adopted in the study. It explains the research design, study population, sampling procedures, data collection instrument, validity and reliability assessment, ethical considerations, and statistical techniques used to analyze the collected data.

Chapter Four presents the results of the empirical analysis. It includes descriptive statistics of the study sample, reliability analysis, correlation analysis, hypothesis testing using regression analysis, and interpretation of the statistical findings.

Chapter Five discusses the research findings in relation to previous literature and the theoretical framework. The chapter presents the study conclusions, practical implications, recommendations for healthcare organizations and policymakers, limitations of the study, suggestions for future research, and the overall summary of the research.

CHAPTER TWO

LITERATURE REVIEW

2.1 Introduction

The literature review represents a fundamental component of scholarly research, as it establishes the theoretical and empirical foundation upon which the research problem is examined. A rigorous literature review extends beyond the descriptive presentation of previous studies by critically synthesizing existing knowledge, comparing research findings, evaluating methodological approaches, identifying inconsistencies, and highlighting gaps that justify further investigation. Through this process, researchers are able to develop a coherent conceptual framework, formulate research hypotheses, and position the current study within the broader body of scientific knowledge (World Health Organization [WHO], 2021).

The healthcare sector has undergone unprecedented digital transformation over the past decade, largely driven by advances in information and communication technologies, increasing healthcare demands, and growing expectations regarding patient safety, service quality, and operational efficiency. Healthcare organizations worldwide have increasingly adopted digital health technologies to improve clinical decision-making, strengthen communication among healthcare professionals, reduce medical errors, optimize resource utilization, and support evidence-based healthcare delivery. Within this transformation, Electronic Medical Records (EMRs) have become one of the most significant technological innovations, fundamentally changing how patient information is documented, stored, managed, and exchanged across healthcare settings (WHO, 2021).

Electronic Medical Records are now widely recognized as essential components of modern healthcare information systems because they facilitate real-time access to comprehensive patient information, enhance the continuity of care, improve interdisciplinary communication, and support more accurate and timely clinical decision-making. Unlike traditional paper-based records, EMRs provide integrated platforms that combine clinical documentation with administrative and decision-support functions, thereby improving workflow efficiency and contributing to higher standards of healthcare quality. In addition, electronically managed clinical information enables healthcare organizations to monitor quality indicators, evaluate

organizational performance, and implement continuous quality improvement initiatives based on reliable health data (WHO, 2021).

The implementation of EMRs has attracted considerable attention from researchers because of their potential to improve multiple dimensions of healthcare quality. Previous studies have demonstrated that effective EMR utilization can enhance documentation accuracy, reduce medication errors, improve patient safety, facilitate coordination among healthcare professionals, shorten waiting times, and increase organizational efficiency. Nevertheless, the successful realization of these benefits depends on several organizational and technological factors, including leadership support, workforce readiness, interoperability, user acceptance, system usability, technical infrastructure, and continuous staff training. Consequently, the impact of EMRs varies across healthcare organizations and remains an important topic for empirical investigation (Alshareef & Alshagrawi, 2026).

In Saudi Arabia, digital health transformation has become a strategic national priority under the Health Sector Transformation Program of Saudi Vision 2030. The Ministry of Health has launched comprehensive initiatives to modernize healthcare services through the implementation of interoperable Electronic Medical Records, integrated health information exchange systems, digital clinical services, and advanced health information technologies. These initiatives seek to improve healthcare accessibility, increase service efficiency, enhance patient safety, strengthen healthcare governance, and establish an integrated digital healthcare ecosystem capable of supporting sustainable healthcare delivery across both public and private healthcare institutions.

Despite substantial governmental investment in digital health infrastructure, previous research indicates that healthcare organizations continue to encounter several implementation challenges that may influence the effectiveness of Electronic Medical Records. These challenges include technical limitations, interoperability issues, cybersecurity concerns, financial constraints, resistance to organizational change, insufficient training, and variability in user acceptance among healthcare professionals. Such challenges may limit the extent to which EMRs achieve their intended organizational and clinical objectives, emphasizing the importance of evaluating not only system implementation but also its actual contribution to healthcare service quality (Hadadi et al., 2024).

Although a substantial body of literature has examined Electronic Medical Records in different healthcare contexts, important gaps remain. Most previous studies have concentrated on individual outcomes, such as user satisfaction, documentation quality, or technology acceptance,

while relatively few have comprehensively investigated the multidimensional impact of EMRs on healthcare service quality. Furthermore, within the Saudi context, existing research has primarily focused on public healthcare organizations or general digital transformation initiatives, whereas empirical evidence concerning private hospitals remains comparatively limited despite their increasing contribution to healthcare delivery and their extensive investment in digital technologies (Alshareef & Alshagrawi, 2026).

Accordingly, this chapter provides a comprehensive review of the theoretical and empirical literature relevant to the present study. It begins by examining the concept of Electronic Medical Records, including their definitions, historical evolution, characteristics, components, classifications, and functional capabilities. Subsequently, the chapter discusses the concept of healthcare service quality and its principal dimensions before reviewing the relationship between EMRs and healthcare quality outcomes, particularly operational efficiency, documentation quality, patient safety, and patient satisfaction. The chapter also explores the challenges associated with EMR implementation, reviews the progress of digital health transformation in Saudi Arabia, presents the theoretical framework underpinning the study, critically evaluates previous empirical studies, identifies the research gap, and develops the conceptual framework that guides the empirical investigation.

2.2 Electronic Medical Records (EMRs)

2.2.1 Definition of Electronic Medical Records

Electronic Medical Records (EMRs) are computerized systems used to collect, store, manage, and retrieve patients' health information within a healthcare organization. They replace traditional paper-based records by providing healthcare professionals with secure and timely access to patient data, thereby improving clinical documentation, decision-making, patient safety, and operational efficiency (World Health Organization [WHO], 2021; Health Level Seven International [HL7], 2023).

The World Health Organization (WHO, 2021) defines EMRs as digital repositories of patient health information maintained within a healthcare institution to support clinical care, administration, and healthcare decision-making. Similarly, the International Organization for Standardization (ISO, 2019) describes EMRs as computerized records that provide accurate,

complete, and timely clinical information while improving communication and healthcare efficiency. Modern EMR systems integrate both clinical and administrative functions, including patient demographics, medical history, laboratory and radiology results, medication records, physician and nursing notes, treatment plans, and advanced features such as Computerized Physician Order Entry (CPOE), electronic prescribing, and Clinical Decision Support Systems (CDSS) (Kruse et al., 2022).

Although EMRs are often confused with Electronic Health Records (EHRs) and Personal Health Records (PHRs), they differ in scope. EMRs are maintained and used within a single healthcare organization, whereas EHRs enable information sharing across multiple healthcare providers, and PHRs are managed primarily by patients themselves (Office of the National Coordinator for Health Information Technology [ONC], 2023; HealthIT.gov, 2023).

Overall, EMRs are essential healthcare information systems that improve documentation quality, facilitate communication, support evidence-based clinical decisions, and enhance the quality and efficiency of healthcare services (WHO, 2021; Kruse et al., 2022).

2.2.2 Historical Development of Electronic Medical Records

The development of Electronic Medical Records (EMRs) reflects the transition of healthcare systems from paper-based documentation to integrated digital information management. This transformation has been driven by technological advances and the increasing need to improve healthcare quality, patient safety, and operational efficiency. Over time, healthcare organizations have recognized the importance of timely access to accurate patient information in supporting clinical decision-making and continuity of care (World Health Organization [WHO], 2021).

Initially, healthcare providers relied on paper medical records, which were often difficult to retrieve, vulnerable to loss or damage, and prone to documentation errors. These limitations highlighted the need for computerized systems capable of improving information management and reducing administrative inefficiencies (Health Level Seven International [HL7], 2023).

The first computerized medical record systems appeared during the 1960s and 1970s, mainly to support administrative tasks such as patient registration and billing. Advances in computer technology during the 1980s and 1990s enabled healthcare organizations to expand electronic systems to include clinical documentation, laboratory reports, medication management, and

diagnostic imaging, improving communication and reducing documentation errors (Evans, 2016; International Organization for Standardization [ISO], 2019).

Since the early 2000s, governments and healthcare organizations have accelerated EMR adoption through national digital health initiatives. Modern EMRs have evolved into integrated platforms that support clinical documentation, electronic prescribing, clinical decision support, telemedicine, and interoperability between healthcare providers (WHO, 2021; Office of the National Coordinator for Health Information Technology [ONC], 2023).

In Saudi Arabia, EMR implementation has expanded significantly under Saudi Vision 2030 and the Health Sector Transformation Program. These initiatives aim to strengthen digital health infrastructure, improve healthcare quality, enhance patient safety, and increase operational efficiency across public and private healthcare organizations (Saudi Ministry of Health, 2023).

Today, EMRs are considered a cornerstone of modern healthcare systems and continue to evolve through the integration of advanced digital technologies, supporting high-quality, patient-centered healthcare and improved organizational performance.

2.2.3 Characteristics of Electronic Medical Records

Electronic Medical Records (EMRs) possess several characteristics that distinguish them from traditional paper-based records and support efficient healthcare delivery. They provide a centralized electronic database that stores patient demographics, medical history, laboratory results, medications, diagnostic reports, and clinical notes, enabling healthcare professionals to access comprehensive patient information through a single system (World Health Organization [WHO], 2021; International Organization for Standardization [ISO], 2019).

A key characteristic of EMRs is real-time accessibility, allowing authorized healthcare professionals to retrieve and update patient information whenever needed. This improves communication among multidisciplinary healthcare teams, supports timely clinical decision-making, and enhances continuity of care (Office of the National Coordinator for Health Information Technology [ONC], 2023).

EMRs also improve documentation quality through standardized data entry, reducing documentation errors and ensuring accurate, complete, and consistent clinical records. In

addition, interoperability enables EMRs to exchange information with laboratories, pharmacies, radiology departments, and other healthcare systems, facilitating coordinated care and reducing duplication of services (HL7, 2023; WHO, 2021).

Another important feature is information security. Modern EMR systems protect patient data through authentication, encryption, access controls, and audit trails, ensuring confidentiality and compliance with healthcare regulations (ISO, 2019). Furthermore, many EMRs incorporate Clinical Decision Support Systems (CDSS), which provide automated alerts, medication checks, and evidence-based recommendations to improve clinical decisions and patient safety (Sutton et al., 2020).

Overall, the ability of EMRs to centralize information, improve accessibility, standardize documentation, support interoperability, enhance security, and assist clinical decision-making has made them a fundamental component of modern healthcare systems, contributing to improved healthcare quality and organizational performance (WHO, 2021; Saudi Ministry of Health, 2023).

2.2.4 Components of Electronic Medical Records

Electronic Medical Records (EMRs) consist of several integrated components that support the management of clinical and administrative information within healthcare organizations. These components enable healthcare professionals to record, retrieve, and manage patient information efficiently, contributing to improved healthcare quality, patient safety, and operational performance (World Health Organization [WHO], 2021; Health Level Seven International [HL7], 2023).

A core component of EMRs is the patient demographic information module, which stores essential patient details such as personal information, medical record number, insurance data, and contact information, ensuring accurate patient identification and continuity of care (WHO, 2021). Another key component is the medical history and clinical documentation module, which includes diagnoses, medical history, physician and nursing notes, treatment plans, allergies, and discharge summaries, providing a comprehensive overview of the patient's health status (International Organization for Standardization [ISO], 2019).

EMRs also integrate laboratory and radiology modules, allowing healthcare professionals to access laboratory results and diagnostic images electronically. This integration improves diagnostic accuracy, reduces reporting delays, and enhances communication among healthcare providers (HL7, 2023; WHO, 2021).

The medication management module supports electronic prescribing, medication records, allergy documentation, and drug interaction alerts, helping to reduce medication errors and improve patient safety. In addition, many EMR systems include Clinical Decision Support Systems (CDSS) that provide evidence-based recommendations, clinical alerts, and reminders to support healthcare professionals in making informed decisions (Sutton et al., 2020).

Other important components include appointment and scheduling systems, billing and financial management, and security and privacy features such as user authentication, encryption, and access control to ensure the confidentiality and integrity of patient information. Modern EMRs also provide reporting and analytics tools that enable healthcare organizations to monitor performance, evaluate quality indicators, and support strategic decision-making (Saudi Ministry of Health, 2023; Office of the National Coordinator for Health Information Technology [ONC], 2023).

Overall, these integrated components enable EMRs to improve documentation quality, facilitate communication, enhance patient safety, and support efficient, patient-centered healthcare delivery.

2.2.5 Functions of Electronic Medical Records

Electronic Medical Records (EMRs) perform a variety of clinical, administrative, and managerial functions that improve healthcare delivery and organizational performance. Beyond storing patient information, EMRs support clinical decision-making, communication, quality improvement, and operational efficiency, making them an essential part of modern healthcare systems (World Health Organization [WHO], 2021; Health Level Seven International [HL7], 2023).

One of the primary functions of EMRs is the electronic documentation and management of patient information, including medical history, diagnoses, laboratory results, medications, treatment plans, and clinical notes. This ensures accurate, standardized, and easily accessible

records, improving continuity of care and reducing documentation errors (WHO, 2021; International Organization for Standardization [ISO], 2019).

EMRs also support clinical decision-making through Clinical Decision Support Systems (CDSS), which provide alerts, medication interaction checks, and evidence-based recommendations to assist healthcare professionals in making safe and effective clinical decisions (Sutton et al., 2020).

Another important function is improving communication and coordination among healthcare providers. EMRs allow physicians, nurses, pharmacists, and other professionals to access and update patient information in real time, facilitating coordinated care and reducing duplication of services (Office of the National Coordinator for Health Information Technology [ONC], 2023).

In addition, EMRs enhance operational efficiency by automating administrative tasks such as patient registration, appointment scheduling, electronic prescribing, billing, and laboratory requests. These functions reduce paperwork, save time, and improve resource utilization (Saudi Ministry of Health, 2023).

EMRs also contribute to patient safety through medication management, allergy verification, and drug interaction alerts, helping to reduce preventable medical errors. Furthermore, they support quality improvement and healthcare research by generating reliable clinical data for performance evaluation, quality monitoring, strategic planning, and policy development (WHO, 2021).

Overall, the diverse functions of EMRs enable healthcare organizations to improve documentation, communication, clinical decision-making, operational efficiency, and patient safety, ultimately enhancing the quality of healthcare services.

2.2.6 Benefits of Electronic Medical Records

Electronic Medical Records (EMRs) offer numerous benefits that improve healthcare quality, organizational performance, and patient outcomes. By replacing paper-based records with digital systems, EMRs provide timely access to accurate patient information, support evidence-based decision-making, and enhance communication among healthcare professionals (Modi & Feldman, 2022; Li et al., 2022).

One of the main benefits of EMRs is improving documentation quality through standardized and complete electronic records, reducing documentation errors and facilitating continuity of care (Modi & Feldman, 2022). EMRs also enhance clinical decision-making by integrating Clinical Decision Support Systems (CDSS), which provide medication alerts, allergy warnings, and evidence-based recommendations to support safe and effective patient care (Li et al., 2022).

Another significant advantage is the improvement of patient safety. Features such as electronic prescribing, medication reconciliation, and drug interaction alerts help reduce medical errors and improve treatment outcomes (Li et al., 2022). In addition, EMRs strengthen communication and care coordination by allowing healthcare professionals to access and share patient information in real time, ensuring better continuity of care.

From an organizational perspective, EMRs improve operational efficiency by automating administrative processes such as patient registration, appointment scheduling, billing, and laboratory requests. These improvements reduce paperwork, save time, and optimize healthcare resources (Modi & Feldman, 2022). EMRs also support quality improvement and healthcare research by providing reliable clinical data for performance evaluation, quality monitoring, and evidence-based decision-making.

Furthermore, modern EMRs promote patient engagement through patient portals that allow individuals to access their health information, communicate with healthcare providers, and participate more actively in their care (Brands et al., 2022).

Overall, the successful implementation of EMRs contributes to improved documentation, clinical decision-making, patient safety, operational efficiency, and healthcare quality, provided that healthcare organizations ensure adequate infrastructure, user training, and effective system integration (Li et al., 2022; Modi & Feldman, 2022).

2.2.7 Challenges of Electronic Medical Records

Although Electronic Medical Records (EMRs) have significantly improved healthcare delivery, their implementation is accompanied by several challenges that may limit the expected organizational and clinical benefits. The successful adoption of EMRs depends not only on the availability of advanced technology but also on organizational readiness, financial resources, user acceptance, and continuous technical support. Therefore, healthcare organizations must address

these barriers to maximize the effectiveness of EMR systems and achieve sustainable improvements in healthcare quality (Boonstra et al., 2021; Kruse et al., 2022).

One of the most common challenges is resistance to organizational change. Transitioning from paper-based documentation to electronic systems often requires healthcare professionals to modify established workflows and daily practices. Some physicians and nurses may perceive EMRs as increasing documentation time or disrupting routine clinical activities, particularly when they receive insufficient training or are not involved in the implementation process. Effective leadership, change management strategies, and staff participation are therefore essential for improving user acceptance and facilitating successful implementation (Grimson et al., 2020; McAlearney et al., 2022; Kruse et al., 2022).

Another major challenge involves system usability. If EMR systems are difficult to navigate or require excessive data entry, healthcare professionals may experience increased workload, reduced productivity, and lower satisfaction. Poor usability may also contribute to documentation delays and unintended clinical errors. Consequently, healthcare organizations should prioritize user-centered system design and continuous system optimization to ensure that EMRs effectively support clinical workflows (Ratwani et al., 2020; Khairat et al., 2022).

Financial constraints remain another important obstacle, particularly for small and medium-sized healthcare institutions. Implementing EMRs requires substantial investment in software, hardware, cybersecurity infrastructure, technical support, and staff training. In addition, organizations must allocate continuous resources for system maintenance, software upgrades, and regulatory compliance. Despite the long-term financial and clinical benefits reported in the literature, these initial and ongoing costs may delay implementation or limit system expansion (Boonstra et al., 2021; Adler-Milstein & Holmgren, 2021).

Healthcare organizations also face challenges related to interoperability, which refers to the ability of different health information systems to exchange patient information efficiently. Many hospitals continue to operate multiple systems developed by different vendors, making information exchange difficult. Limited interoperability may result in fragmented patient records, duplicated diagnostic procedures, delayed clinical decisions, and reduced continuity of care. International standards and national digital health strategies therefore emphasize interoperability as a key requirement for integrated healthcare delivery (Vest & Kash, 2021; European Commission, 2023; Health Level Seven International [HL7], 2023).

Another critical concern is information security and data privacy. Because EMRs store highly sensitive patient information, healthcare organizations must protect these records from unauthorized access, cyberattacks, ransomware, and data breaches. Effective security measures include encryption, multi-factor authentication, role-based access control, audit trails, regular system monitoring, and compliance with healthcare data protection regulations. Maintaining strong cybersecurity is essential for preserving patient trust and ensuring the confidentiality and integrity of electronic health information (World Health Organization [WHO], 2021; Covvey et al., 2023).

In addition, organizational readiness and workforce competence play a crucial role in successful EMR implementation. Organizations that invest in comprehensive staff training, leadership support, and effective change management are more likely to achieve successful adoption and long-term system utilization. Continuous education enables healthcare professionals to integrate EMRs into routine clinical practice while maximizing the benefits of clinical decision support and electronic documentation (Nguyen et al., 2023; Kruse et al., 2022).

Furthermore, technical reliability remains essential for maintaining uninterrupted healthcare services. System downtime, network failures, slow system performance, and hardware malfunctions may delay access to critical patient information and negatively affect patient care. Healthcare organizations should therefore maintain reliable IT infrastructure, disaster recovery plans, regular system maintenance, and continuous technical support to minimize operational disruptions (Adler-Milstein & Holmgren, 2021).

Within Saudi Arabia, EMR implementation has expanded considerably under the Health Sector Transformation Program and Saudi Vision 2030. Addressing these issues requires coordinated national policies, standardized interoperability frameworks, continuous professional development, and sustained investment in digital health technologies (Saudi Ministry of Health, 2023).

2.3.1 Concept of Healthcare Service Quality

Healthcare service quality has become one of the fundamental priorities for healthcare organizations worldwide as they strive to improve patient outcomes, enhance organizational performance, and achieve sustainable healthcare delivery. Increasing patient expectations, rapid

technological advancements, demographic changes, and the growing complexity of healthcare services have intensified the need for healthcare providers to continuously evaluate and improve the quality of services they deliver. Consequently, healthcare service quality is no longer viewed merely as a measure of clinical excellence but rather as a multidimensional concept encompassing clinical effectiveness, patient safety, operational efficiency, accessibility, responsiveness, and patient satisfaction (World Health Organization [WHO], 2021).

The concept of healthcare quality has evolved considerably over recent decades. Early definitions primarily focused on compliance with professional standards and technical competence in clinical practice. However, contemporary perspectives recognize that healthcare quality extends beyond clinical outcomes to include the overall patient experience, organizational effectiveness, healthcare accessibility, continuity of care, and the efficient utilization of healthcare resources. Accordingly, healthcare quality has become a comprehensive management philosophy that integrates clinical excellence with organizational performance and patient-centered care (National Academy of Medicine [NAM], 2022). Recent reports further emphasize that healthcare quality should be continuously monitored and evaluated to respond effectively to changing healthcare needs and improve system performance (Organisation for Economic Co-operation and Development [OECD], 2023).

One of the most widely accepted definitions of healthcare quality was introduced by the Institute of Medicine, now known as the National Academy of Medicine (NAM), which defines healthcare quality as the degree to which healthcare services increase the likelihood of desired health outcomes while remaining consistent with current professional knowledge and evidence-based practice (National Academy of Medicine [NAM], 2022). This definition emphasizes that quality should be evaluated according to measurable improvements in patient health, scientific evidence, and adherence to established clinical standards.

Similarly, the World Health Organization (2021) describes healthcare quality as the consistent delivery of healthcare services that are effective, safe, people-centered, timely, efficient, equitable, and integrated throughout the continuum of care. According to the WHO framework, high-quality healthcare should not only achieve favorable clinical outcomes but should also ensure that healthcare services are delivered in ways that respect patients' needs, preferences, and expectations while minimizing preventable harm and optimizing healthcare resources.

Healthcare service quality is widely recognized as a multidimensional construct because no single indicator can adequately reflect overall healthcare performance. Instead, healthcare quality

results from the interaction of several interrelated dimensions that collectively influence healthcare outcomes. Clinical effectiveness ensures that patients receive evidence-based interventions capable of producing optimal health outcomes. Patient safety seeks to minimize preventable harm associated with healthcare delivery through effective risk management and adherence to clinical safety standards. Accessibility ensures that healthcare services are available to patients without unnecessary delays or financial barriers, whereas efficiency focuses on maximizing healthcare outcomes while minimizing waste of organizational resources. Patient-centeredness emphasizes respect for patients' values, preferences, and active participation in healthcare decisions, while continuity of care ensures coordinated healthcare delivery across different providers and healthcare settings (WHO, 2021; National Academy of Medicine [NAM], 2022). Recent evidence also recommends evaluating healthcare quality using multiple standardized performance indicators to ensure a comprehensive assessment of healthcare services (Agency for Healthcare Research and Quality [AHRQ], 2023).

Healthcare quality has also become an essential determinant of organizational competitiveness and sustainability. Healthcare organizations that consistently deliver high-quality services are more likely to achieve better patient outcomes, higher patient satisfaction, stronger organizational reputation, improved workforce performance, and greater financial sustainability. Furthermore, healthcare accreditation bodies increasingly evaluate healthcare organizations according to standardized quality indicators, patient safety measures, and continuous quality improvement activities, making quality management an essential strategic priority for hospitals worldwide (Joint Commission International [JCI], 2023). Healthcare systems that implement structured quality improvement programs also demonstrate greater organizational resilience and continuous performance enhancement (European Observatory on Health Systems and Policies, 2022).

From a healthcare management perspective, healthcare service quality is closely associated with organizational performance measurement. Hospitals routinely monitor indicators such as patient satisfaction, clinical outcomes, hospital-acquired infections, medication errors, readmission rates, waiting times, average length of stay, mortality rates, and healthcare utilization to evaluate service quality and identify opportunities for improvement. These performance indicators provide healthcare managers with objective evidence regarding organizational effectiveness and support data-driven decision-making aimed at enhancing healthcare delivery (Arah et al., 2022).

The increasing adoption of digital health technologies has further transformed the concept of healthcare quality. Electronic Medical Records, telemedicine platforms, artificial intelligence

applications, and clinical decision support systems have become integral components of quality improvement strategies because they facilitate accurate documentation, improve communication among healthcare professionals, strengthen clinical decision-making, reduce preventable medical errors, and enhance continuity of care. Consequently, digital transformation is increasingly recognized as an important enabler of healthcare quality improvement rather than merely a technological innovation (Nguyen et al., 2023; WHO, 2021). Furthermore, recent systematic evidence indicates that digital health technologies significantly improve healthcare quality, clinical efficiency, and patient outcomes when effectively integrated into healthcare systems (Sharma et al., 2023).

Within the Kingdom of Saudi Arabia, healthcare service quality constitutes a central objective of the Health Sector Transformation Program under Saudi Vision 2030. National healthcare reforms emphasize improving healthcare accessibility, patient safety, digital integration, workforce competency, and operational efficiency while promoting patient-centered care throughout both public and private healthcare sectors. These initiatives have accelerated the adoption of quality management systems, healthcare accreditation programs, and digital health technologies designed to improve healthcare outcomes and strengthen the overall performance of healthcare institutions (Saudi Ministry of Health, 2023).

2.3.2 Healthcare Service Quality

2.3.2.1 Operational Efficiency

Operational efficiency is a key dimension of healthcare service quality, reflecting a hospital's ability to deliver timely and effective healthcare while making optimal use of available resources. It encompasses efficient clinical workflows, effective resource utilization, and coordinated healthcare processes that improve organizational performance and patient outcomes (WHO, 2021; OECD, 2023).

Effective information management is essential for operational efficiency, as delays in accessing patient records or fragmented communication can reduce productivity and increase healthcare costs. Electronic Medical Records (EMRs) address these challenges by providing instant access to patient information, automating documentation, facilitating communication among healthcare

professionals, and streamlining administrative tasks such as scheduling, prescribing, and laboratory requests (Nguyen et al., 2023; Modi & Feldman, 2022).

Research indicates that hospitals using EMRs experience shorter waiting times, improved workflow coordination, better resource utilization, and faster clinical decision-making. System interoperability further enhances efficiency by integrating laboratory, pharmacy, radiology, and clinical information systems, reducing duplicate procedures and improving continuity of care (Li et al., 2022; HL7, 2023).

In Saudi Arabia, operational efficiency is a major objective of the Health Sector Transformation Program under Vision 2030. Private hospitals increasingly rely on EMRs to improve workflow efficiency, optimize resource management, and support sustainable healthcare delivery (Saudi Ministry of Health, 2023).

Accordingly, this study defines operational efficiency as the ability of private hospitals to deliver healthcare services promptly and effectively through optimized workflows, efficient resource utilization, rapid information access, and effective coordination among healthcare professionals.

2.3.2.2 Documentation Quality

Documentation quality is a fundamental dimension of healthcare service quality because it supports clinical decision-making, continuity of care, patient safety, and organizational accountability. Accurate, complete, and timely documentation enables healthcare professionals to access reliable patient information, reducing medical errors and improving treatment decisions (Bowman, 2021; WHO, 2021).

Electronic Medical Records (EMRs) have significantly improved documentation by replacing paper records with standardized electronic templates, structured data entry, and automated validation processes. These features enhance documentation completeness, eliminate handwriting-related errors, improve consistency, and facilitate rapid retrieval of patient information (Modi & Feldman, 2022).

Studies have shown that EMRs improve compliance with documentation standards while supporting communication among multidisciplinary healthcare teams and strengthening evidence-based practice. Integration with Clinical Decision Support Systems (CDSS) further

enhances documentation quality through automated reminders and standardized documentation procedures (Wang et al., 2022; Sutton et al., 2020; Khairat et al., 2022).

Moreover, electronic documentation improves legal accountability by maintaining secure audit trails and complete records of clinical activities. Within Saudi Arabia, standardized electronic documentation has become an important component of healthcare digital transformation under Vision 2030, contributing to healthcare quality improvement and accreditation efforts (Saudi Ministry of Health, 2023).

In this study, documentation quality refers to the ability of EMRs to support accurate, complete, standardized, and accessible clinical documentation that enhances communication, continuity of care, and overall healthcare service quality.

2.3.2.3 Patient Safety

Patient safety is a core dimension of healthcare service quality that aims to prevent medical errors and reduce adverse events through standardized clinical practices and continuous quality improvement (World Health Organization [WHO], 2021). As healthcare services become more complex, ensuring patient safety has become essential for improving healthcare outcomes and protecting patients.

Medical errors, including medication mistakes, diagnostic inaccuracies, and communication failures, remain major healthcare challenges. The WHO (2021) reported that millions of patients experience preventable harm annually, highlighting the need for stronger governance, workforce competency, and digital health technologies. Similarly, Bates and Singh (2018) emphasized that integrated healthcare systems are necessary to identify and reduce clinical risks.

Electronic Medical Records (EMRs) improve patient safety by providing healthcare professionals with immediate access to comprehensive patient information, including medical history, allergies, medications, laboratory results, and diagnostic reports, thereby supporting informed clinical decisions and reducing preventable errors (Kruse et al., 2022).

The integration of Computerized Physician Order Entry (CPOE) and Clinical Decision Support Systems (CDSS) further enhances patient safety through automated alerts for drug interactions, allergies, abnormal laboratory findings, and inappropriate medication doses. These tools

strengthen evidence-based practice and reduce medication errors (Sutton et al., 2020; Li et al., 2022).

EMRs also improve continuity of care through standardized documentation, facilitate incident reporting, and support organizational learning and quality improvement (Bowman, 2021; Wang et al., 2022; AHRQ, 2023). However, poor system design, workflow disruption, alert fatigue, and inadequate user training may reduce these benefits, making continuous evaluation and technical support essential (Ratwani et al., 2018).

In Saudi Arabia, patient safety is a key objective of Vision 2030, with national initiatives promoting interoperable EMRs, electronic prescribing, standardized documentation, and digital health technologies to improve healthcare quality (Saudi Ministry of Health, 2023).

In this study, patient safety refers to the ability of private hospitals to minimize preventable harm through accurate documentation, effective communication, safe medication management, evidence-based clinical decision-making, and effective use of Electronic Medical Record systems.

2.3.2.4 Patient Satisfaction

Patient satisfaction is a key indicator of healthcare service quality because it reflects patients' perceptions of the care they receive and the extent to which healthcare services meet their expectations (World Health Organization [WHO], 2021; Doyle et al., 2013). Modern healthcare emphasizes patient-centered care, where patients actively participate in healthcare decisions, making satisfaction an essential measure of organizational performance (National Academy of Medicine [NAM], 2022).

Patient satisfaction is influenced by several factors, including communication with healthcare professionals, waiting times, continuity of care, service efficiency, and access to healthcare services (Batbaatar et al., 2017). Electronic Medical Records (EMRs) improve these factors by providing immediate access to patient information, supporting accurate diagnoses, reducing unnecessary delays, and facilitating coordinated care (Kruse et al., 2022).

EMRs also enhance communication between healthcare providers and patients through comprehensive clinical documentation and improved coordination among multidisciplinary teams. In addition, electronic appointment scheduling, digital registration, electronic prescribing,

and faster access to diagnostic results improve workflow efficiency and reduce waiting times, contributing to higher patient satisfaction (Modi & Feldman, 2022; Li et al., 2022).

Modern EMR systems increasingly include patient portals that allow patients to view laboratory results, schedule appointments, request prescription refills, and communicate securely with healthcare providers. These features encourage patient engagement, improve treatment adherence, and strengthen trust in healthcare services (Neves et al., 2020).

Several studies have reported a positive relationship between EMR implementation and patient satisfaction, particularly through improved communication, continuity of care, and service efficiency (Kruse et al., 2022; Li et al., 2022). However, poor implementation, excessive screen use during consultations, technical problems, and inadequate user training may negatively affect patient experiences (Ventres et al., 2018; Ratwani et al., 2020).

In Saudi Arabia, improving patient satisfaction is a major objective of Vision 2030. National healthcare reforms promote digital health, integrated EMRs, and patient-centered care to improve service quality and healthcare experiences (Saudi Ministry of Health, 2023).

For this study, patient satisfaction refers to the extent to which patients in private hospitals perceive that healthcare services meet their expectations through efficient service delivery, effective communication, accurate documentation, and coordinated care supported by Electronic Medical Record systems.

2.4 The Relationship between Electronic Medical Records and Healthcare Service Quality

Electronic Medical Records (EMRs) are widely recognized as essential digital tools that improve healthcare service quality by enhancing information management, communication, and clinical decision-making. Compared with paper-based records, EMRs provide timely access to accurate patient information, support coordinated care, and improve organizational performance (Kruse et al., 2022; Adler-Milstein & Holmgren, 2021; Wang et al., 2022).

Research indicates that EMRs positively influence the four dimensions of healthcare service quality examined in this study. They improve operational efficiency by automating clinical and administrative processes, reducing workload, and optimizing resource utilization (Modi & Feldman, 2022; Li et al., 2022; Adler-Milstein & Holmgren, 2021). They also enhance documentation quality through standardized electronic records, automated validation, and secure documentation systems (Bowman, 2021; Wang et al., 2022; Khairat et al., 2022).

Furthermore, EMRs strengthen patient safety by integrating electronic prescribing, Clinical Decision Support Systems (CDSS), and automated alerts that reduce medication errors and support evidence-based clinical practice (Sutton et al., 2020; Kruse et al., 2022; Ratwani et al., 2020). They also improve patient satisfaction by reducing waiting times, facilitating continuity of care, enhancing communication, and supporting patient engagement through digital services such as patient portals (Neves et al., 2020; Li et al., 2022; Kruse et al., 2022).

However, the effectiveness of EMRs depends on factors such as system usability, interoperability, leadership support, technical infrastructure, and user training. Successful implementation is therefore essential to maximize their impact on healthcare quality (Khairat et al., 2022; Ratwani et al., 2020; Adler-Milstein & Holmgren, 2021).

In Saudi Arabia, EMR adoption has expanded under Vision 2030, supporting digital health transformation and continuous quality improvement across healthcare organizations (Saudi Ministry of Health, 2023; Saudi Health Information Exchange [NPHIES], 2023). Overall, existing evidence confirms that EMRs positively contribute to operational efficiency, documentation quality, patient safety, and patient satisfaction, forming the conceptual basis of the present study.

2.5 Previous Studies

2.5.1 International Studies

Several international studies have examined the impact of Electronic Medical Records (EMRs) on healthcare service quality and organizational performance. Overall, the findings indicate that EMRs improve documentation quality, patient safety, operational efficiency, and communication, although these benefits depend on system usability, organizational readiness, and user support.

Modi and Feldman (2022) conducted a systematic review and found that EMRs enhance documentation quality, workflow efficiency, information accessibility, and clinical decision-making. However, the benefits largely depend on effective implementation and organizational support.

Similarly, Kruse et al. (2022) reported that EMRs improve access to patient information and communication among healthcare professionals but noted that poor system design may increase documentation burden and clinician burnout. The authors emphasized the importance of usability improvements and continuous technical support.

Overall, international evidence confirms that EMRs positively influence healthcare service quality while highlighting the importance of leadership, staff training, technological infrastructure, and continuous system evaluation.

2.5.2 Studies Conducted in the Middle East

Research in the Middle East generally reports positive outcomes of EMR implementation, particularly in improving healthcare quality, patient safety, and operational efficiency, although challenges related to training, interoperability, and organizational readiness remain.

Amponin and Brittler (2023) surveyed 320 healthcare professionals in Saudi hospitals and found that EMRs improved information accessibility, communication, clinical decision-making, and service efficiency. However, respondents reported challenges related to training, technical issues, and documentation workload.

A systematic review also concluded that EMRs improve patient safety, effectiveness, efficiency, timeliness, equity, and patient-centered care, while emphasizing that successful implementation requires organizational readiness and effective change management.

In addition, a Saudi study published in 2025 found that improving EMR data quality enhanced clinical performance, documentation quality, managerial decision-making, and healthcare quality.

2.5.3 Studies Conducted in Saudi Arabia

Saudi Arabia has significantly expanded EMR adoption under Vision 2030 to improve healthcare quality, patient safety, and operational efficiency (Saleh et al., 2025).

Alharbi et al. (2023) found that EMRs significantly improved documentation accuracy, completeness, accessibility, and clinical decision-making in private hospitals. Alzahrani et al. (2024) reported improvements in workflow efficiency and communication but identified training and technical support as key implementation challenges.

Alomar et al. (2024) demonstrated that patient access to EMRs enhanced communication, patient engagement, and satisfaction. Likewise, Almutairi and Alanzi (2025) reported significant reductions in medication errors and patient safety incidents following EMR implementation.

Finally, Alghamdi et al. (2023) concluded that EMRs positively affect documentation quality, workflow efficiency, communication, and overall organizational performance, while emphasizing the importance of management support, staff competency, and technological infrastructure.

Overall, Saudi studies consistently show that EMRs improve documentation quality, operational efficiency, patient safety, communication, and patient satisfaction. However, most previous studies focused on specific quality dimensions rather than evaluating healthcare service quality as a comprehensive multidimensional concept.

2.5.4 Summary and Critical Analysis of Previous Studies

Previous studies consistently show that Electronic Medical Records (EMRs) improve documentation quality, workflow efficiency, communication, and patient safety (Wang et al., 2023; Shahmoradi et al., 2023; Rahman & Hasan, 2024; Alghamdi et al., 2023). However, they differ in methodology, with some using quantitative designs and others employing qualitative or mixed methods (Alzahrani et al., 2024; Alomar et al., 2024).

Most studies focused on individual outcomes such as documentation quality, operational efficiency, or patient safety rather than evaluating healthcare service quality as a comprehensive construct (Alharbi et al., 2023; Torab Miandoab et al., 2025; Almutairi & Alanzi, 2025). In Saudi Arabia, research remains limited, especially in private hospitals, reducing the generalizability of existing findings (Alghamdi et al., 2023; Alharbi et al., 2023). Moreover, organizational factors such as leadership, staff readiness, and training have received limited attention within integrated theoretical frameworks (Saleh et al., 2025; Rahman & Hasan, 2024). Therefore, further research

is needed to provide a more comprehensive understanding of EMRs' impact on healthcare service quality.

2.5.5 Research Gap

Despite the positive findings reported in previous studies, several research gaps remain. Most studies examined only one aspect of EMR implementation, such as documentation quality, operational efficiency, patient safety, or patient satisfaction, rather than assessing these dimensions together as indicators of healthcare service quality (Shahmoradi et al., 2023; Torab Miandoab et al., 2025).

In addition, limited research has focused specifically on Saudi private hospitals, as most studies were conducted in public or mixed healthcare settings (Alghamdi et al., 2023; Saleh et al., 2025). Previous research also relied mainly on either subjective perceptions or objective performance measures, with limited integration of both approaches (Alzahrani et al., 2024; Alomar et al., 2024). Furthermore, organizational factors such as management support, staff readiness, training, and technology acceptance remain underexplored (Rahman & Hasan, 2024; Saleh et al., 2025).

Accordingly, this study addresses these gaps by examining the impact of EMRs on healthcare service quality in Saudi private hospitals through a comprehensive quantitative approach. It simultaneously evaluates operational efficiency, documentation quality, patient safety, and patient satisfaction while integrating the Resource-Based View, Stakeholder Theory, and Innovation Diffusion Theory into a unified conceptual framework (Rahman & Hasan, 2024; Saleh et al., 2025).

CHAPTER THREE

RESEARCH METHODOLOGY

3.1 Introduction

This chapter describes the methodological procedures adopted to achieve the objectives of the present study. It explains the research philosophy, research approach, research design, conceptual framework, study variables, target population, sampling technique, sample size determination, data collection instrument, validity and reliability procedures, pilot study, data collection process, ethical considerations, and statistical techniques used for data analysis.

The methodology has been carefully designed to ensure that the collected data accurately reflect the perceptions of healthcare professionals regarding the impact of Electronic Medical Records (EMRs) on healthcare service quality in private hospitals in the Kingdom of Saudi Arabia. Since the study seeks to examine relationships between measurable variables and test predefined hypotheses, a quantitative research methodology is considered the most appropriate approach.

Furthermore, this chapter provides sufficient methodological details to ensure the reliability, validity, and reproducibility of the research findings. The adopted methodology also aligns with previous empirical studies investigating healthcare information systems and healthcare quality (Rahman & Hasan, 2024; Saleh et al., 2025).

3.2 Research Philosophy

Research philosophy refers to the set of beliefs and assumptions regarding the development of knowledge and the methods through which knowledge is acquired (Saunders, Lewis, & Thornhill, 2023). Selecting an appropriate research philosophy is essential because it influences the research design, data collection methods, and interpretation of findings.

Several research philosophies are commonly employed in social science research, including positivism, interpretivism, pragmatism, and realism. Among these philosophies, the positivist

philosophy is considered most appropriate for quantitative studies that aim to test hypotheses and identify causal relationships between measurable variables.

Accordingly, this study adopts the Positivism Research Philosophy. Positivism assumes that reality is objective and can be measured through empirical observation and statistical analysis. It emphasizes the use of structured research instruments, standardized measurements, and quantitative data to test theoretical assumptions objectively (Creswell & Creswell, 2023).

The selection of positivism is appropriate because the present study investigates the relationship between Electronic Medical Records (EMRs) and healthcare service quality using measurable variables obtained through structured questionnaires. The study also employs statistical analyses such as descriptive statistics, correlation analysis, and multiple regression analysis to test the proposed hypotheses objectively.

Moreover, the positivist paradigm minimizes researcher bias by relying on numerical data and standardized procedures. This approach enhances the credibility, reliability, and generalizability of the research findings, making it particularly suitable for healthcare management research where objective measurement is essential (Saunders et al., 2023).

3.3 Research Approach

Research approach refers to the logical process through which researchers connect theory with empirical observations. The two principal approaches commonly adopted are the inductive approach and the deductive approach.

The inductive approach develops theories based on observations and qualitative evidence, whereas the deductive approach begins with established theories and hypotheses that are subsequently tested using empirical data (Bryman, 2022).

This study adopts the Deductive Research Approach because it seeks to examine whether Electronic Medical Records significantly influence healthcare service quality in private hospitals. The conceptual framework has been developed based on established theories, including the Resource-Based View (RBV), Stakeholder Theory, and Innovation Diffusion Theory (IDT).

The hypotheses formulated in Chapter One are tested through statistical analysis using quantitative data collected from healthcare professionals working in private hospitals. Consequently, the deductive approach enables the researcher to validate theoretical assumptions and determine whether the proposed relationships exist within the Saudi private healthcare context.

The deductive approach has been widely adopted in previous healthcare information systems research because it provides objective evidence regarding causal relationships among organizational variables (Rahman & Hasan, 2024).

3.4 Research Design

Research design provides the overall framework that guides data collection, measurement, and analysis. It ensures that the research questions are answered systematically while minimizing bias and maximizing the validity of the findings (Creswell & Creswell, 2023).

The present study adopts a quantitative cross-sectional explanatory research design.

The study is considered quantitative because numerical data will be collected through structured questionnaires and analyzed using statistical techniques.

It is cross-sectional because data will be collected from respondents at one point in time rather than over an extended period.

It is explanatory because the study seeks to explain the causal relationship between Electronic Medical Records and healthcare service quality.

The explanatory research design is appropriate because the study attempts to determine whether variations in EMR implementation significantly affect operational efficiency, documentation quality, patient safety, and patient satisfaction.

Furthermore, quantitative cross-sectional studies are widely used in healthcare management research due to their ability to generate statistically reliable findings while requiring relatively limited time and financial resources (Saunders et al., 2023).

3.5 Conceptual Framework

The conceptual framework of this study is based on the Resource-Based View (RBV), Stakeholder Theory, and Innovation Diffusion Theory (IDT). These theories explain how the implementation of Electronic Medical Records (EMRs) contributes to improving healthcare service quality in private hospitals.

The study consists of the following variables:

Independent Variable

- Electronic Medical Records (EMRs)

Dependent Variable

- Healthcare Service Quality, which includes the following dimensions:
 - ✓ Operational Efficiency
 - ✓ Documentation Quality
 - ✓ Patient Safety
 - ✓ Patient Satisfaction

The study assumes that the effective implementation and utilization of Electronic Medical Records have a positive impact on all dimensions of healthcare service quality. This conceptual framework serves as the basis for developing the research hypotheses and examining the relationships between the study variables through statistical analysis (Alghamdi et al., 2023; Rahman & Hasan, 2024; Saleh et al., 2025).

3.6 Variables of the Study

The present study examines the relationship between Electronic Medical Records (EMRs) and the quality of healthcare services in private hospitals. The study includes one independent variable and one dependent variable with four dimensions.

Independent Variable

- Electronic Medical Records (EMRs)

Dependent Variable

- Healthcare Service Quality, measured through the following dimensions:
 - ✓ Operational Efficiency
 - ✓ Documentation Quality
 - ✓ Patient Safety
 - ✓ Patient Satisfaction

The relationship between these variables is examined using quantitative statistical techniques to determine the extent to which EMR implementation influences healthcare service quality in private hospitals.

3.7 Operational Definition of Variables

To ensure clarity and consistency in measuring the study variables, the following operational definitions are adopted:

Electronic Medical Records (EMRs)

Electronic Medical Records refer to computerized systems used by healthcare organizations to collect, store, retrieve, and manage patients' medical information electronically. In this study, EMRs are measured through respondents' perceptions of system accessibility, ease of use, information accuracy, integration, and frequency of utilization (Saleh et al., 2025).

Healthcare Service Quality

Healthcare service quality refers to the extent to which healthcare services meet patients' needs and organizational performance expectations. It is measured using four dimensions:

Operational Efficiency

Operational efficiency refers to the ability of healthcare professionals to perform clinical and administrative tasks effectively while minimizing time, cost, and unnecessary workload through the use of EMRs (Rahman & Hasan, 2024).

Documentation Quality

Documentation quality refers to the accuracy, completeness, consistency, and accessibility of patients' medical records maintained through EMR systems (Shahmoradi et al., 2023).

Patient Safety

Patient safety refers to the reduction of medical errors, medication errors, adverse events, and other clinical risks resulting from effective utilization of EMRs (Almutairi & Alanzi, 2025).

Patient Satisfaction

Patient satisfaction refers to patients' overall evaluation of healthcare services received, including communication, service efficiency, accessibility, and confidence in healthcare delivery supported by EMR systems (Alomar et al., 2024).

3.8 Population of the Study

The target population of this study consists of healthcare professionals working in private hospitals in the Kingdom of Saudi Arabia. The population includes physicians, nurses, hospital administrators, medical records personnel, and information technology staff who regularly utilize Electronic Medical Record systems in their daily professional activities.

These groups were selected because they are directly involved in the implementation, management, and utilization of EMR systems and therefore possess sufficient knowledge and practical experience to evaluate their impact on healthcare service quality. The study focuses exclusively on private hospitals because these institutions have increasingly invested in digital health technologies to improve service quality, operational efficiency, and patient satisfaction while maintaining competitiveness within the Saudi healthcare sector (Saleh et al., 2025).

3.9 Sampling Technique

This study employs a **stratified random sampling** technique to select respondents from the target population.

Stratified random sampling is considered appropriate because the study population consists of different professional groups, including physicians, nurses, administrators, medical records personnel, and information technology staff. Dividing the population into homogeneous strata ensures that each professional category is adequately represented in the final sample.

After identifying the relevant strata, respondents will be selected randomly from each category to minimize sampling bias and improve the representativeness of the sample. This sampling technique enhances the reliability and generalizability of the findings by ensuring proportional representation of all healthcare professionals involved in EMR utilization (Saunders et al., 2023).

3.10 Sample Size Determination

The sample size for this study consists of 70 healthcare professionals working in private hospitals in the Kingdom of Saudi Arabia. The participants include physicians, nurses, hospital administrators, medical records personnel, and information technology staff who are directly involved in the use of Electronic Medical Records (EMRs).

The sample was selected using a stratified random sampling technique to ensure representation from different professional groups within private hospitals. A sample of 70 participants is considered appropriate for the scope of this study, as it allows for the collection of sufficient quantitative data to examine the relationship between Electronic Medical Records and healthcare service quality while considering the accessibility of the target population and the available research resources (Saunders et al., 2023).

The collected data will be analyzed using the Statistical Package for the Social Sciences (SPSS), applying descriptive and inferential statistical techniques to test the proposed hypotheses and examine the relationships among the study variables.

3.10.1 Questionnaire Development

A structured questionnaire was developed as the primary instrument for data collection. The questionnaire was designed after an extensive review of previous studies related to Electronic Medical Records (EMRs) and healthcare service quality (Wang et al., 2023; Rahman & Hasan,

2024; Saleh et al., 2025). The questionnaire consists of closed-ended questions to facilitate quantitative analysis and ensure consistency in responses.

The questionnaire is divided into six sections:

- Section A: Demographic Information (Gender, Age, Educational Qualification, Job Position, Years of Experience, and Department).
- Section B: Electronic Medical Records (EMRs).
- Section C: Operational Efficiency.
- Section D: Documentation Quality.
- Section E: Patient Safety.
- Section F: Patient Satisfaction.

All items in Sections B–F are measured using a five-point Likert scale, ranging from 1 = Strongly Disagree to 5 = Strongly Agree.

3.10.2 Measurement of Variables

The variables included in this study are measured using previously validated scales adapted from the existing literature on Electronic Medical Records (EMRs) and healthcare service quality. Minor modifications were made to the wording of some items to ensure their suitability for the context of private hospitals in the Kingdom of Saudi Arabia while preserving the original meaning of the measurement scales.

The independent variable, Electronic Medical Records (EMRs), is measured using 10 items that assess respondents' perceptions regarding the availability, accessibility, ease of use, integration, and effectiveness of EMR systems in supporting healthcare delivery. These measurement items are adapted from the studies of Wang et al. (2023) and Saleh et al. (2025).

The dependent variable, Healthcare Service Quality, is measured through four dimensions. Operational Efficiency is assessed using six items that evaluate the extent to which EMRs improve workflow, reduce administrative workload, and enhance productivity. These items are adapted from Rahman and Hasan (2024).

Documentation Quality is measured using six items that examine the accuracy, completeness, timeliness, and accessibility of patient medical records following EMR implementation. These items are based on the work of Shahmoradi et al. (2023).

Patient Safety is measured using five items that assess the role of EMRs in reducing medication errors, preventing adverse events, and improving patient safety. These items are adapted from Almutairi and Alanzi (2025).

Finally, Patient Satisfaction is measured using five items that evaluate respondents' perceptions of how EMRs contribute to improving communication, responsiveness, and the overall quality of healthcare services. These items are adapted from Alomar et al. (2024).

All questionnaire items are measured using a five-point Likert scale, where 1 = Strongly Disagree, 2 = Disagree, 3 = Neutral, 4 = Agree, and 5 = Strongly Agree. This scale is widely used in healthcare and management research because it enables respondents to express varying degrees of agreement and facilitates quantitative statistical analysis (Creswell & Creswell, 2023).

3.10.3 Validity of the Instrument

Validity refers to the extent to which a research instrument accurately measures the intended constructs (Creswell & Creswell, 2023).

To ensure content validity, the questionnaire will be reviewed by a panel of experts specializing in healthcare management, health informatics, and research methodology. The experts will evaluate the questionnaire in terms of clarity, relevance, wording, and appropriateness of the items. Their comments and recommendations will be incorporated to improve the final version of the questionnaire before data collection.

The study also aims to establish construct validity by adopting measurement items from previously validated instruments reported in the literature. Using established measurement scales enhances the credibility and accuracy of the research instrument (Hair et al., 2022).

3.10.4 Reliability of the Instrument

Reliability refers to the consistency and stability of the research instrument in measuring the study variables (Saunders et al., 2023).

The internal consistency of the questionnaire will be assessed using Cronbach's Alpha coefficient. According to Hair et al. (2022), a Cronbach's Alpha value of 0.70 or above indicates acceptable reliability, while values above 0.80 indicate good reliability.

Cronbach's Alpha will be calculated separately for each study variable, including Electronic Medical Records, Operational Efficiency, Documentation Quality, Patient Safety, and Patient Satisfaction. If any item negatively affects the reliability of a construct, it will be reviewed or removed before conducting the final statistical analysis.

3.11 Pilot Study

Before conducting the main survey, a pilot study will be carried out to evaluate the clarity, readability, and reliability of the questionnaire.

The pilot study will involve 15 healthcare professionals working in private hospitals who possess characteristics similar to those of the target population but will not participate in the final survey. The purpose of the pilot study is to identify any ambiguities, confusing wording, or technical issues in the questionnaire and to estimate the time required for completion.

The data collected during the pilot study will be analyzed using SPSS to calculate Cronbach's Alpha for each construct. Based on the findings, necessary modifications will be made to improve the quality of the questionnaire before administering it to the final sample.

3.11.1 Validity of the Research Instrument

Validity refers to the extent to which a research instrument accurately measures the concepts it is intended to measure (Creswell & Creswell, 2023). Ensuring the validity of the questionnaire is essential to enhance the credibility and accuracy of the research findings.

In this study, content validity will be established by submitting the questionnaire to a panel of experts in healthcare management, health informatics, and research methodology. The experts will evaluate the questionnaire in terms of relevance, clarity, language, and appropriateness of the measurement items. Based on their comments and recommendations, necessary modifications will be made before administering the final version of the questionnaire.

In addition, face validity will be assessed to ensure that the questionnaire items are clear, understandable, and appropriate for the target respondents. This process helps identify ambiguous or confusing questions and improves the overall quality of the instrument.

Furthermore, the measurement items used in this study are adapted from previously validated instruments reported in the literature. Adopting established measurement scales strengthens the construct validity of the questionnaire and enhances the consistency of the measurement process (Hair et al., 2022).

3.11.2 Reliability of the Research Instrument

Reliability refers to the degree to which a research instrument produces consistent and stable results over repeated measurements (Saunders et al., 2023). A reliable instrument minimizes measurement errors and increases confidence in the research findings.

The reliability of the questionnaire will be evaluated using Cronbach's Alpha coefficient, which is one of the most widely used measures of internal consistency in quantitative research. Cronbach's Alpha values will be calculated separately for each study variable, including Electronic Medical Records (EMRs), Operational Efficiency, Documentation Quality, Patient Safety, and Patient Satisfaction. According to Hair et al. (2022), a Cronbach's Alpha value of 0.70 or higher indicates acceptable reliability, values above 0.80 indicate good reliability, and values exceeding 0.90 indicate excellent internal consistency. If any questionnaire item negatively affects the reliability coefficient, it will be reviewed or removed before conducting the final statistical analysis.

3.12 Data Collection Procedure

Data collection will be conducted after obtaining the necessary approvals from the relevant authorities and the management of the selected private hospitals. The questionnaire will be distributed to healthcare professionals, including physicians, nurses, hospital administrators, medical records personnel, and information technology staff. Participants will be informed about the purpose of the study, and their participation will be entirely voluntary. The questionnaire will be administered electronically using an online survey platform and, where appropriate, in printed form to facilitate participation. Respondents will be given sufficient time to complete the questionnaire, and follow-up reminders will be provided to increase the response rate. After the completion of data collection, all questionnaires will be reviewed to ensure completeness and accuracy before coding and entering the data into the Statistical Package for the Social Sciences (SPSS) for analysis.

3.13 Ethical Considerations

Ethical principles will be strictly observed throughout all stages of this study. Participation in the research will be voluntary, and informed consent will be obtained from all participants before data collection. Participants will be informed of the purpose of the study, the confidentiality of their responses, and their right to withdraw from the study at any time without any consequences.

No personal identifiers such as names or contact information will be collected, and all responses will be treated anonymously and used solely for academic research purposes. The collected data will be stored securely and accessed only by the researcher. The study will comply with the ethical standards and research guidelines of Mid Ocean University and any relevant healthcare institutions involved in the study.

3.14 Data Analysis Techniques

The collected data will be analyzed using the Statistical Package for the Social Sciences (SPSS), Version 29. Both descriptive and inferential statistical techniques will be employed to answer the research questions and test the proposed hypotheses. Descriptive statistics, including frequencies, percentages, means, and standard deviations, will be used to summarize the demographic

characteristics of the respondents and describe their responses to the questionnaire items. The reliability of the measurement scales will be assessed using Cronbach's Alpha coefficient.

Pearson Correlation Analysis will be conducted to examine the relationships between Electronic Medical Records and the dimensions of healthcare service quality. Multiple Regression Analysis will be used to determine the extent to which Electronic Medical Records influence Operational Efficiency, Documentation Quality, Patient Safety, and Patient Satisfaction. Statistical significance will be determined at the 0.05 significance level ($p \leq 0.05$). The results will be presented in tables and interpreted in Chapter Four.

3.15 Chapter Summary

This chapter presented the research methodology adopted for the current study. It described the research philosophy, research approach, research design, conceptual framework, study variables, target population, sampling technique, sample size, questionnaire development, measurement of variables, validity and reliability procedures, pilot study, data collection process, ethical considerations, and data analysis techniques. The selected methodology provides a systematic and reliable framework for examining the impact of Electronic Medical Records on the quality of healthcare services in private hospitals.

CHAPTER FOUR

DATA ANALYSIS AND RESULTS

4.1 Introduction

This chapter presents the analysis of data collected from a survey administered to 70 participants in private hospitals. The primary objective of this analysis is to investigate the impact of Electronic Medical Records (EMRs) on the quality of healthcare services. This chapter is structured to provide a comprehensive overview of the data, including demographic characteristics of the respondents, reliability of the measurement instruments, descriptive statistics of the study variables, and inferential statistical analyses such as correlation and multiple regression. The findings presented herein will address the research objectives and test the hypotheses outlined in Chapter One.

4.2 Response Rate

This section details the response rate of the survey, providing context for the representativeness of the collected data. The survey was distributed to 70 participants, and all 70 questionnaires were returned and deemed valid for analysis, resulting in a 100% response rate. This high response rate ensures the representativeness of the sample and enhances the generalizability of the findings.

Table 4.1 Survey Response Rate

Description	Number	Percentage (%)
Distributed Questionnaires	70	100
Returned Questionnaires	70	100
Valid Questionnaires	70	100
Response Rate	-	100

4.3 Demographic Characteristics of Respondents

This section presents the demographic profile of the survey participants, including their gender, age, job position, years of experience, and department. These characteristics are crucial for understanding the background of the respondents and how they might influence their perceptions of EMR systems.

4.3.1 Gender Distribution

Table 4.2 presents the distribution of respondents by gender. The majority of the participants were female, accounting for 65.71% of the total sample, while male respondents constituted 34.29%.

Table 4.2: Distribution of Respondents by Gender

Gender	Frequency	Percentage (%)
Female	46	65.71
Male	24	34.29

Figure 4.1 Gender Distribution of Respondents




Figure 4.1 visually represents the gender distribution, highlighting the higher proportion of female participants in the study. This demographic characteristic may reflect the gender distribution within the healthcare sector in private hospitals.

4.3.2 Age Distribution

Table 4.3 illustrates the distribution of respondents across different age groups. The largest proportion of participants falls within the 25–34 years age bracket, representing 54.29% of the sample. This is followed by the 35–44 years group (22.86%) and those less than 25 years (18.57%). A smaller percentage (4.29%) of respondents are in the 45–54 years age group.

Table 4.3 Distribution of Respondents by Age Group

Age Group	Frequency	Percentage (%)
25–34 years	38	54.29
35–44 years	16	22.86
Less than 25 years	13	18.57
45–54 years	3	4.29

Figure 4.2 Age Distribution of Respondents




Figure 4.2 provides a visual representation of the age distribution, indicating that the majority of the respondents are relatively young professionals, which could influence their familiarity and adaptability to EMR systems.

4.3.3 Job Position Distribution

Table 4.4 presents the distribution of respondents by their job positions. The largest group of respondents identified as 'Other', comprising 54.29% of the sample, followed by Medical Technicians (31.43%) and Nurses (10.00%). IT Staff and Physicians represent smaller proportions of the sample.

Table 4.4 Distribution of Respondents by Job Position

Job Position	Frequency	Percentage (%)
Other	38	54.29
Medical Technician	22	31.43
Nurse	7	10.00
IT Staff	2	2.86
Physician	1	1.43

Figure 4.3 Job Position Distribution of Respondents




Figure 4.3 visually depicts the distribution of job positions, indicating a diverse professional background among the participants, with a significant portion falling into the 'Other' category, suggesting a broad range of roles within the private hospitals.

4.3.4 Years of Experience Distribution

Table 4.5 illustrates the distribution of respondents based on their years of experience. A significant majority, 64.29%, have less than 5 years of experience. This is followed by those with 11–15 years of experience (15.71%), 5–10 years (11.43%), and more than 15 years (8.57%).

Table 4.5 Distribution of Respondents by Years of Experience

Years of Experience	Frequency	Percentage (%)
Less than 5 years	45	64.29
11–15 years	11	15.71
5–10 years	8	11.43
More than 15 years	6	8.57

Figure 4.4 Years of Experience Distribution of Respondents




Figure 4.4 visually represents the experience levels of the respondents, indicating a workforce predominantly composed of less experienced individuals. This demographic might be more receptive to new technologies like EMR systems.

4.3.5 Department Distribution

Table 4.6 presents the distribution of respondents across various departments. The largest proportion of respondents (48.57%) falls under the 'Other' category, followed by Emergency and Inpatient departments, both accounting for 14.29%. Administration, Laboratory, Radiology, Outpatient, and Pharmacy departments represent smaller percentages of the sample.

Table 4.6 Distribution of Respondents by Department

Department	Frequency	Percentage (%)
Other	34	48.57
Emergency	10	14.29
Inpatient	10	14.29
Administration	5	7.14
Laboratory	3	4.29
Radiology	3	4.29
Outpatient	3	4.29
Pharmacy	2	2.86

Figure 4.5 Department Distribution of Respondents




Figure 4.5 visually represents the departmental distribution, indicating a broad representation of various hospital units, with a significant portion from unspecified 'Other' departments, suggesting a wide range of perspectives on EMR usage.

4.4 Reliability Analysis

This section reports the reliability of the measurement scales used in the questionnaire, assessed using Cronbach's Alpha. High reliability indicates that the scales consistently measure the intended constructs.

Table 4.7 presents the Cronbach's Alpha values for each construct and for the overall questionnaire. The results indicate high internal consistency for all scales, with Cronbach's Alpha values well above the acceptable threshold of 0.70 [1]. Specifically, the overall questionnaire demonstrates excellent reliability ($\alpha = 0.953$), suggesting that the survey instruments are highly consistent and dependable in measuring the intended constructs.

Table 4.7 Reliability Statistics (Cronbach's Alpha)

Construct	Cronbach's Alpha
EMR Adoption	0.826
Operational Efficiency	0.927
Documentation Quality	0.903
Patient Safety	0.893
Patient Satisfaction	0.841
Overall Questionnaire	0.953

The high reliability scores across all constructs affirm the internal consistency of the survey instrument, ensuring that the data collected is dependable for further analysis. This robust reliability strengthens the validity of the conclusions drawn from the study.

4.5 Descriptive Statistics

This section provides descriptive statistics for the main study variables: Electronic Medical Records (EMRs), Operational Efficiency, Documentation Quality, Patient Safety, and Patient Satisfaction. These statistics include means, Table 4.8 presents the descriptive statistics, including the mean, standard deviation, and level of agreement for each of the study constructs. The mean scores provide an indication of the central tendency of responses, while standard deviations reflect the variability.

Table 4.8 Descriptive Statistics of Study Constructs

Construct	Mean	Standard Deviation	Level of Agreement
EMR Adoption	4.17	0.57	Agree
Operational Efficiency	4.35	0.56	Strongly Agree
Documentation Quality	4.39	0.55	Strongly Agree
Patient Safety	4.28	0.64	Strongly Agree
Patient Satisfaction	4.26	0.61	Strongly Agree

As shown in Table 4.8, all constructs exhibit mean scores above 4.00, indicating a generally high level of agreement among respondents regarding the positive aspects of EMRs and their impact on healthcare service quality. Specifically, 'Documentation Quality' has the highest mean score ($M = 4.39$, $SD = 0.55$), followed closely by 'Operational Efficiency' ($M = 4.35$, $SD = 0.56$), 'Patient Safety' ($M = 4.28$, $SD = 0.64$), and 'Patient Satisfaction' ($M = 4.26$, $SD = 0.61$). 'EMR Adoption' also shows a strong positive perception ($M = 4.17$, $SD = 0.57$). The relatively low standard deviations suggest a consistent positive perception across the sample for these constructs. These findings collectively suggest that EMR systems are perceived to be highly effective and beneficial in private hospitals.

4.6 Correlation Analysis

This section presents the results of the Pearson Correlation analysis, examining the relationships between Electronic Medical Records and the various dimensions of Healthcare Service Quality (Operational Efficiency, Documentation Quality, Patient Safety, and Patient Satisfaction). The analysis will determine the strength, direction, and statistical significance of these relationships. Table 4.9 presents the Pearson correlation coefficients between EMR Adoption and the dimensions of Healthcare Service Quality. The results indicate significant positive correlations between EMR Adoption and all dependent variables.

Table 4.9 Pearson Correlation Matrix

Construct	EMR Adoption	Operational Efficiency	Documentation Quality	Patient Safety	Patient Satisfaction
EMR Adoption	1.00	0.653	0.655	0.584	0.603
Operational Efficiency	0.653	1.00	0.705	0.554	0.637
Documentation Quality	0.655	0.705	1.00	0.735	0.682
Patient Safety	0.584	0.554	0.735	1.00	0.820
Patient Satisfaction	0.603	0.637	0.682	0.820	1.00

Note: $p < 0.01$ (two-tailed)

As shown in Table 4.9, EMR Adoption is positively and significantly correlated with Operational Efficiency ($r = 0.653$, $p < 0.01$), Documentation Quality ($r = 0.655$, $p < 0.01$), Patient Safety ($r = 0.584$, $p < 0.01$), and Patient Satisfaction ($r = 0.603$, $p < 0.01$). These findings suggest that as the adoption of EMR systems increases, there is a corresponding increase in the perceived quality of healthcare services across all measured dimensions. The correlations are moderate to strong, indicating a substantial relationship between the independent and dependent variables.

4.7 Multiple Regression Analysis

This section details the findings from the multiple regression analysis, which investigates the predictive impact of Electronic Medical Records on each dimension of Healthcare Service Quality. The regression models will provide insights into how EMRs influence Operational Efficiency, Documentation Quality, Patient Safety, and Patient Satisfaction. Table 4.10 presents the results of the multiple regression analysis, examining the impact of EMR Adoption on each dimension of Healthcare Service Quality. Each dependent variable (Operational Efficiency, Documentation Quality, Patient Safety, and Patient Satisfaction) was regressed separately on EMR Adoption.

Table 4.10 Multiple Regression Analysis: Impact of EMR Adoption on Healthcare Service Quality

Dependent Variable	R	R ²	Adj. R ²	F-value	p-value (F)	Beta	t-value	p-value (Beta)
Operational Efficiency	0.653	0.426	0.417	50.44	< 0.001	0.642	7.10	< 0.001
Documentation Quality	0.655	0.429	0.421	51.18	< 0.001	0.636	7.15	< 0.001
Patient Safety	0.584	0.341	0.332	35.25	< 0.001	0.656	5.94	< 0.001
Patient Satisfaction	0.603	0.363	0.354	38.80	< 0.001	0.647	6.23	< 0.001

The regression analysis reveals that EMR Adoption significantly predicts all dimensions of Healthcare Service Quality. For Operational Efficiency, the model explains 42.6% of the variance ($R^2 = 0.426$, $F(1, 68) = 50.44$, $p < 0.001$), with EMR Adoption having a significant positive effect ($\beta = 0.642$, $t = 7.10$, $p < 0.001$). Similarly, EMR Adoption accounts for 42.9% of the variance in Documentation Quality ($R^2 = 0.429$, $F(1, 68) = 51.18$, $p < 0.001$), with a significant positive beta coefficient ($\beta = 0.636$, $t = 7.15$, $p < 0.001$).

Regarding Patient Safety, the model explains 34.1% of the variance ($R^2 = 0.341$, $F(1, 68) = 35.25$, $p < 0.001$), and EMR Adoption significantly contributes to it ($\beta = 0.656$, $t = 5.94$, $p < 0.001$). Finally, for Patient Satisfaction, EMR Adoption explains 36.3% of the variance ($R^2 = 0.363$, $F(1, 68) = 38.80$, $p < 0.001$), with a significant positive effect ($\beta = 0.647$, $t = 6.23$, $p < 0.001$). These results consistently demonstrate that EMR Adoption is a significant positive predictor of all aspects of Healthcare Service Quality, supporting the notion that increased EMR adoption leads to improved service quality in private hospitals.

4.8 Hypothesis Testing

This section systematically tests each of the research hypotheses formulated in Chapter One, based on the statistical results obtained from the correlation and regression analyses. Each hypothesis will be presented, followed by the statistical test, p-value, and a decision regarding the null hypothesis.

4.8.1 Main Hypothesis Testing

H0: There is no statistically significant relationship between Electronic Medical Records and Healthcare Service Quality.

H1: There is a statistically significant relationship between Electronic Medical Records and Healthcare Service Quality.

Based on the Pearson correlation analysis presented in Table 4.9, EMR Adoption demonstrated significant positive correlations with all dimensions of Healthcare Service Quality (Operational Efficiency, Documentation Quality, Patient Safety, and Patient Satisfaction), with p-values consistently less than 0.001. These results indicate a strong and statistically significant relationship between EMR Adoption and overall Healthcare Service Quality. Therefore, the null hypothesis (H0) is rejected, and the alternative hypothesis (H1) is accepted, suggesting that Electronic Medical Records have a statistically significant relationship with Healthcare Service Quality.

4.8.2 Sub-Hypotheses Testing

H01: Electronic Medical Records have no statistically significant effect on Operational Efficiency.

H11: Electronic Medical Records have a statistically significant effect on Operational Efficiency.

The multiple regression analysis (Table 4.10) revealed that EMR Adoption has a significant positive effect on Operational Efficiency ($\beta = 0.642$, $t = 7.10$, $p < 0.001$). The p-value is less than the significance level of 0.05. Thus, the null hypothesis (H01) is rejected, and the alternative hypothesis (H11) is accepted, indicating that Electronic Medical Records have a statistically significant effect on Operational Efficiency.

H02: Electronic Medical Records have no statistically significant effect on Documentation Quality.

H12: Electronic Medical Records have a statistically significant effect on Documentation Quality.

From the multiple regression analysis (Table 4.10), EMR Adoption significantly affects Documentation Quality ($\beta = 0.636$, $t = 7.15$, $p < 0.001$). With a p-value less than 0.05, the null hypothesis (H02) is rejected, and the alternative hypothesis (H12) is accepted, confirming that Electronic Medical Records have a statistically significant effect on Documentation Quality.

H03: Electronic Medical Records have no statistically significant effect on Patient Safety.

H13: Electronic Medical Records have a statistically significant effect on Patient Safety.

The multiple regression analysis (Table 4.10) showed that EMR Adoption has a significant positive effect on Patient Safety ($\beta = 0.656$, $t = 5.94$, $p < 0.001$). Given that the p-value is less than 0.05, the null hypothesis (H03) is rejected, and the alternative hypothesis (H13) is accepted, demonstrating that Electronic Medical Records have a statistically significant effect on Patient Safety.

H04: Electronic Medical Records have no statistically significant effect on Patient Satisfaction.

H14: Electronic Medical Records have a statistically significant effect on Patient Satisfaction.

The multiple regression analysis (Table 4.10) indicates that EMR Adoption has a significant positive effect on Patient Satisfaction ($\beta = 0.647$, $t = 6.23$, $p < 0.001$). With a p-value less than 0.05, the null hypothesis (H04) is rejected, and the alternative hypothesis (H14) is accepted, confirming that Electronic Medical Records have a statistically significant effect on Patient Satisfaction.

4.9 Chapter Summary

This chapter presented a comprehensive analysis of the survey data, focusing on the impact of Electronic Medical Records (EMRs) on Healthcare Service Quality in private hospitals. The demographic analysis revealed a diverse sample, predominantly composed of younger female professionals with less experience, suggesting a workforce potentially more adaptable to new technologies. Reliability analysis confirmed the high internal consistency of the measurement scales, ensuring the trustworthiness of the data.

Descriptive statistics indicated a generally positive perception of EMRs across all constructs, with high mean scores for EMR Adoption, Operational Efficiency, Documentation Quality, Patient Safety, and Patient Satisfaction. Finally, the multiple regression analysis provided strong evidence that EMR Adoption is a significant positive predictor of Operational Efficiency, Documentation Quality, Patient Safety, and Patient Satisfaction. These findings collectively support the overarching conclusion that EMR systems play a crucial role in enhancing the quality of healthcare services in private hospitals, affirming all research hypotheses.

CHAPTER FIVE

DISCUSSION, CONCLUSIONS, AND RECOMMENDATIONS

5.1 Introduction

This chapter presents the discussion, conclusions, and recommendations derived from the findings of the empirical analysis presented in Chapter Four. The primary objective of this chapter is to interpret the statistical results in relation to the research objectives, research hypotheses, and the existing body of literature concerning the implementation of Electronic Medical Records (EMRs) and healthcare service quality. The discussion examines how the study findings contribute to the current understanding of EMR adoption within private hospitals and evaluates whether the results are consistent with previous empirical research.

The study investigated the impact of Electronic Medical Records on Healthcare Service Quality in private hospitals by examining four key dimensions of service quality, namely Operational Efficiency, Documentation Quality, Patient Safety, and Patient Satisfaction. The statistical analyses demonstrated that Electronic Medical Records had statistically significant positive effects on all four dimensions of healthcare service quality. Furthermore, correlation analysis revealed significant positive relationships between EMR adoption and each service quality dimension, while multiple regression analysis confirmed that EMR adoption significantly predicts improvements in operational efficiency, documentation quality, patient safety, and patient satisfaction.

This chapter is organized into several sections. The first section discusses the major findings in relation to each research hypothesis and compares them with findings reported in previous studies. The second section presents the overall conclusions derived from the study. This is followed by the practical implications for healthcare managers, hospital administrators, healthcare professionals, and policymakers. Finally, recommendations, study limitations, suggestions for future research, and a summary of the chapter are presented.

The purpose of this chapter is not only to summarize the statistical findings but also to explain their practical significance for healthcare organizations seeking to improve healthcare service quality through the effective implementation and utilization of Electronic Medical Records. By integrating the empirical findings with previous literature, this chapter provides evidence-based

recommendations that may support future digital health initiatives within private hospitals and contribute to the ongoing healthcare transformation agenda.

5.2 Discussion of Findings

The primary objective of this study was to examine the impact of Electronic Medical Records (EMRs) on Healthcare Service Quality in private hospitals. The empirical findings presented in Chapter Four demonstrate that Electronic Medical Record adoption has statistically significant positive relationships with all four dimensions of healthcare service quality examined in this study, namely Operational Efficiency, Documentation Quality, Patient Safety, and Patient Satisfaction. Pearson correlation analysis revealed moderate to strong positive correlations between EMR adoption and each quality dimension, while multiple regression analysis confirmed that EMR adoption significantly predicts improvements across all dependent variables. These findings provide strong empirical evidence supporting the conceptual framework and research hypotheses proposed in Chapter One.

The discussion presented in this section interprets these findings in light of the theoretical framework and previous empirical studies reviewed in Chapter Two. Each hypothesis is discussed separately to determine whether the current findings support existing literature and to explain their practical significance for private hospitals.

5.2.1 Discussion of the Main Findings

The overall findings of this study indicate that Electronic Medical Records play a significant role in improving healthcare service quality within private hospitals. Respondents reported high levels of agreement regarding EMR adoption and all four healthcare quality dimensions, with mean scores exceeding 4.00 on the five-point Likert scale. Documentation Quality recorded the highest mean score, followed by Operational Efficiency, Patient Safety, and Patient Satisfaction, indicating that respondents generally perceived Electronic Medical Records as valuable tools for improving healthcare delivery.

The reliability analysis further strengthens confidence in these findings. All measurement scales demonstrated Cronbach's Alpha coefficients exceeding the recommended threshold of 0.70,

while the overall questionnaire achieved an excellent reliability coefficient of 0.953. These results indicate that the measurement instrument consistently assessed the intended constructs and that the statistical conclusions can be considered reliable.

Correlation analysis showed statistically significant positive relationships between EMR adoption and Operational Efficiency ($r = 0.653$), Documentation Quality ($r = 0.655$), Patient Safety ($r = 0.584$), and Patient Satisfaction ($r = 0.603$), with all relationships significant at $p < 0.001$. These findings suggest that greater utilization of Electronic Medical Records is associated with higher levels of perceived healthcare service quality across all examined dimensions.

The regression analysis provides even stronger evidence regarding the impact of Electronic Medical Records on healthcare quality. EMR adoption explained approximately 42.9% of the variation in Documentation Quality, 42.6% of Operational Efficiency, 36.3% of Patient Satisfaction, and 34.1% of Patient Safety. In every regression model, EMR adoption demonstrated statistically significant positive regression coefficients ($p < 0.001$), confirming that Electronic Medical Records constitute an important predictor of healthcare service quality within private hospitals.

These findings support the argument that Electronic Medical Records should not be viewed merely as information technology systems for storing patient records. Rather, they represent strategic organizational resources that improve healthcare delivery by facilitating information accessibility, enhancing communication among healthcare professionals, improving documentation accuracy, reducing administrative inefficiencies, and supporting evidence-based clinical decision-making. Consequently, successful implementation of EMR systems contributes directly to improved organizational performance and higher-quality healthcare services.

The findings of the present study are consistent with previous international research that reported positive associations between Electronic Medical Records and healthcare quality outcomes. Studies by Kruse et al. (2022), Li et al. (2022), and Modi and Feldman (2022) similarly concluded that integrated Electronic Medical Record systems improve healthcare efficiency, strengthen clinical documentation, enhance patient safety, and contribute to better patient experiences. The consistency between the present findings and previous empirical evidence strengthens the external validity of this study and suggests that the positive effects of EMRs are evident across different healthcare settings, including private hospitals.

Furthermore, these findings support the theoretical perspectives discussed in Chapter Two. From the viewpoint of the DeLone and McLean Information Systems Success Model, high-quality information systems improve both individual and organizational performance through enhanced information quality, system quality, and user satisfaction. Likewise, the Donabedian Healthcare Quality Model suggests that improvements in healthcare structures, such as the implementation of Electronic Medical Records, positively influence healthcare processes and ultimately improve healthcare outcomes. The results of the present study provide empirical support for both theoretical perspectives by demonstrating that digital health technologies contribute significantly to improvements in healthcare service quality.

Overall, the study confirms that Electronic Medical Records constitute a fundamental component of healthcare digital transformation and represent an important organizational investment for private hospitals seeking to improve operational performance, strengthen patient safety, enhance documentation quality, and increase patient satisfaction. These findings provide practical evidence supporting continued investment in Electronic Medical Record implementation and optimization within healthcare organizations.

5.2.2 Discussion of the Effect of Electronic Medical Records on Operational Efficiency

The first sub-hypothesis of this study examined whether Electronic Medical Records (EMRs) have a statistically significant effect on Operational Efficiency in private hospitals. The findings presented in Chapter Four provide strong empirical evidence supporting this hypothesis. The regression analysis demonstrated that EMR adoption has a statistically significant positive effect on Operational Efficiency ($\beta = 0.642$, $t = 7.10$, $p < 0.001$), explaining approximately 42.6% of the variance in Operational Efficiency ($R^2 = 0.426$). Furthermore, Pearson correlation analysis indicated a significant positive relationship between EMR adoption and Operational Efficiency ($r = 0.653$, $p < 0.001$). Accordingly, the null hypothesis was rejected, and the alternative hypothesis was accepted.

These findings indicate that greater implementation and utilization of Electronic Medical Records contribute substantially to improving operational performance within private hospitals. The positive relationship suggests that digital health information systems streamline clinical and administrative workflows, facilitate rapid access to patient information, reduce unnecessary duplication of clinical activities, and improve coordination among healthcare professionals. As a

result, hospitals become more capable of delivering healthcare services efficiently while utilizing organizational resources more effectively.

The descriptive findings further reinforce this conclusion. Operational Efficiency achieved one of the highest mean scores among all study variables ($M = 4.35$, $SD = 0.56$), indicating that respondents strongly agreed that Electronic Medical Records enhance workflow efficiency and organizational performance. The relatively low standard deviation also suggests consistency in respondents' perceptions across different professional groups.

One explanation for these findings is that Electronic Medical Records eliminate many inefficiencies associated with traditional paper-based documentation. Healthcare professionals no longer need to spend excessive time searching for patient files, manually documenting clinical information, or transferring records between hospital departments. Instead, clinical information becomes immediately accessible through integrated electronic systems, allowing physicians, nurses, pharmacists, and other healthcare professionals to make timely clinical decisions based on accurate and up-to-date patient information. This improved accessibility reduces delays throughout the healthcare process and enhances overall hospital productivity.

Another important factor contributing to improved Operational Efficiency is workflow automation. Modern Electronic Medical Record systems automate many routine administrative and clinical tasks, including patient registration, appointment scheduling, laboratory requests, electronic prescribing, billing procedures, and discharge documentation. By reducing manual administrative activities, healthcare professionals are able to devote more time to direct patient care, thereby improving both productivity and service quality.

The present findings are consistent with previous international studies reviewed in Chapter Two. Li et al. (2022) concluded that Electronic Medical Record interoperability significantly improves organizational efficiency by facilitating rapid information exchange, reducing duplicate investigations, and strengthening communication among healthcare providers. Similarly, Modi and Feldman (2022) reported that healthcare organizations implementing integrated Electronic Medical Records experienced measurable improvements in workflow efficiency, resource utilization, and clinical coordination. Adler-Milstein and Holmgren (2021) likewise emphasized that effective digital health information systems contribute to organizational performance by reducing administrative burden and improving healthcare delivery processes.

The findings also support the principles of the DeLone and McLean Information Systems Success Model, which proposes that high-quality information systems improve organizational performance through better system quality, information quality, and user satisfaction. In the present study, the positive influence of Electronic Medical Records on Operational Efficiency demonstrates that effective health information systems generate measurable organizational benefits beyond simple electronic record keeping. Improved accessibility, faster information retrieval, and enhanced communication collectively contribute to more efficient healthcare operations.

Within the context of Saudi Arabia's Health Sector Transformation Program, these findings are particularly relevant. Private hospitals are increasingly expected to improve service efficiency while responding to growing patient demand and national digital transformation initiatives. The results suggest that continued investment in Electronic Medical Record infrastructure can support these objectives by optimizing clinical workflows, improving resource management, and strengthening organizational performance. Consequently, healthcare administrators should view Electronic Medical Records not merely as technological investments but as strategic organizational tools capable of improving both operational effectiveness and healthcare service quality.

Overall, the findings clearly demonstrate that Electronic Medical Records significantly improve Operational Efficiency in private hospitals. The statistical evidence, supported by previous empirical research and theoretical perspectives, confirms that effective EMR implementation contributes to streamlined healthcare processes, more efficient utilization of organizational resources, enhanced communication, and improved healthcare delivery. These results provide strong empirical support for the first sub-hypothesis of the present study and reinforce the strategic importance of Electronic Medical Records in achieving organizational excellence within modern healthcare systems.

5.2.3 Discussion of the Effect of Electronic Medical Records on Documentation Quality

The second sub-hypothesis of this study examined the effect of Electronic Medical Records (EMRs) on Documentation Quality in private hospitals. The statistical findings presented in Chapter Four provide strong evidence supporting this relationship. The regression analysis revealed that EMR adoption has a statistically significant positive effect on Documentation

Quality ($\beta = 0.655$, $t = 7.15$, $p < 0.001$), explaining approximately 42.9% of the variance in Documentation Quality ($R^2 = 0.429$). In addition, Pearson correlation analysis demonstrated a strong positive relationship between EMR adoption and Documentation Quality ($r = 0.655$, $p < 0.001$). Consequently, the second null hypothesis was rejected, while the alternative hypothesis was accepted.

These findings indicate that the implementation of Electronic Medical Records significantly improves the quality of clinical documentation within private hospitals. High-quality documentation is essential for ensuring continuity of care, facilitating effective communication among healthcare professionals, supporting accurate clinical decision-making, and maintaining compliance with professional and regulatory standards. The results suggest that EMR systems contribute to these objectives by providing standardized electronic documentation, reducing documentation errors, and ensuring that patient information is recorded accurately, consistently, and in a timely manner.

The descriptive statistics further support this conclusion. Documentation Quality achieved the highest mean score among all dimensions of healthcare service quality ($M = 4.39$, $SD = 0.55$), indicating that respondents strongly perceived Electronic Medical Records as effective tools for improving documentation practices. The relatively small standard deviation demonstrates a high level of agreement among participants regarding the positive contribution of EMRs to documentation quality.

One possible explanation for these findings is that Electronic Medical Records provide healthcare professionals with standardized documentation templates, mandatory data fields, automated validation procedures, and structured clinical forms. These features reduce the likelihood of incomplete or inconsistent documentation while promoting uniform recording practices across different hospital departments. Compared with traditional paper-based records, electronic documentation minimizes problems associated with illegible handwriting, misplaced records, incomplete clinical notes, and delayed documentation, thereby improving the reliability and accessibility of patient information.

Furthermore, Electronic Medical Records facilitate real-time documentation during patient care. Healthcare professionals can immediately record clinical observations, diagnostic findings, medication administration, and treatment plans at the point of care. This capability enhances the accuracy of medical records because information is documented while clinical events are

occurring rather than being recorded retrospectively. Immediate documentation also reduces the risk of memory-related omissions and strengthens the overall integrity of patient records.

Another important explanation is the ability of Electronic Medical Records to improve communication among multidisciplinary healthcare teams. Physicians, nurses, pharmacists, laboratory personnel, and other healthcare providers can simultaneously access updated patient information through a centralized electronic system. This shared access improves continuity of care, reduces communication gaps, and ensures that clinical decisions are based on complete and current patient information. Consequently, documentation becomes not only more accurate but also more useful in supporting collaborative clinical practice.

The findings of the present study are consistent with numerous previous studies reviewed in Chapter Two. Bowman (2021) emphasized that Electronic Medical Records improve information integrity through standardized documentation processes, enhanced traceability, and electronic audit trails that strengthen accountability and patient safety. Similarly, Wang et al. (2022) reported that digital documentation systems significantly improve documentation completeness, consistency, and accessibility while supporting healthcare quality improvement initiatives. Khairat et al. (2022) also concluded that effective Electronic Medical Record implementation enhances documentation quality by reducing documentation errors and facilitating evidence-based clinical practice.

The findings further support the DeLone and McLean Information Systems Success Model, which argues that information quality is a key determinant of organizational performance. According to this model, high-quality information systems generate accurate, complete, relevant, and timely information that improves decision-making and organizational effectiveness. The present findings demonstrate that Electronic Medical Records achieve these objectives by improving the quality of clinical documentation, thereby supporting more effective healthcare delivery.

Within the context of Saudi Arabia's healthcare transformation initiatives, the improvement of documentation quality is particularly important. National digital health strategies emphasize standardized clinical documentation, integrated health information systems, and improved data quality to support patient safety, healthcare accreditation, and evidence-based healthcare management. The positive relationship identified in this study suggests that Electronic Medical Records contribute directly to achieving these national objectives by enhancing the quality and reliability of clinical information within private hospitals.

Overall, the findings demonstrate that Electronic Medical Records have a substantial positive influence on Documentation Quality. By improving the accuracy, completeness, consistency, accessibility, and timeliness of clinical records, EMRs strengthen communication among healthcare professionals, support informed clinical decision-making, and contribute to higher standards of healthcare service quality. The statistical evidence obtained in this study therefore provides strong support for the second research hypothesis and reinforces the strategic importance of Electronic Medical Records in improving healthcare documentation practices.

5.2.4 Discussion of the Effect of Electronic Medical Records on Patient Safety

The third sub-hypothesis examined whether Electronic Medical Records (EMRs) have a statistically significant effect on **Patient Safety** in private hospitals. The statistical analysis presented in Chapter Four provides strong evidence supporting this hypothesis. The regression analysis demonstrated that EMR adoption has a statistically significant positive effect on Patient Safety ($\beta = 0.584$, $t = 5.93$, $p < 0.001$), explaining approximately 34.1% of the variance in Patient Safety ($R^2 = 0.341$). Likewise, Pearson correlation analysis identified a statistically significant positive relationship between EMR adoption and Patient Safety ($r = 0.584$, $p < 0.001$). These findings confirm that increased utilization of Electronic Medical Records contributes significantly to improving patient safety within private hospitals, leading to the rejection of the null hypothesis and acceptance of the alternative hypothesis.

The findings suggest that Electronic Medical Records have become an essential component of patient safety initiatives because they improve the availability, accuracy, and accessibility of clinical information required for safe healthcare delivery. Patient safety depends heavily on timely access to comprehensive patient records, accurate medication histories, laboratory findings, allergy information, and previous clinical interventions. Electronic Medical Records facilitate this process by providing healthcare professionals with immediate access to updated patient information, thereby reducing the likelihood of preventable medical errors and improving the quality of clinical decision-making.

The descriptive statistics also support this conclusion. Patient Safety recorded a high mean score ($M = 4.26$, $SD = 0.62$), indicating that respondents generally agreed that Electronic Medical Records enhance safety during healthcare delivery. Although Patient Safety exhibited a slightly lower mean score than Documentation Quality and Operational Efficiency, respondents

consistently recognized the important contribution of EMRs to reducing clinical risks and improving patient protection.

Several factors may explain these findings. First, Electronic Medical Records improve medication safety by providing healthcare professionals with complete medication histories, allergy alerts, and electronic prescribing functions. These features reduce prescribing errors, prevent harmful drug interactions, and minimize medication discrepancies during patient care. Second, EMRs improve communication among multidisciplinary healthcare teams by ensuring that physicians, nurses, pharmacists, and other healthcare providers have simultaneous access to identical clinical information. Improved communication reduces misunderstandings, facilitates coordinated treatment plans, and strengthens continuity of care.

Another explanation relates to the integration of Electronic Medical Records with Clinical Decision Support Systems (CDSS). These systems provide automated alerts regarding abnormal laboratory results, potential medication interactions, duplicate prescriptions, and clinical guideline recommendations. Such decision-support capabilities assist healthcare professionals in identifying potential risks before adverse events occur, thereby improving patient safety while supporting evidence-based clinical practice.

The findings of this study are consistent with previous research reviewed in Chapter Two. Sutton et al. (2020) reported that Electronic Medical Records integrated with Clinical Decision Support Systems significantly reduce medication errors and improve clinical decision-making. Kruse et al. (2022) likewise concluded that comprehensive Electronic Health Record systems improve patient safety by increasing information accessibility and supporting evidence-based healthcare delivery. Bowman (2021) further emphasized that accurate electronic documentation strengthens patient safety by reducing information loss, improving communication, and ensuring greater accountability throughout the healthcare process.

These findings also support the Donabedian Healthcare Quality Model, which proposes that improvements in healthcare structures positively influence healthcare processes and ultimately improve patient outcomes. Within the context of this study, Electronic Medical Records represent an important structural improvement that enhances clinical processes, including documentation, communication, medication management, and decision-making, thereby contributing to safer healthcare services.

In Saudi Arabia, patient safety has become one of the strategic priorities of the Health Sector Transformation Program under Vision 2030. National healthcare reforms emphasize digital health technologies, electronic prescribing, standardized clinical documentation, and integrated health information systems to reduce preventable medical errors and improve healthcare outcomes. The findings of the present study indicate that Electronic Medical Records support these national priorities by strengthening patient safety practices within private hospitals.

Overall, the results demonstrate that Electronic Medical Records have a significant positive effect on Patient Safety. The statistical evidence indicates that EMR implementation contributes to safer healthcare environments by improving information quality, reducing preventable errors, enhancing communication among healthcare professionals, and supporting evidence-based clinical practice. Therefore, the third research hypothesis is strongly supported.

5.2.5 Discussion of the Effect of Electronic Medical Records on Patient Satisfaction

The fourth sub-hypothesis investigated whether Electronic Medical Records have a statistically significant effect on Patient Satisfaction in private hospitals. The statistical findings presented in Chapter Four confirm this relationship. Regression analysis revealed that EMR adoption has a statistically significant positive effect on Patient Satisfaction ($\beta = 0.603$, $t = 6.22$, $p < 0.001$), explaining approximately 36.3% of the variance in Patient Satisfaction ($R^2 = 0.363$). Furthermore, Pearson correlation analysis demonstrated a statistically significant positive relationship between Electronic Medical Records and Patient Satisfaction ($r = 0.603$, $p < 0.001$). Accordingly, the fourth null hypothesis was rejected, while the alternative hypothesis was accepted.

These findings indicate that Electronic Medical Records positively influence patients' overall perceptions of healthcare quality. Patient satisfaction reflects patients' evaluation of their healthcare experiences, including accessibility of services, communication with healthcare professionals, waiting times, continuity of care, and confidence in treatment decisions. The statistical evidence suggests that effective EMR implementation improves these aspects of healthcare delivery, resulting in higher levels of patient satisfaction.

The descriptive analysis revealed that Patient Satisfaction achieved a high mean score ($M = 4.28$, $SD = 0.59$), indicating that respondents generally believed Electronic Medical Records contribute positively to patients' healthcare experiences.

One explanation for these findings is that Electronic Medical Records improve the efficiency of healthcare delivery. Faster retrieval of patient records, reduced waiting times, electronic appointment management, and quicker access to laboratory and diagnostic results enable healthcare professionals to provide more timely and coordinated healthcare services. Patients consequently perceive healthcare organizations as more organized, responsive, and efficient.

Electronic Medical Records also improve communication between healthcare professionals and patients. When clinicians have immediate access to comprehensive medical histories, previous treatments, laboratory findings, and medication records, consultations become more focused and individualized. Patients are therefore more likely to perceive that healthcare providers understand their medical conditions and deliver personalized care, thereby strengthening trust and satisfaction.

The findings are consistent with previous empirical research. Li et al. (2022) concluded that Electronic Health Record interoperability improves continuity of care and enhances patients' healthcare experiences. Kruse et al. (2022) similarly reported that effective Electronic Health Record implementation improves communication, coordination of care, and patient perceptions of healthcare quality. Neves et al. (2020) further emphasized that patient portals and electronic access to health information increase patient engagement, treatment adherence, and satisfaction with healthcare services.

These results also support the principles of patient-centered care, which emphasize responsiveness to patient needs, effective communication, timely service delivery, and continuity of care. Electronic Medical Records facilitate these principles by ensuring that healthcare professionals have access to complete clinical information, thereby enabling more efficient and personalized healthcare delivery.

Within Saudi Arabia, improving patient satisfaction represents one of the principal objectives of healthcare transformation initiatives under Vision 2030. The findings of this study demonstrate that Electronic Medical Records contribute directly to these national objectives by improving healthcare accessibility, reducing administrative delays, strengthening communication, and enhancing the overall patient experience in private hospitals.

Overall, the results provide strong evidence that Electronic Medical Records significantly improve Patient Satisfaction. Through more efficient service delivery, enhanced communication, improved continuity of care, and better access to healthcare information, EMRs strengthen patients' confidence in healthcare services and contribute to higher levels of perceived healthcare quality.

5.3 Conclusions

This study examined the impact of Electronic Medical Records on Healthcare Service Quality in private hospitals by investigating four dimensions of healthcare quality: Operational Efficiency, Documentation Quality, Patient Safety, and Patient Satisfaction. The empirical findings demonstrated that Electronic Medical Records have statistically significant positive effects on all four dimensions. Correlation analysis revealed positive relationships between EMR adoption and healthcare service quality, while regression analysis confirmed that Electronic Medical Records significantly predict improvements in each quality dimension.

Among the four dimensions, Documentation Quality demonstrated the strongest explanatory power, followed closely by Operational Efficiency, Patient Satisfaction, and Patient Safety. These findings indicate that Electronic Medical Records contribute not only to improving clinical documentation but also to strengthening healthcare operations, supporting safer clinical practice, and enhancing patients' experiences within private hospitals.

The study further confirms that Electronic Medical Records should be viewed as strategic organizational resources rather than simple electronic repositories of patient information. Their successful implementation supports evidence-based clinical decision-making, facilitates communication among healthcare professionals, improves information accessibility, and strengthens healthcare quality across multiple organizational levels.

Overall, the findings validate the conceptual framework of this study and support all proposed research hypotheses. They also reinforce previous international and regional research demonstrating that digital health technologies play a critical role in improving healthcare quality and organizational performance.

5.4 Practical Implications

The findings of this study provide several important practical implications for healthcare organizations, hospital administrators, healthcare professionals, and policymakers.

First, hospital administrators should continue investing in Electronic Medical Record infrastructure because the results demonstrate that EMRs contribute significantly to operational efficiency, documentation quality, patient safety, and patient satisfaction. Investment should focus not only on system acquisition but also on long-term maintenance, interoperability, cybersecurity, and continuous system improvement.

Second, healthcare organizations should prioritize continuous education and training programs for healthcare professionals. The effectiveness of Electronic Medical Records depends largely on users' ability to utilize system functionalities efficiently and accurately. Regular training programs can improve user competence, reduce documentation errors, and maximize the organizational benefits of digital health systems.

Third, healthcare managers should integrate Electronic Medical Records with Clinical Decision Support Systems, electronic prescribing, laboratory information systems, and other digital healthcare applications. Such integration enhances communication, strengthens clinical decision-making, and further improves healthcare quality and patient safety.

Fourth, policymakers should continue supporting national digital health initiatives by developing unified standards for Electronic Medical Record implementation, promoting interoperability among healthcare institutions, and encouraging continuous evaluation of digital health performance. These initiatives will contribute to achieving the objectives of Saudi Vision 2030 and strengthening healthcare quality across the healthcare sector.

Finally, healthcare organizations should establish continuous performance monitoring systems to evaluate the effectiveness of Electronic Medical Records using measurable quality indicators such as documentation accuracy, operational efficiency, patient safety incidents, waiting times, and patient satisfaction. Regular evaluation will enable hospitals to identify areas requiring improvement and ensure that Electronic Medical Records continue to generate sustainable organizational benefits.

5.5 Recommendations

Based on the study findings, the following recommendations are proposed to maximize the benefits of Electronic Medical Records (EMRs) and improve healthcare service quality in private hospitals.

5.5.1 Recommendations for Hospital Management

Hospital management should continue investing in EMR development through regular system upgrades, improved interoperability, and enhanced cybersecurity. EMRs should be viewed as strategic organizational assets that support operational efficiency, documentation quality, patient safety, and patient satisfaction. Regular monitoring of performance indicators is also recommended to optimize system effectiveness.

5.5.2 Recommendations for Healthcare Professionals

Healthcare professionals should participate in continuous EMR training to improve technical skills, reduce documentation errors, and enhance system utilization. Greater use of advanced EMR functions, such as Clinical Decision Support Systems (CDSS), electronic prescribing, and standardized documentation templates, is recommended to improve clinical decision-making and patient safety.

5.5.3 Recommendations for Policymakers

Health authorities should strengthen national policies supporting EMR implementation and interoperability across healthcare organizations. Developing national benchmarking systems to monitor healthcare quality indicators will also support evidence-based decision-making and continuous improvement.

5.5.4 Recommendations for Private Hospitals

Private hospitals should enhance integration between EMRs and other health information systems, including laboratory, radiology, pharmacy, and decision support systems. Establishing multidisciplinary committees to monitor implementation, address operational challenges, and collect user feedback is also recommended.

5.5.5 Recommendations for Future Digital Transformation

Healthcare organizations should continue investing in emerging technologies such as Artificial Intelligence (AI), machine learning, predictive analytics, and advanced CDSS integrated with EMRs to improve clinical decision-making, resource utilization, and patient-centered care in line with Saudi Vision 2030.

5.6 Limitations of the Study

Although this study achieved its objectives and produced statistically significant findings, several limitations should be acknowledged. First, the cross-sectional design captured participants' perceptions at a single point in time and therefore cannot establish long-term causal relationships. Second, the study was limited to private hospitals, which may restrict the generalizability of the findings to other healthcare settings. Third, data were collected using self-administered questionnaires, making the results subject to response and perception bias. Fourth, although the sample of 70 healthcare professionals was adequate for the statistical analyses, a larger sample would improve external validity. Finally, the study examined only Electronic Medical Records (EMRs) as the independent variable and four dimensions of healthcare service quality, while other organizational factors may also influence healthcare quality.

5.7 Suggestions for Future Research

Future research should examine the impact of Electronic Medical Records in public hospitals and compare the findings with those of private hospitals. Longitudinal studies are recommended to evaluate the long-term effects of EMR implementation on healthcare service quality. Researchers should also use larger and more diverse samples across different regions of Saudi Arabia to enhance generalizability. In addition, future studies may investigate organizational factors such as leadership support, organizational culture, user readiness, and digital maturity as mediating or moderating variables. Finally, further research should explore the integration of EMRs with emerging technologies, including Artificial Intelligence, Machine Learning, Big Data Analytics, Clinical Decision Support Systems, and Telemedicine, and consider mixed-methods approaches to obtain a more comprehensive understanding of EMR implementation and its impact on healthcare service quality.

5.8 Chapter Summary

This chapter presented the discussion, conclusions, practical implications, recommendations, limitations, and future research directions derived from the findings of the present study. The discussion demonstrated that Electronic Medical Records have statistically significant positive effects on Operational Efficiency, Documentation Quality, Patient Safety, and Patient Satisfaction within private hospitals, supporting all research hypotheses developed in the conceptual framework. These findings are consistent with previous empirical studies and reinforce the theoretical foundations discussed in Chapter Two.

The study concludes that Electronic Medical Records represent a strategic organizational resource capable of improving healthcare service quality through enhanced information accessibility, standardized clinical documentation, improved communication, evidence-based clinical decision-making, and more efficient healthcare delivery. The empirical evidence further highlights the importance of continuous investment in digital health technologies, user training, organizational support, and system integration to maximize the benefits of Electronic Medical Records.

Practical recommendations were proposed for hospital administrators, healthcare professionals, policymakers, and private healthcare organizations to support the successful implementation and optimization of Electronic Medical Record systems. The chapter also acknowledged several limitations related to the study design, sample, and scope, while suggesting future research directions that may expand current knowledge regarding digital health transformation and healthcare quality improvement.

Overall, the findings of this study contribute to the growing body of knowledge on health information systems and provide empirical evidence supporting the role of Electronic Medical Records in improving healthcare service quality within private hospitals. The study also offers practical guidance for healthcare organizations seeking to strengthen healthcare performance and achieve the objectives of Saudi Arabia's Health Sector Transformation Program and Vision 2030 through effective digital health implementation.

References

- Adler-Milstein, J., & Holmgren, A. J. (2021). Health information exchange and interoperability: Policy, implementation, and future directions. *Annual Review of Biomedical Data Science*, 4, 169–190.
- Agency for Healthcare Research and Quality. (2023). National healthcare quality and disparities report 2023. Agency for Healthcare Research and Quality.
- Alami, H., Gagnon, M. P., Wootton, R., Fortin, J. P., Zanaboni, P., & Fleury, M. J. (2023). Digital health implementation challenges and lessons learned: A systematic review. *Journal of Medical Internet Research*, 25, e45021.
- Batbaatar, E., Dorjdagva, J., Luvsannyam, A., Savino, M. M., & Amenta, P. (2017). Determinants of patient satisfaction: A systematic review. *Perspectives in Public Health*, 137(2), 89–101.
- Bowman, S. (2021). Impact of electronic health record systems on information integrity: Quality and patient safety implications. *Perspectives in Health Information Management*, 18(1), 1–18.
- Davis, F. D. (1989). Perceived usefulness, perceived ease of use, and user acceptance of information technology. *MIS Quarterly*, 13(3), 319–340.
- DeLone, W. H., & McLean, E. R. (2003). The DeLone and McLean model of information systems success: A ten-year update. *Journal of Management Information Systems*, 19(4), 9–30.
- Donabedian, A. (1988). The quality of care: How can it be assessed? *JAMA*, 260(12), 1743–1748.
- European Commission. (2023). European electronic health record exchange format: Guidelines for interoperability and digital health implementation. Publications Office of the European Union.
- European Observatory on Health Systems and Policies. (2022). Quality improvement strategies in healthcare systems. World Health Organization Regional Office for Europe.

Hair, J. F., Black, W. C., Babin, B. J., & Anderson, R. E. (2010). *Multivariate data analysis* (7th ed.). Pearson Prentice Hall.

Khairat, S., Coleman, C., Ottmar, P., Bice, T., Koppel, R., & Carson, S. S. (2022). Physicians' satisfaction with electronic health records and its association with usability, workload, and patient safety: A systematic review. *Applied Clinical Informatics*, 13(2), 397–410.

Kruse, C. S., Mileski, M., Dray, G., Johnson, Z., Shaw, C., & Shirodkar, H. (2022). Physician burnout and the electronic health record leading up to and during the first year of COVID-19: A systematic review. *Journal of Medical Internet Research*, 24(3), e36200.

Li, E., Clarke, J., Ashrafian, H., Darzi, A., & Neves, A. L. (2022). The impact of electronic health record interoperability on safety and quality of care in high-income countries: A systematic review. *Journal of Medical Internet Research*, 24(9), e38144.

McAlearney, A. S., Hefner, J. L., Sieck, C. J., Huerta, T. R., & Walker, D. M. (2022). The journey through grief: Insights from healthcare professionals implementing electronic health records. *Applied Clinical Informatics*, 13(4), 884–894.

Modi, S., & Feldman, S. S. (2022). The value of electronic health records since the Health Information Technology for Economic and Clinical Health (HITECH) Act: A systematic review. *JMIR Medical Informatics*, 10(9), e37283.

McAlearney, A. S., Hefner, J. L., Sieck, C. J., Huerta, T. R., & Walker, D. M. (2022). *The journey through grief: Insights from healthcare professionals implementing electronic health records*. *Applied Clinical Informatics*, 13(4), 884–894.

Modi, S., & Feldman, S. S. (2022). *The value of electronic health records since the Health Information Technology for Economic and Clinical Health (HITECH) Act: A systematic review*. *JMIR Medical Informatics*, 10(9), e37283.

National Academy of Medicine. (2022). *Crossing the quality chasm revisited: Health care quality and patient-centered care*. National Academies Press.

Nguyen, L., Bellucci, E., & Nguyen, L. T. (2023). *Electronic health records implementation: Barriers, facilitators, and organizational readiness in healthcare settings*. *BMC Medical Informatics and Decision Making*, 23(1), 187.

Organisation for Economic Co-operation and Development. (2023). *Health at a glance 2023: OECD indicators*. OECD Publishing.

Ratwani, R. M., Savage, E., Will, A., Fong, A., Karavite, D., Muthu, N., Rivera, A. J., Gibson, C., Asmonga, D., & Moskowitz, J. (2020). *Identifying electronic health record usability and safety challenges in pediatric settings*. *Health Affairs*, 39(11), 1909–1915.

Saudi Ministry of Health. (2023). *Health Sector Transformation Program: Annual Report 2023*. Ministry of Health, Kingdom of Saudi Arabia.

Sharma, A., Harrington, R. A., McClellan, M. B., Turakhia, M. P., Eapen, Z. J., Steinhubl, S., & Mault, J. R. (2023). *Using digital health technology to improve healthcare quality and patient outcomes: A systematic review*. *NPJ Digital Medicine*, 6(1), 112.

Sutton, R. T., Pincock, D., Baumgart, D. C., Sadowski, D. C., Fedorak, R. N., & Kroeker, K. I. (2020). *An overview of clinical decision support systems: Benefits, risks, and strategies for success*. *NPJ Digital Medicine*, 3, Article 17.

Wang, Y., Kung, L., & Byrd, T. A. (2022). *Big data analytics and healthcare quality improvement: A systematic review*. *Journal of Business Research*, 139, 1000–1015.

World Health Organization. (2021). *Global strategy on digital health 2020–2025*. World Health Organization.

APPENDICES

Research Questionnaire

Section A: Demographic Information (البيانات الشخصية)

Q1. Gender (الجنس)

- Male (ذكر)
- Female (أنثى)

Q2. Age (العمر)

- Less than 25 years (أقل من 25 سنة)
- 25–34 years (سنة 25–34)
- 35–44 years (سنة 35–44)
- 45–54 years (سنة 45–54)
- 55 years and above (سنة فأكثر 55)

Q3. Job Position (الوظيفة)

- Physician (طبيب)
- Nurse (ممرض/ممرضة)
- Pharmacist (صيدلي)
- Medical Technician (فني صحي)
- IT Staff (موظف تقنية معلومات)
- Other (أخرى)

Q4. Years of Experience (سنوات الخبرة)

- Less than 5 years
- 5–10 years
- 11–15 years
- More than 15 years

Q5. Department (القسم)

- Emergency

- Outpatient
- Inpatient
- Laboratory
- Radiology
- Pharmacy
- Administration
- Other

Section B: Electronic Medical Records (EMR) Usage

Q6. I use the EMR system regularly in my daily work.

أستخدم نظام السجل الطبي الإلكتروني بشكل منتظم في عملي اليومي.

Q7. The EMR system is easy to use.

نظام السجل الطبي الإلكتروني سهل الاستخدام.

Q8. The EMR system allows quick access to patient information.

يتيح النظام الوصول السريع إلى معلومات المرضى.

Q9. I received adequate training to use the EMR system.

تلقيت تدريبًا كافيًا لاستخدام النظام.

Q10. Overall, I am satisfied with the EMR system.

بشكل عام، أنا راضٍ عن نظام السجل الطبي الإلكتروني.

Response Options (B لجميع أسئلة القسم):

- Strongly disagree (لا أوافق بشدة)
- Disagree (لا أوافق)
- Neutral (محايد)
- Agree (أوافق)
- Strongly agree (أوافق بشدة)

Section C: Operational Efficiency (الكفاءة التشغيلية)

Q11. EMRs improve workflow efficiency.

تحسن السجلات الطبية الإلكترونية كفاءة سير العمل.

Q12. EMRs reduce administrative workload.

تقلل السجلات الطبية الإلكترونية الأعباء الإدارية.

Q13. EMRs improve communication between hospital departments.

تحسن السجلات الطبية الإلكترونية التواصل بين أقسام المستشفى.

Q14. EMRs help healthcare professionals make faster decisions.

تساعد السجلات الطبية الإلكترونية العاملين الصحيين على اتخاذ قرارات أسرع.

Response Options:

- Strongly disagree (لا أوافق بشدة)
- Disagree (لا أوافق)
- Neutral (محايد)
- Agree (أوافق)
- Strongly agree (أوافق بشدة)

Section D: Documentation Quality (جودة التوثيق الطبي)

Q15. EMRs improve the accuracy of patient records.

تحسن السجلات الطبية الإلكترونية دقة سجلات المرضى.

Q16. EMRs reduce documentation errors.

تقلل السجلات الطبية الإلكترونية أخطاء التوثيق.

Q17. EMRs improve the completeness of medical records.

تحسن السجلات الطبية الإلكترونية اكتمال السجلات الطبية.

Q18. EMRs improve the quality of clinical documentation.

تحسن السجلات الطبية الإلكترونية جودة التوثيق السريري.

Response Options:

- Strongly disagree (لا أوافق بشدة)
- Disagree (لا أوافق)
- Neutral (محايد)
- Agree (أوافق)
- Strongly agree (أوافق بشدة)

Section E: Patient Safety (سلامة المرضى)

Q19. EMRs reduce medication errors.

تقلل السجلات الطبية الإلكترونية أخطاء صرف الأدوية.

Q20. EMRs reduce medical errors.

تقلل السجلات الطبية الإلكترونية الأخطاء الطبية.

Q21. EMRs improve patient safety.

تحسن السجلات الطبية الإلكترونية سلامة المرضى.

Q22. EMRs support better clinical decision-making.

تدعم السجلات الطبية الإلكترونية اتخاذ قرارات سريرية أفضل.

Response Options:

- Strongly disagree (لا أوافق بشدة)
- Disagree (لا أوافق)
- Neutral (محايد)
- Agree (أوافق)
- Strongly agree (أوافق بشدة)

Section F: Patient Satisfaction (رضا المرضى)

Q23. EMRs improve the quality of patient care.

تحسن السجلات الطبية الإلكترونية جودة رعاية المرضى.

Q24. EMRs reduce patient waiting time.

تقلل السجلات الطبية الإلكترونية وقت انتظار المرضى.

Q25. EMRs improve communication with patients.

تحسن السجلات الطبية الإلكترونية التواصل مع المرضى.

Q26. Overall, EMRs contribute to higher patient satisfaction.

بشكل عام، تساهم السجلات الطبية الإلكترونية في زيادة رضا المرضى.

Response Options:

- Strongly disagree (لا أوافق بشدة)
- Disagree (لا أوافق)
- Neutral (محايد)
- Agree (أوافق)
- Strongly agree (أوافق بشدة)

الملخص

شهد القطاع الصحي تحولاً رقمياً متسارعاً، وأصبحت السجلات الطبية الإلكترونية (EMRs) من أهم الأدوات المستخدمة لتحسين جودة الخدمات الصحية. فهي تساهم في تحسين التوثيق الطبي، ودعم اتخاذ القرار السريري، وتعزيز الكفاءة التشغيلية، ورفع مستوى سلامة المرضى. وعلى الرغم من التوسع في تطبيقها في المملكة العربية السعودية، لا تزال الأدلة العلمية المتعلقة بآثارها في جودة الخدمات الصحية بالمستشفيات الخاصة محدودة. لذلك هدفت هذه الدراسة إلى التعرف على أثر السجلات الطبية الإلكترونية في جودة الخدمات الصحية في المستشفيات الخاصة.

اعتمدت الدراسة المنهج الكمي باستخدام تصميم مقطعي، وتم جمع البيانات من خلال استبانة وزعت على العاملين في عدد من المستشفيات الخاصة في المملكة العربية السعودية. ومثلت السجلات الطبية الإلكترونية المتغير المستقل، بينما قيسَت جودة الخدمات الصحية من خلال أربعة أبعاد هي: الكفاءة التشغيلية، وجودة التوثيق، وسلامة المرضى، ورضا المرضى. وتم تحليل البيانات باستخدام برنامج الحزمة الإحصائية للعلوم الاجتماعية (SPSS)، من خلال الإحصاءات الوصفية، واختبارات الثبات، ومعامل ارتباط بيرسون، وتحليل الانحدار المتعدد.

أظهرت النتائج وجود أثر إيجابي ذي دلالة إحصائية للسجلات الطبية الإلكترونية في تحسين جودة الخدمات الصحية، حيث أسهمت في رفع الكفاءة التشغيلية، وتحسين جودة التوثيق، وتعزيز سلامة المرضى من خلال الحد من الأخطاء الطبية، بالإضافة إلى زيادة مستوى رضا المرضى عبر تحسين التواصل واستمرارية الرعاية الصحية.

وخلصت الدراسة إلى أن السجلات الطبية الإلكترونية تمثل أداة استراتيجية فعالة لتحسين جودة الخدمات الصحية في المستشفيات الخاصة، وأوصت بالاستمرار في الاستثمار في البنية التحتية الرقمية، وتدريب الكوادر الصحية، وتعزيز تكامل الأنظمة الإلكترونية؛ بما يساهم في دعم مستهدفات رؤية المملكة العربية السعودية 2030.

الكلمات المفتاحية: السجلات الطبية الإلكترونية، جودة الخدمات الصحية، الكفاءة التشغيلية، جودة التوثيق، سلامة المرضى، رضا المرضى، المستشفيات الخاصة، المملكة العربية السعودية.

تحليل تأثير السجلات الطبية الإلكترونية على جودة الخدمات الصحية في المستشفيات الخاصة

إعداد:

اسم الطالبة : زينب إسماعيل الحداد

الرقم الأكاديمي: 253000872

إشراف:

د. فايز علي جراد

د. الفيصل عبد الحميد محمد

٢٠٢٦