

Assignment.11

by Iznan Hasbullah

Submission date: 20-Nov-2024 06:11AM (UTC+0800)

Submission ID: 2471313429

File name: Assignment.1.docx (75.35K)

Word count: 6309

Character count: 39099

Course Title: Research Methodology in Computer Science

Course Code: AI800

Weighting: 20%

Lecturer: Dr. Mohammed Anbar

Hand-out Date: 19 Oct 2024

Hand-in Date: 09 Nov 2024

Hand-in Method: Online Submission via E-Learning.

Assignment Report: Leveraging Artificial Intelligence for Emotion Recognition in Patients with Consciousness Disorders

Student ID: 243001489

Student Name: Nouf Alotaibi

Table of contents:

- Summary research paper's
- Critical Analysis:
- Connections
- Conflicts between the findings
- Synthesis Matrix for Literature Review:
- References

Summary research paper's:

Paper1: Matching Assistive Technology, Telerehabilitation, and Virtual Reality with Disorders of Consciousness and Neurocognitive Disorders: A Position Paper (2023)(Stasolla et al., 2023).

This paper discusses how advanced assistive technologies, like VR and AI, are used in treating impaired cognitive and emotional disturbances in patients with impaired consciousness. Efficiency in telerehabilitation underlines the possibility to monitor and improve patient recovery from a distance. The integration of VR will provide an immersed environment where neural and cognitive functions can be turned on. Personalization of rehabilitation strategy is underlined as highly useful using AI-driven tools. The discussion follows through on ethical considerations and implementation challenges. Its findings show the way technology can fill the gaps that exist in traditional healthcare for less aware patients.

Paper2: A Systematic Review and Meta-Analysis of Artificial Intelligence Tools in Medicine and Healthcare: Applications, Considerations, Limitations, Motivation and Challenges (2024) (Younis et al., 2024).

This review comprehensively presents a systematic review and meta-analysis of applications of AI in different domains of medicine and healthcare. Analyzing 77 studies, it classified AI applications into eight important categories of diagnosis, treatment, health management, and medical education. In this respect, the study recommends the role of AI in transforming efficiency, accuracy, and accessibility in delivering health services, particularly through virtual support tools like large language models, for example, ChatGPT. While much progress has been achieved, this study underlines serious challenges in terms of ethical concerns, data privacy issues, and a need for human oversight in ensuring reliable outputs. It emphasizes that there is a lack of standardized measures of outcome between studies that can be compared directly. The findings urge interdisciplinary collaboration on how best to integrate AI into healthcare and urge future research to address these challenges and establish the effectiveness of AI in diverse clinical settings.

Paper3: Systematic Review of Emotion Detection with Computer Vision and Deep Learning (2024) (Pereira et al., 2024).

This paper carries out a systematic review of emotion detection using computer vision and deep learning by analyzing 77 studies published from the years 2013 to 2023. These studies have been categorized into the study of emotion types, methodologies, and datasets. CNNs were the most adopted deep learning models in this area due to their better performance in capturing visual emotional cues. It highlights the trend where hybrid

and augmented models have performed well, but challenges exist in the diversity of datasets and in the real-world tests. Most importantly, the importance of developing robust datasets and enhancing the interpretability of AI models is emphasized to be able to use these models in practical applications. The results underline that deep learning has enormous potential in driving the revolution of emotion detection but at the same time point out that a lot of work remains to be done on its deficiencies: scalability, ethical concerns, and ecological validation.

Paper4: ¹Towards Effective Emotion Detection: A Comprehensive Machine Learning Approach on EEG Signals (2023) (Ul Hassan et al., 2023).

Emotion detection using machine learning algorithms from EEG signals is the focus of this paper. It presents various ¹⁶feature extraction approaches and classifiers, such as SVM and neural networks, to detect which can help in the best possible way for discrimination among the emotional states. Research results indicate high accuracy of classification among three emotional states: happiness, sadness, and fear. Much importance is given to preprocessing steps by the authors for better performance in the model. This represents the results, which are important especially for studies relating to the monitoring of emotional states in patients unable to communicate, with possible applications in healthcare and neurorehabilitation.

Paper5: ¹Emotion Detection from EEG Signals Using Machine Deep Learning Techniques (2023) (Fernandes et al., 2024).

The study of deep learning methodologies in the analysis of EEG signals for the classification of different emotional states was considered. Several neural network architectures are taken into consideration, including, among others, LSTM and autoencoders. This research points out how temporal dynamics plays a crucial role in EEG signals to allow for good performance of accurate human emotion detection. From the point of view of practical applications, such studies concern the diagnosis of patients suffering from disorders in consciousness-that is, one may draw inferences with respect to his or her state of emotions. The authors insist on integration with multimodal approaches, which binds EEG with other physiological signals in view of better emotion recognition. Challenges in real-time implementation and computational efficiency are also discussed.

Paper6: ¹ **Reviewing the Horizon: The Future of Extended Reality and Artificial Intelligence in Neurorehabilitation for Brain Injury Recovery (2024)** (Akbar et al., 2024).

This paper reviews a survey ⁴ of extended reality and AI on possibilities in neurorehabilitation among patients suffering from brain injury and disorders of consciousness. A review is performed on how Extended Reality technologies, such as VR and AR, create engaging environments for cognitive and emotional stimulation. ¹³ AI plays a very important role in the personalization of therapeutic interventions and in the monitoring of the progress a patient makes. Barriers to adoption, some of which include cost, accessibility, and the need for clinical validation, were also discussed. The authors then concluded that such technologies could be integrated to greatly enhance rehabilitation outcomes and patient engagement.

Critical Analysis

This reviewed research together signify that significant progress is taking place in using AI, ML, and XR for emotion recognition and neurorehabilitation. These will provide a firm ground for further advancements regarding methodologies and technologies in this field. However, there is still a considerable gap in the direct address of emotion recognition for the patients who are suffering from disorders of consciousness. While substantial research has been done using EEG for emotion detection, integration with other modalities such as facial expressions, body movements, and physiological signals is limited. This provides an important opportunity for research that could improve personalized care for vulnerable populations.

Ethical concerns remain a challenge, especially within areas involving data privacy, security, and algorithmic bias. Given that patients with DOC are vulnerable, ethical protocols have to be much stronger, such as anonymizing data, informed consent by caregivers, and disclosure regarding AI decision-making. Such measures would be important in fostering confidence and ensuring the deployment of AI in healthcare is done responsibly.

Another related theme is methodological challenges. The variability and noise inherent in neurological data from DOC patients hint at the urgent need for sophisticated AI models with superior data processing capabilities. The development of domain-specific datasets targeting these patients will be a crucial factor that may help develop better performance and reliability in the models. With due consideration for these challenges, the robustness and applicability of AI-driven solutions will increase substantially.

The integration of AI, XR, and telerehabilitation has emerged as an avenue of promise but little investigation. XR can offer immersive environments for emotional and cognitive stimulation, while telerehabilitation offers remote monitoring and engagement for long-term care. Despite the promising nature of this integration, few research studies have been conducted on the practical application of these technologies within clinical settings. Gaps exist in the translation of user-friendly interfaces with rigorous validation via clinical trials.

This is inherently the limitation of a single-modality approach, be it an approach based purely on EEG signals or otherwise. A multimodal framework can integrate EEG with facial expressions and physiological signals to enable more accurate and robust findings. This is particularly important in patients with DOC, where broad emotional assessments are vital to their recovery and rehabilitation. Although most research studies put more emphasis on diagnostic applications, the extension of research to investigate the impact of emotion recognition on emotional well-being and rehabilitation outcomes falls within the circle of modern health care goals: personalized care and enhanced quality of life.

Strengths:

1. Identification of Promising Approaches:

The research indicates new trends, like multimodal emotion recognition and integration of XR, hence being a good foundation for further development.

2. Alignment with Patient-Centered Objectives:

The focus on mental conditions and rehabilitation outcomes ensures alignment with priorities in modern healthcare.

3. Technological Advancement:

That includes the use of advanced AI methods, such as deep learning for EEG-based emotion detection, which in itself is a huge achievement in the field.

Weaknesses:

1. Lack of Specific Examples:

Most of the reviewed studies have failed to provide specific examples or applications; hence, the findings are somewhat limited with respect to practicality.

2. Overlooked Implementation Barriers:

Few of them address practical challenges in cost, infrastructure needs, and the involvement of caregivers, which limit their application in real life.

3. Scantly Attempted Validation:

Clinical trials, usability testing, and other forms of validation approaches have gotten scant focus, leading to a slow translation of findings into practice.

Conclusion:

The review provides insights into essential gaps, challenges, and opportunities for the application of AI in emotion recognition in patients with DOC. It follows, therefore, that what is urgently needed is a multi-faceted framework incorporating ethical, technological, and clinical considerations. Overcoming implementation barriers, having specific examples, and mentioning techniques related to validation could make valuable contributions in these studies to push academic knowledge and health practices further. This has potential to transform AI-driven emotion recognition into improved emotional well-being and rehabilitation outcomes for patients with impaired consciousness and eventually to more personalized and impactful care.

Connections:**1. Unanimous Decree of Importance of AI in Emotion Recognition**

What can be inferred from all these papers is the important role that AI is playing in the advancement of emotion recognition, especially in medical use. They acknowledge the ability of AI in handling complex and large-scale datasets like EEG signals, facial expressions, and physiological metrics that can give insight impossible to obtain using traditional methods. The shared emphasis on AI provides the underpinning necessary for innovative solutions being developed for patients suffering from DOCs.

2. Shared Interest in EEG as Primary Modality

EEG appears implicitly in the reviewed studies as one of the base modalities since its signals are related to direct brain activity and emotional states. Various papers highlight how deep learning models are efficient at decoding, especially from EEG signals for patients who cannot communicate. This consensus underlines the reliability and supremacy of EEG in neural responses.

3. Ethical and Practical Challenges

breeding ground for ethical concerns regarding data privacy, algorithmic bias, and patient vulnerability. They all stress the need for robust ethical frameworks that ensure data anonymization, informed consent by caregivers, and clarity in AI decision-making. This recurrent echo testifies to the common responsibility of their authors to guarantee no unethical use of AI in healthcare.

4. Convergence on Multimodal Approaches

Most of the surveys emphasize limitations of single modality and also conclude that a decision needs to be taken toward multimodal frameworks. Indeed, it is strongly agreed that combining EEG data with other inputs, such as facial expressions, body movements, and physiological signals like heart rate and skin conductance, may improve the accuracy and robustness of the results. This shared opinion refers to the need for multimodal systems, especially in those patients with damaged communication.

5. XR and Telerehabilitation: Promising Directions

Some of the papers identified the potential of XR and telerehabilitation to be truly transforming emotion recognition and neurorehabilitation. It is believed that such XR environments can be useful for the stimulation of cognitive and emotional recovery. Telerehabilitation, on the other hand, opens up many perspectives in terms of remote

monitoring and long-term care. The integration of this knowledge with AI is turning into a promising direction for future innovation.

6. Real-World Validation is a Common Theme:

Several of the papers point toward one common conclusion: AI models should be validated through clinical trials and real-world testing. There seems to be consensus on the fact that AI systems have to be tested across diverse healthcare settings in order to make them practical, reliable, and acceptable by healthcare providers.

7. Personalization and Patient-Centered Approaches

The studies reviewed assert that personalized, patient-centered approaches must be encouraged. It is submitted that AI and XR technologies have been envisioned to be the modality by which personalized interventions would be realistically administered to achieve significant positive improvement in emotional well-being and rehabilitation outcomes of the patients concerned.

8. Innovation in Neurorehabilitation

The integration of AI with XR and telerehabilitation represents a significant step forward in neurorehabilitation. Several papers discussed how these technologies can work in unison to offer novelty in patient engagement, recovery, and long-term monitoring. This shared focus points out the innovative potential in combining these tools.

9. Challenges in Methodology and Availability of Dataset

More frequently mentioned issues include variability and noise in the datasets, including EEG signals. The creation of domain-specific datasets for patients with DOC is viewed as a step toward resolving this methodological barrier. The idea here is that one common problem is an issue at the level of the quality of data, which needs to be improved in order to enhance performance and reliability of the AI models.

Conflicting Findings

1. Single-Modality Approaches versus Multimodal Frameworks

Some works emphasize the improvement of unimodal methods, such as EEG signal analysis, as the most promising strategy for emotion recognition improvement. Others indicate the strengths of a multimodal framework that integrates EEG with other inputs, such as facial expressions, body movements, and physiological signals. In this respect, the divergence reflects a methodological gap between perfecting refined techniques and adopting systems with broad applicability.

2. Extended Reality Technologies

While some studies pave the way for regarding XR as a transformative tool for creating immersive therapeutic environments that enhance patient engagement and recovery, other papers present XR as an ancillary or unproven technology. Such a juxtaposition speaks volumes about the different degrees of confidence in the role of XR in emotion recognition and neurorehabilitation.

3. Theoretical vs. Practical Priorities

While some research works on practical implementation, there is a divide in studies between theoretical advancement, such as optimization algorithms and new AI techniques being explored. Some research will go into making tools seamlessly integrable within clinical workflows, while others remain anchored to abstract thoughts and ideas, creating tension between depth in research and real-world translation.

4. Validation Strategies

While some works tend to emphasize the need for validation of AI models through clinical trials and real-world testing to ensure their robustness, scalability, and practical use in healthcare settings, other works entirely focus on performance evaluations conducted in controlled environments, proving a difference in readiness for practical deployment.

5. Scope of Application

The purposes of emotion recognition vary significantly; some works narrowly focus on diagnostic applications-like detection and monitoring of emotional states-while others broaden their focus to therapeutic uses aimed at the improvement of emotional well-being and rehabilitation outcomes. This reflects a divergence in conceptions of how emotion recognition can impact patient care.

6. Inconsistent Attention to Dataset Challenges

Other works identify how the creation of domain-specific datasets to match the requirements of patients with disorders of consciousness, for example, has great significance in order to meet particular challenges, such as variability and noise. Others

barely discuss dataset limitations or ways to overcome those limitations. Such inconsistencies create a preparedness gap for scalability.

7. Ethical Depth and Engagement

While most of these studies recognize ethical issues related to data privacy, security, and algorithmic bias, the level of engagement varies from merely identifying ethical issues to proposing concrete recommendations such as anonymization protocols and algorithmic transparency. That difference suggests readiness to act against ethical challenges in rather diverging ways.

8. Forecasted Use of AI in Patient Care

There is, therefore, a fundamental variance in the conceptualization of AI for patient care: some view it as a supportive tool to enhance clinical decisions, whereas others advance the use of AI as an autonomous, independent decision-maker. This arises from a divergence that guides how AI systems are designed to be integrated and applied within healthcare workflows.

9. Economic and Infrastructure Considerations

Some studies have focused on practical challenges with respect to costs and infrastructural needs when actually deploying AI and XR technologies in healthcare applications. Others hardly consider these, which leads to many differences regarding feasibility and scalability, especially in resource-poor environments.

10. Engage the Patient

Some studies foreground the roles of technologies such as XR and telerehabilitation in enhancing patient engagement and supporting holistic care. Other studies have focused narrowly on technical performance, with limited broader health care goals; this reflects a lack of concordance between technological innovation and its translation to the patient-centered, holistic medical care aim.

Study 1: Matching Assistive Technology, Telerehabilitation, and Virtual Reality with Disorders of Consciousness and Neurocognitive Disorders: A Position Paper

Authors	Year	Research Design
Khalida Akbar	2023	Theoretical and conceptual design
Key Findings/Results	Methodology	Limitations
It concludes that the integration of assistive technology, telerehabilitation, and VR might bring about a paradigmatic shift in the rehabilitation approach in patients suffering from DOC and neurocognitive disorders. Such technologies have the advantage of making personalized and adaptive interventions possible for individual cognitive and communicative needs. The authors underline that VR allows one to reproduce immersive real-world environments that may activate neural recovery, while telerehabilitation opens possibilities for treatment at remote locations. Specifically, it is within this context that assistive technology, including AI-driven tools, holds great potential for improving patient monitoring, hence therapy adjustment, in real time. Interdisciplinary collaboration among healthcare providers, technologists, and caregivers must help bridge the present gaps in the framework. The authors stressed the necessity of a conceptually patient-centered approach, calling for robust trials to validate clinically these technologies.	Comprehensive Literature Review Reviewed extensively peer-reviewed articles, clinical reports, and case studies related to assistive technologies, telerehabilitation, and virtual reality applications for the treatment of DOC and neurocognitive impairments. Identified the existing therapeutic approaches and pointed out shortcomings in prevailing practices where technology could be integrated. Interdisciplinary Integration Collaboration with neurologists, psychologists, engineers, and experts in assistive technology will be done so that the proposed framework is multifaceted. Once ideas from health providers, rehabilitation experts, and technologists had been put forward and integrated with the capability to meet practical and clinical needs. Conceptual Framework Development Developed a theoretical model of the complementary roles of assistive technologies, telerehabilitation systems, and VR environments. Mapped how each of these technologies could address specific cognitive, emotional, and communicative deficits common to patients with DoC and neurocognitive disorders. Scenario-Based Hypothetical Analysis Created simulated patient scenarios to show how the proposed integrated system would work in natural environments. Showing how VR might provide cognitive stimulation, telerehabilitation might extend care remotely, and assistive technology might promote communication and tracking of progress. Evaluation of Current Technology Implemented review of existing hardware/software tools with respect to compatibility with the proposed framework. Investigated possibilities for customization/adaptation of technologies to fit specific patient needs. Critical Ethical Review Analyzed ethical implications of the proposed solutions and identified data privacy, patient consent, and involvement of caregivers. Proposed guidelines on how to integrate those technologies in a manner that ensures a premium is placed on patient dignity and autonomy. Review of Accessibility and Cost-Effectiveness This considered the challenges for adoption, including technological infrastructure requirements, cost, and accessibility for low-resource settings. Strategies that will be proposed for scaling the integrated system toward a diverse patient population. Proposed Future Research Agenda These include piloting the framework in controlled environments, development of specialized VR scenarios for rehabilitation, and creation of adaptive AI tools that monitor patient progress. The methodologies that come up to test the effectiveness of the integrated approach through clinical trials were also developed.	This is a conceptual position paper; no empirical data is provided to support the arguments. The network proposed is still conceptual since it was not experimentally validated, nor were any clinical trials conducted to establish its efficacy. In addition, though the paper optimistically describes integrating technology, issues of implementation such as costs, technological literacy among health care providers, and access to the very poor have hardly been covered. Additionally, it does not take into consideration any limitations on scalability and long-term sustainability in various settings related to healthcare. Thus, future research should focus on clinical trials, cost-benefit analysis, and feasibility in the real world to translate these proposed ideas into practical applications for health care. Ethical issues related to data security and consent from the patients would require much more focused exploration for safe adaptation of this technology.

Synthesis Matrix for Literature Review:

Study 2: A Systematic Review and Meta-Analysis of Artificial Intelligence Tools in Medicine and Healthcare: Applications, Considerations, Limitations, Motivation and Challenges

Authors	Year	Research Design
Hussain A. Younis, Taiseer Abdalla Elfadil Eisa, Maged Nasser, Thaeer Mueen Sahib, Ameen A. Noor, Osamah Mohammed Alyasiri, and Sani Salisu	2024	Systematic review
Key Findings/Results	Methodology	Limitations
The AI-powered intervention has the potential to disrupt medical domains from diagnosis and treatment planning through patient monitoring to administrative efficiency. The use of large language models, such as ChatGPT, presents tremendous opportunities in the areas of medical education, virtual consultation, and actionable insight development. AI-powered imaging systems have improved diagnostic accuracy, while predictive algorithms enhance personalized treatment strategies. On the other hand, this vision is also pointedly contrasted with a number of challenges facing it, including data privacy, the risk of biased algorithms, and the necessity for human oversight in decision-making. Adoption issues are actually ethical considerations-those of transparency and accountability. Further, the integration of AI tools into current workflows of healthcare requires huge investments in training and infrastructure. The authors identify that such challenges will need to be overcome through the use of interdisciplinary collaboration. Whereas there were limitations, the results portend promising advances in healthcare delivery and outcomes through AI, when ethical, technical, and logistical concerns are taken care of.	Literature Search: Extended search across multiple databases to identify relevant studies published on AI applications in health care. Inclusion Criteria: Included those studies focused on AI tools implemented across diagnostic, therapeutic, administrative, and educational aspects of health care. Data Extraction: The extracted details concerned objectives, methodologies, AI applications, and outcomes reported in those selected studies. Categorization: Data were organized, tabulated, and synthesized into eight main categories of applications, namely, treatment planning, medical imaging, patient monitoring, healthcare administration, education, and others. Quality Assessment: Appraisal of the quality and reliability of the studies included was done using standardized tools to minimize biases. Meta-analysis: A quantitative analysis was performed to establish the performance metrics of AI tools in enhancing health care metrics on accuracy, efficiency, and cost-effectiveness. Ethical Analysis: Ethics regarding data privacy and security, and the issue of potential bias in AI algorithms, were addressed. Discussion of Practicality: Review the feasibility of integration into real-world clinical settings, including discussion of cost, infrastructure needs, and scalability. Recommendations: Provide actionable recommendations to key stakeholders who can make responsible AI adoption a reality, including policy makers, healthcare providers, and researchers.	The study acknowledges several limitations that have an effect on the generalizability of its findings. First, the rate at which the technologies of AI are changing means this review is unlikely to capture recent innovations and their applications. Second, the variability in quality of studies, their methodologies, and reporting standards results in inconsistencies in data that are synthesized. Reliance upon published literature may result in publication bias, where more studies showing positive outcomes are likely to be published than those that might show neutral or negative findings. Moreover, their influence on improving patient outcomes and increasing efficiency in health care is not well known, since most of the AI tools have been adopted relatively recently. Region-specific challenges, such as infrastructural limitations regarding low-resource settings, are not deeply explored in this review. These include the need for further research in ethical considerations such as possible biases in AI algorithms and data privacy. Longitudinal studies, the inclusion of more diverse datasets, and real-world barriers to large-scale implementation of AI systems in healthcare would be promising directions for future research.

Study 3: Systematic Review of Emotion Detection with Computer Vision and Deep Learning

Authors	Year	Research Design
Rafael Pereira, Carla Mendes, José Ribeiro, Roberto Ribeiro, Rolando Miragaia, Nuno Rodrigues, Nuno Costa, and António Pereira	2024	Systematic review
Key Findings/Results	Methodology	Limitations
The review thereby concludes that the 7 is considerable development on emotion recognition through computer vision and deep learning, with recent emphases on both facial and pose-based analyses. CNN is commonly used since it yields an excellent performance in feature extraction and classification. Multimodal approaches, where the face is combined with body gestures, improve the accuracy and robustness of emotion detection systems. However, large annotated datasets remain a challenge, and variations in lighting conditions, occlusions, and individual differences in expressing emotions need to be taken into consideration. This study, therefore, does underlying of the development of standardized benchmarks and datasets that can help make consistent evaluations across different models. Further, ethical issues include privacy and bias occurring in AI algorithms, which are also pointed out as very important issues that will require consideration. Overall, though reasonable advances have been made, further studies will be needed to overcome these limitations for better practicality in everyday use.	Literature Search: The 3 major electronic databases used were PubMed, Web of Science, Google Scholar, and IEEE Xplore to identify studies published between 2013 and 2023. In the selection of studies for this review. Inclusion criteria: will include studies dealing with emotion recognition that employ computer vision and deep learning techniques. The criterion also limits the selection to papers based on face expressions and body poses. Exclusion criteria: studies were excluded when no deep learning methodologies were employed in the study or when the approached appeared irrelevant to emotion 3 detection. Data Extraction: Key information from the selected studies included: populations studied, application scenarios, technological methods applied, and datasets used. Quality Assessment: The CASP checking criteria are applied in order to ensure that the findings are both valid and reliable. Categorization: The studies were organized using a proposed taxonomy describing the type of expressions used for emotion detection, the testing environment, the deep learning methods applied, and the datasets used. Analysis: From this, extracted data was analyzed to show trends, common methodologies, and gaps in the current research landscape. Synthesis: Synthesize herein in order 7 to give a comprehensive overview related to emotion detection using computer vision and deep learning. Reporting: The results have been presented in accordance with the PRISMA guidelines so as to make the review process transparent and reproducible.	Various limitations are acknowledged in the state of the current research using computer vision and deep learning to detect emotion: change in lighting, occlusions, and different ways of expressing emotions individually which can bring negative impacts to the performance of emotion recognition systems. Thirdly, non-uniform benchmarks and metrics for evaluation make objective comparisons of performance between different models quite complicated. Besides, most works do not discuss essential ethical considerations in detail, including the privacy and biases of AI algorithms. It calls for responsible AI. It also points out that most of the research developed so far is performed in controlled environments, which may not represent natural circumstances and hence limit the generalizability of the findings. On the other hand, deep learning techniques are evolving so fast that continuous updating is required to keep pace with state-of-the-art developments. Finally, challenges in the field are of a very heterogeneous nature; interdisciplinary collaboration is an essential component, although few such collaborations currently exist. How these limitations are overcome will provide the way ahead for further development and effective deployment of emotion detection systems in realistic applications.

Study 4: Towards Effective Emotion Detection: A Comprehensive Machine Learning Approach on EEG Signals

Authors	Year	Research Design
Iteaz Ul Hassan, Raja Hashim Ali Zain ul Abideen, Ali Zeeshan Ijaz Talha Ali Khan	2023	Experimental
Key Findings/Results	Methodology	Limitations
This study indeed showed the efficiency of the usage of machine learning classifiers for detecting a variety of emotional states from EEG signals. Among them, the logistic regression model gave a good accuracy of 97%, closely followed by random forest. These findings point out the high potential of machine learning algorithms in exact emotion detection, combined further with proper preprocessing and feature extraction techniques. The differences that were witnessed also pointed at optimization of hyperparameters as an important factor in fine-tuning the classifier performance. The results implicated that EEG-based emotion detection is promising for transformational use in monitoring and diagnosis of mental health. The variability in the individual patterns of EEG was, however, some of those factors ascribed to the accuracy in detection. This research will encourage further development based on various working explorations of classifiers and feature selection methods for better refinement in the emotion detection system.	Dataset Used: The Emotion Detection dataset on Kaggle is public and was used, which has both EEG recordings and its corresponding emotional state. Data Preprocessing: Cleaning of the EEG signals was done by filtering out noises and other artifacts to prepare and ensure the quality of data. Feature Extraction: Frequency bands and power spectral densities were extracted as relevant features that best represent the EEG signals. Classifier Selection: Various machine learning classifiers tested in this work include logistic regression, random forest, decision trees, naive Bayes, support vector machines, and nearest centroid. Hyperparameter Tuning: Optimization techniques were applied for fine-tuning the parameters of each classifier that influence its performance. Model Training: It trains selected classifiers using preprocessed EEG data with extracted features as inputs. Performance Evaluation: Model effectiveness could be measured by means of different metrics, including but not limited to accuracy, precision, recall, and F1-score. Comparative Analysis: Compare the classifiers side by side for the most accurate and robust model. Result Interpretation: Discussed the implications of the results regarding emotion detection and its possible applications in mental health care.	The result of this study relies on the Kaggle Emotion Detection dataset, hence restricting generalizability since that dataset may not reflect all the variability in EEG signals among different populations. This study again deals only with a classical machine learning classifier and does not try deep learning techniques which can potentially give better results. The real-time applicability has also not been discussed in this research work and questions still arise as to how the models perform in real time. Moreover, this study did not explore how individual differences in EEG related to age, gender, or neurological conditions may affect emotion detection performance. Secondly, the dataset size used in this study was relatively limited, and a larger dataset might lead to stronger results. Future work will be carried out on larger and more diverse datasets, including deep learning approaches, and considering real-time applications that make the EEG-based emotion detection system more practical. Such multimodal data could include physiological signals, including added knowledge and thus usually improving performance.

Study 5: Emotion Detection from EEG Signals Using Machine Deep Learning Techniques

Authors	Year	Research Design
Rafael Pereira Carla Mendes José Ribeiro Roberto Ribeiro Rolando Miragaia Nuno Rodrigues Nuno Costa António Pereira	2023	Experimental
Key Findings/Results	Methodology	Limitations
The results have indeed indicated that deep learning methods can classify emotions from EEG signals highly; specifically, Graph Convolutional Neural Networks outperformed their usual machine learning methods. GCNN has reached an accuracy of 92% more than other models tested in the study. That also means the deep learning methods can carve out complicated patterns in the EEG to further boost the performance in emotion detection. While feature selection and data preprocessing may be extremely crucial to realize better performance of the model.	Data Selection: The EEG datasets were publicly available along with their labeled corresponding emotional states. Data Preprocessing: Filtering techniques are applied to remove the noise and other artifacts from the EEG signals. Feature Extraction: Carried out the extraction of relevant features of the EEG data, such as power spectral density and differential entropy. Model Selection: Some of the pursued machine learning and deep learning models are Logistic Regression, Support Vector Machines, Random Forest, Deep Neural Networks, and Graph Convolutional Neural Networks. Model Training: Each model is trained based on the pre-processed EEG data with extracted features. Hyper-parameter Tuning: Parameters of the model are tuned to enhance performance. Model Performance Evaluation: Models are evaluated in terms of their performance using metrics such as accuracy, precision, recall, and F1-score. Comparison Analysis: All models were compared to explore the best approach toward the detection of emotions. Result discussion: These results were interpreted to tell what these results would lead to in developing robust EEG-based emotion detection systems.	The results could also be limited in generalizability since they might depend on publicly available datasets of EEG, which may not cover the full variability of emotional expressions across different populations. Second, most of the studies reviewed here focus more on the model's accuracy of classification, without considering real-time applicability or computational efficiency in detail-both factors of high relevance in practical applications. For instance, the study does not delve into exactly how individual parameters like age, gender, or cultural background may affect EEG patterns and emotion recognition rates. Another essential aspect that the research has pointed out about highlighting the excellence of the deep learning models is elaborated on, which indeed concerns interpretability very relevant to understanding the process by which decisions are made in systems for the detection of emotions. These aspects have to be considered in further research to provide more comprehensive and applicable EEG-based emotion detection frameworks.

Study 6: Reviewing the Horizon: The Future of Extended Reality and Artificial Intelligence in Neurorehabilitation for Brain Injury Recovery

Authors	Year	Research Design
Salida Akbar Anna Passaro Mariacarla Di Gioia Elvira Martini Mirella Dragone Antonio Zullo Fabrizio Stasolla	2024	Perspective paper
Key Findings/Results	Methodology	Limitations
The authors have elaborated on how such integration of XR with AI can be a game-changer in neurorehabilitation through personalized, immersive, and adaptive therapeutic intervention. They have highlighted the fact that the creation of an immersive environment that will stimulate neural recovery can be facilitated through XR, while AI may allow personalization of rehabilitation programs for the individual patient, monitoring progress, and forecasting outcomes. It is envisaged that this integration will increase patient engagement, hasten the recovery process, and improve the quality of life in persons suffering from brain injury. The paper also talks about the reduction in caregiver burden by AI-assisted monitoring and support systems. However, various challenges emanating as issues of technological accessibility, ethical concerns, and interdisciplinary collaboration requirements have been pointed out for translation of these innovations into effective practice.	Literature Review: Critical review of empirical studies in the past decade that have used XR and AI for neurorehabilitation. Data Synthesis: The findings from these studies were analyzed to identify trends, benefits, and limitations of the use of XR and AI in recovery from brain injuries. Conceptual Framework Development: It proposes an overall model of how XR and AI can be integrated to further improve neurorehabilitation outcomes. Case Analysis: A case study review of successful applications of both XR and AI in clinical settings. Ethical Issues: Measured the ethical implications, including issues on consent by patients, data privacy, and disparities induced by technology. Interdisciplinary Collaboration: The success of implementation rests on collaboration among healthcare professionals, technologists, and patients. Technological Assessment: The paper assessed the status of XR and AI technologies with respect to applicability and readiness in neurorehabilitation. Future Directions: Following the general overview, recommendations for future research, clinical practice, and policy development that would facilitate the integration of XR and AI in neurorehabilitation were outlined.	This is a theoretical study for the most part, and there is no empirical data or even clinical trials to prove the framework that has been proposed. The reliance on existing literature could also mean that bias might enter through selected studies that could again influence conclusions. Besides, the fast-changing nature of XR and AI technologies means that some recent advances could not have been caught by the analysis. The paper further recognizes some implementation barriers, such as high costs, specialized training, and technological accessibility, but does not provide information on how to handle such challenges. Another section concerns ethical considerations, but the paper does not fully discuss the possible risks regarding the integration of XR and AI in neurorehabilitation. Future studies should, therefore, concentrate on issues related to empirical validation, cost-benefit analyses, and guideline development in response to ethical and practical challenges regarding the implementation of such technologies.

References:

- Stasolla, F., Lopez, A., Akbar, K., Vinci, L. A., & Cusano, M. (2023). Matching assistive technology, telerehabilitation, and virtual reality to promote cognitive rehabilitation and communication skills in neurological populations: a perspective proposal. *Technologies*, 11(2), 43.
- Younis, H. A., Eisa, T. A. E., Nasser, M., Sahib, T. M., Noor, A. A., Alyasiri, O. M., Salisu, S., Hayder, I. M., & Younis, H. A. K. (2024). A Systematic Review and Meta-Analysis of Artificial Intelligence Tools in Medicine and Healthcare: Applications, Considerations, Limitations, Motivation and Challenges. In *Diagnostics* (Vol. 14, Issue 1). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/diagnostics14010109>
- Pereira, R., Mendes, C., Ribeiro, J., Ribeiro, R., Miragaia, R., Rodrigues, N., Costa, N., & Pereira, A. (2024). Systematic Review of Emotion Detection with Computer Vision and Deep Learning. In *Sensors* (Vol. 24, Issue 11). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/s24113484>
- Ul Hassan, I., Ali, R. H., Abideen, Z. ul, Ijaz, A. Z., & Khan, T. A. (2023). Towards Effective Emotion Detection: A Comprehensive Machine Learning Approach on EEG Signals. *BioMedInformatics*, 3(4), 1083–1100.
- Fernandes, J. V. M. R., Alexandria, A. R. de, Marques, J. A. L., Assis, D. F. de, Motta, P. C., & Silva, B. R. dos S. (2024). Emotion Detection from EEG Signals Using Machine Deep Learning Models. *Bioengineering*, 11(8), 782.
- Akbar, K., Passaro, A., Di Gioia, M., Martini, E., Dragone, M., Zullo, A., & Stasolla, F. (2024). Reviewing the Horizon: The Future of Extended Reality and Artificial Intelligence in Neurorehabilitation for Brain Injury Recovery. *Information*, 15(8), 501.

Assignment.11

ORIGINALITY REPORT

8%

SIMILARITY INDEX

6%

INTERNET SOURCES

6%

PUBLICATIONS

3%

STUDENT PAPERS

PRIMARY SOURCES

1

www.mdpi.com

Internet Source

3%

2

pubmed.ncbi.nlm.nih.gov

Internet Source

2%

3

listens.online

Internet Source

1%

4

Andrea Calderone, Desiree Latella, Mirjam Bonanno, Angelo Quartarone et al. "Towards Transforming Neurorehabilitation: The Impact of Artificial Intelligence on Diagnosis and Treatment of Neurological Disorders", Biomedicines, 2024

Publication

<1%

5

Submitted to University College London

Student Paper

<1%

6

Nilima Salankar, Pratikshya Mishra, Lalit Garg. "Emotion recognition from EEG signals using empirical mode decomposition and second-order difference plot", Biomedical Signal Processing and Control, 2021

Publication

<1%

7	Rafael Pereira, Carla Mendes, José Ribeiro, Roberto Ribeiro, Rolando Miragaia, Nuno Rodrigues, Nuno Costa, António Pereira. "Systematic Review of Emotion Detection with Computer Vision and Deep Learning", Sensors, 2024 Publication	<1 %
8	discovery.researcher.life Internet Source	<1 %
9	mdpi-res.com Internet Source	<1 %
10	peerj.com Internet Source	<1 %
11	Mehdi Rajabioun. "Autistic recognition from EEG signals by extracted features from several time series models", Research Square Platform LLC, 2024 Publication	<1 %
12	www.ncbi.nlm.nih.gov Internet Source	<1 %
13	Roberto Moro-Visconti. "Artificial Intelligence Valuation", Springer Science and Business Media LLC, 2024 Publication	<1 %
14	Srinivas Sethi, Bibhudatta Sahoo, Deepak Tosh, Suvendra Kumar Jayasingh, Sourav	<1 %

Kumar Bhoi. "Computing, Communication and Intelligence - A proceeding of ICCTCCI – 2024", CRC Press, 2025

Publication

15

Jay Liebowitz. "Data Analytics and AI", CRC Press, 2020

Publication

<1 %

16

Ietezaz Ul Hassan, Raja Hashim Ali, Zain ul Abideen, Ali Zeeshan Ijaz, Talha Ali Khan. "Towards Effective Emotion Detection: A Comprehensive Machine Learning Approach on EEG Signals", BioMedInformatics, 2023

Publication

<1 %

Exclude quotes Off

Exclude matches Off

Exclude bibliography On