



جامعة الجميع الذكية
EVERYONE`S SMART UNIVERSITY

Internet and Information Technology ITC202

Lecture 10 – Microsoft office: Excel

Dr. Eng. Youssef Ntefeh

Course Topics

- History of computing.
- Introduction to information technology.
- System and application software
- MS Word.
- **MS Excel.**
- MS PowerPoint.
- Common web services and tools.

Learning Outcomes

- Using Technology to Change the World.
- Understanding the Computers Parts.
- Application Software: Programs That Let You Work.
- Introduction to Word, Excel, and PowerPoint.
- Using the Internet and Web's Resources.
- Protecting Your Digital Data and Devices.

Learning Objectives

- Explain
 - Basic spreadsheet concepts
 - Relative/Absolute addresses
 - Functions
 - Advanced formatting options
- Show how to:
 - Create, edit, print, and save spreadsheets using Excel

Concepts

- Spreadsheet is made up of rows and columns (cols), essentially a table
 - Excel calls this a worksheet
- Col(s) identified with a letter(s): A
- Row(s) identified with a number(s): 1
 - Intersection of row & col is a cell
 - Cells identified by col letter followed by the row number: A1

Concepts

- Cells hold the contents of the spreadsheet/worksheet
- Input is entered one cell at a time via the active cell
- To enter data, move the cursor to a cell (to make it the active cell) and start typing
- In Excel, multiple worksheets are stored in a single PC file with a file extension of .xlsx called a workbook

Excel

Recent

Pinned

Pin files you want to easily find later. Click the pin icon that appears when you hover over a file.

Older

-  Fall 2019 Draft Schedule for Faculty assignment 2_27_19 round two....
Florida State College at Jacksonville » teams » SchoolofTechnology » Fall 2019 Sched...
-  Fall 2019 Draft Schedule for Faculty assignment 2_27_19.xlsx
Florida State College at Jacksonville » teams » SchoolofTechnology » Shared D...
-  Fall 2019 Draft Schedule for Faculty assignment 2_27_19.xlsx
Florida State College at Jacksonville » teams » SchoolofTechnology » Fall 2019 Sched...
-  Round 3 Spring 2019 Faculty Course Selection a.xlsx
Florida State College at Jacksonville » teams » SchoolofTechnology » Spring 2019 Sch...
-  Round 2 Spring 2019 Faculty Course Selection a.xlsx
Florida State College at Jacksonville » teams » SchoolofTechnology » Spring 2019 Sch...
-  Spring 2019 Faculty Course Selection.xlsx
Florida State College at Jacksonville » teams » SchoolofTechnology » Spring 2019 Sch...

Search for online

Suggested searches: Business Personal
Planners and Trackers Lists Budgets Charts Calendars

Janson, R
Janson@fscj.edu
[Switch account](#)

JR

	A	B	C
1			
2			
3			
4			
5			
6			
7			

Blank workbook

Take a tour

Welcome to Excel

Get started with
Formulas

Make your first
PivotTable

Like Word, when Excel first started you can create from a template or create blank workbook

-  Florida State College at Jacksonville » teams » STEM » Technology Dept » Schedules
-  SS PEOPLESFT SHAREPOINT FALL ENCODING SCHEDULE 04 24...
Florida State College at Jacksonville » teams » STEM » Technology Dept » Schedules ...
-  20181 Fall Schedule Live 3_13_2017.xlsx
Florida State College at Jacksonville » teams » STEM » Technology Dept » Schedules ...

 Open Other Workbooks

Get more out of PivotTables

Seasonal photo calendar


Personal Monthly Budget

Category	Amount	Balance
Income	1000.00	1000.00
Expenses	200.00	800.00
Remaining	800.00	800.00

April 2019

Month	Days
April	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30

Standard tabs and ribbons



Moving In the Spreadsheet


- Up, down, right, and left arrows move one cell at a time
- When at the edge of the displayed portion of the spreadsheet, the arrows scroll one row/column at a time
- To AutoFit column width or AutoFit row height, double click on the border between the column / row name and the next one

Convert Scientific Notation To Text



جامعة الجميع الذكية
EVERYONE'S SMART UNIVERSITY

- If you have a lot of numbers which are displayed as the scientific notation, you can convert them with the **Format Cells** function in Excel.
- 1. Select the data range that you want to convert.
- 2. Right click, and choose **Format Cells** from the context menu




Convert Scientific Notation To Text




جامعة الجميع الذكية
EVERYONE'S SMART UNIVERSITY

- 3. In the **Format Cells** dialog, under the **Number** tab, click **Custom** from the **Category** list box, input the number **0** into the **Type** box
- 4. Then click **OK** button, and the cell numbers which displayed as scientific notation have been converted to normal numbers.



How to Merge Cells

- Highlight or select a range of cells.
- Right-click on the highlighted cells and select *Format Cells*....
- Click the *Alignment* tab and place a checkmark in the checkbox labeled *Merge cells*.
- you can also use the **Merge and Center** button on the Excel tool bar.




wrap the text in a cell



جامعة الجميع الذكية
EVERYONE'S SMART UNIVERSITY

- Highlight or select a range of cells.
- use the **warp** button on the Excel tool bar.



Move or copy cells and cell contents

- Move cells by drag and dropping
- Select the cells or range of cells that you want to move or copy.
- Point to the border of the selection.
- When the pointer becomes a move pointer move pointer, drag the cell or range of cells to another location.

Insert or delete rows and columns

insert or delete a column:

- Select any cell within the column, then go to **Home > Insert > Insert Sheet Columns** or **Delete Sheet Columns**.
- Alternatively, right-click the top of the column, and then select **Insert** or **Delete**.

Insert or delete a row

- Select any cell within the row, then go to **Home > Insert > Insert Sheet Rows** or **Delete Sheet Rows**.
- Alternatively, right-click the row number, and then select **Insert** or **Delete**.

How to Increment a Number in Excel

- Excel offers a numbering system to automatically create a series of incremented numbers.
- Enter any starting value in cell A1. Enter the next value in cell A2 to establish a pattern. Select those two cells and drag the bottom fill handle down the column to create a series of incremental numbers.
- As an example, entering 12 and 24 in cells A1 and A2 would create the series 12, 24, 36, 48, 60 when copied down to cell A5.

Sum , avearge functions


- **SUM** function adds values. You can add individual values, cell references or ranges or a mix of all three.

For example: **=SUM(A2:A10)** Adds the values in cells A2:10.

- **AVERAGE** function returns the average (arithmetic mean) of the arguments. For example, if the range A1:A20 contains numbers, the formula **=AVERAGE(A1:A20)** returns the average of those numbers.

Filter a range of data

- select any cell within the range.
- Select **Data > Filter**.
- Select the column header arrow Filter arrow.
- Select Text Filters or Number Filters, and then select a comparison, like Between.



The Order of Operator Precedence in Excel Formulas

- It's important to understand that when you create a formula with several operators, Excel evaluates and performs the calculation in a specific order. For instance, Excel always performs multiplication before addition. This order is called the *order of operator precedence*. You can force Excel to override the built-in operator precedence by using parentheses to specify which operation to evaluate first.

The Order of Operator Precedence in Excel Formulas

The order of operations for Excel is as follows:

- Evaluate items in parentheses.
- Perform negation (-).
- Perform exponentiation (^).
- Perform multiplication (*) and division (/), which are of equal precedence.
- Perform addition (+) and subtraction (-), which are of equal precedence.

Reference cell in another sheet in Excel

- To reference a cell or range of cells in another worksheet in the same workbook, put the worksheet name followed by an exclamation mark (!) before the cell address.
- In other words, in an Excel reference to another worksheet, you use the following format:

Sheet_name!Cell_address

PROPER Function

- The Excel PROPER function capitalizes each word in a given text string. Numbers, punctuation, and spaces are not affected.

Excel interface showing the PROPER function formula bar: `=PROPER(B5)`

	A	B	C	D	E
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					


PROPER function

Input	Output
apple	Apple
APPLE	Apple
ben franklin	Ben Franklin
apples, PEARS	Apples, Pears
def-202-yyt	Def-202-Yyt
to be or not to be	To Be Or Not To Be
12345	12345
\$1,000.00	1000
25-Jun-21	44372

// all words capitalized
// number unaffected
// number formatting lost
// date formatting lost

IF function

- The IF function runs a logical test and returns one value for a TRUE result, and another for a FALSE result. For example, to "pass" scores above 70:
`=IF(A1>70,"Pass","Fail")`.




The screenshot shows the Excel interface. The formula bar at the top displays the formula `=IF(C6>=70,"Pass","Fail")`. Below the formula bar, a table lists student names, their scores, and the result of the IF function. The table has three columns: Name, Score, and Result. The data is as follows:

Name	Score	Result
Anderson	92	Pass
Bautista	85	Pass
Block	65	Fail
Burrows	79	Pass
Chandler	69	Fail
Colby	95	Pass
Crosby	90	Pass
Dove	70	Pass
Frantz	96	Pass
Gonzalez	93	Pass
Humphrey	75	Pass

To the right of the table, the text "Passing score: 70" is displayed.

RAND function

- The Excel RAND function returns a random number between 0 and 1. For example, =RAND() will generate a number like 0.422245717.
- RAND recalculates when a worksheet is opened or changed.



The screenshot shows an Excel spreadsheet with the RAND function applied to a range of cells. The formula bar at the top shows '=RAND()' in cell B5. The spreadsheet has columns A, B, and C, and rows 1 through 16. Column B is highlighted, and the title 'RAND function' is centered above the data. A table within the spreadsheet shows the results of the RAND function for each row from 5 to 16.

RAND function	
	Result
5	0.07397936
6	0.08031312
7	0.98500663
8	0.18596259
9	0.75442205
10	0.60134609
11	0.70711067
12	0.39436606
13	0.61917636
14	0.72224621
15	0.78515343
16	

EXACT Function


- The Microsoft Excel EXACT function compares two strings and returns TRUE if both values are the same. Otherwise, it will return FALSE.
- EXACT(text1, text2)
- **Returns**
- The EXACT function returns TRUE if the two strings are the same. The EXACT function returns FALSE if the two strings are different.

&

- Connects, or concatenates, two values to produce one continuous text value.
- ="North"&"wind"

LEN function

- The Excel LEN function returns the length of a given text string as the number of characters. LEN will also count characters in numbers, but number formatting is not included.



Input	Output	
Apple	5	// 5 characters
Apple	6	// hidden trailing space
APPLE	5	// case doesn't matter
San Diego, CA	13	// space and comma included
	0	// empty cell is zero
1000	4	// 4 digits
\$1,000.00	4	// 4 digits; formatting does not count
25-Jun-21	5	// date is 5-digit serial number
107.99	6	// decimal counts
3.141592654	16	// underlying number is longer
-1.75	5	// negative symbol counts

REPT Function


- The Excel REPT function repeats characters a given number of times. For example, =REPT("x",5) returns "xxxxx".

TRIM function

- The TRIM function is used to “normalize” all spacing. TRIM automatically strips space at the start and end of a given string and leaves just one space between all words inside the string. It takes care of extra spaces caused by empty cells.
- =TRIM(" A stitch in time. ") returns "A stitch in time."

LEFT function

- The Excel LEFT function extracts a given number of characters from the left side of a supplied text string. For example:
- LEFT("apple",3) returns "app".



	A	B	C
1			
2		TRIM function	
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			

Input	Output
Perfect is the enemy of good.	Perfect is the enemy of good.
A stitch in time saves nine.	A stitch in time saves nine.
Lost Time is never found again.	Lost Time is never found again.
The devil makes work for idle hands.	The devil makes work for idle hands.
Measure twice, cut once.	Measure twice, cut once.
A Penny Saved is a Penny Earned.	A Penny Saved is a Penny Earned.
Penny wise, pound foolish.	Penny wise, pound foolish.

SUBSTITUTE function


- The Excel SUBSTITUTE function replaces text in a given string by matching. For example =SUBSTITUTE("952-455-7865","-","") returns "9524557865"; the dash is stripped. SUBSTITUTE is case-sensitive.

C6					=SUBSTITUTE(B6,"t","b")
	A	B	C	D	E
1					
2			SUBSTITUTE function		
3			SUBSTITUTE (text, old_text,new_text, [instance_num])		
4					
5					
6					
7					
8					
9					

Input	Output	Formula	Notes
tuttle	bubble	=SUBSTITUTE(B6,"t","b")	All instances replaced
tuttle	buttle	=SUBSTITUTE(B7,"t","b",1)	First instance only replaced
Cat, cat	Cat, dog	=SUBSTITUTE(B8,"cat","dog")	Substitute IS case sensitive
##cash##	cash	=SUBSTITUTE(B9,"#", "")	Replace with nothing

REPLACE function

- The Excel REPLACE function replaces characters specified by location in a given text string with another text string. For example:
- =REPLACE("XYZ123",4,3,"456") returns "XYZ456".



The screenshot shows an Excel spreadsheet with a table titled "REPLACE function". The table has two columns: "Input" and "Output". The rows show various alphanumeric strings being replaced. For example, "XRT-2017-001" is replaced with "XRT-2018-001". The formula bar at the top shows "=REPL" and the active cell is C5.


Input	Output
XRT-2017-001	XRT-2018-001
XRT-2017-002	XRT-2018-002
XRT-2017-003	XRT-2018-003
AAB-2017-001	AAB-2018-001
AAB-2017-002	AAB-2018-002
NAR-2017-001	NAR-2018-001
NAR-2017-002	NAR-2018-002
NAR-2017-003	NAR-2018-003
MID-2017-001	MID-2018-001
MID-2017-002	MID-2018-002
MID-2017-003	MID-2018-003

TODAY Function

- The Excel TODAY function returns the current date, updated continuously when a worksheet is changed or opened. The TODAY function takes no arguments.

COUNTBLANK function

- The Excel COUNTBLANK function returns a count of empty cells in a range. Cells that contain text, numbers, errors, spaces, etc. are *not* counted. Formulas that return empty text are counted.
- =COUNTBLANK(B5:B15) // returns 3



	A	B	C	D	E
1					
2					
3					
4					
5		apple			
6		orange			
7		100			
8	1				// empty cell
9		30%			
10	2				// empty cell
11		0.5			
12					// space character
13	3				// empty string =""
14		#N/A			
15		6-Oct-2021			
16					
17					

COUNTA Function



جامعة القادسية

UNIVERSITY

- The Excel COUNTA function returns the count of cells that contain numbers, text, logical values, error values, and empty text (""). COUNTA does not count empty cells.

- **Examples**

- =COUNTA(B5:B15) // returns 9

	A	B	C	D	E
1					
2					
3					
4					COUNTA function
5		1			puppy
6		2			apple
7		3			100
8					// empty cell ignored
9		4			30%
10					// empty cell ignored
11		5			0.5
12		6			28-Oct-2022
13		7			8:30 AM
14		8			#N/A // error included
15		9			00120
16					
17					

COUNT Function



جامعة الجميع الذكية
EVERYONE'S SMART UNIVERSITY

- The Excel COUNT function returns a count of values that are numbers. Numbers include negative numbers, percentages, dates, times, fractions, and formulas that return numbers. Empty cells and text values are ignored.
- **Examples**
- `=COUNT(B5:B15)` // returns 6

	A	B	C	D	E
1					
2					
3					
4		COUNT function			
5		Value			
6		puppy			
7		apple			
8		100			
9		20%			
10		30%			
11					
12		0.5			
13		28-Oct-2022			
14		8:30 AM			
15		100			
16		00120			
17					

Count 6

// empty cell

// dates are numbers

// times are numbers

// number as text

// number as text

CONVERT function



جامعة الجميع الذكية
EVERYONE'S SMART UNIVERSITY

- The Excel CONVERT function converts a number in one measurement system to another. For example, you can use CONVERT to convert feet into meters, pounds into kilograms, Fahrenheit to Celsius, gallons into liters, and for many other unit conversions.

The screenshot shows the Excel interface with the formula bar displaying `=CONVERT(E5,"gal","lt")`. Below the formula bar, a table titled "CONVERT (number, from_unit, to_unit)" is shown. The table has columns for Start, Finish, Miles, Gallons, and Liters. The data rows show conversions from gallons to liters for various cities.

Start	Finish	Miles	Gallons	Liters
San Fransisco	Reno	218	8.7	33.0
Reno	Salt Lake City	518	20.7	78.4
Salt Lake City	Denver	519	20.8	78.6
Denver	Omaha	536	21.4	81.2
Omaha	Chicago	471	18.8	71.3
Chicago	Cleveland	345	13.8	52.2
Cleveland	New York	463	18.5	70.1

PI Function

- The Excel PI function returns the value of the geometric constant π (pi).

C5		✕ ✓ <i>fx</i>		=PI()	
	A	B	C		
1					
2	PI function				
3					
4	Formula		Value		
5	=PI()		3.141593		
6					

CEILING function

- The Excel CEILING function rounds a number up to a given multiple.
The multiple to use for rounding is provided as the *significance* argument. If the number is already an exact multiple, no rounding occurs and the original number is returned.
- The CEILING function takes two arguments, *number*, and *significance*.
- *Number* is the numeric value to round up.
- The *significance* argument is the multiple to which *number* should be rounded.

D5 X ✓ f_x =CEILING(B5,C5)

	A	B	C	D	E	F	G
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							

CEILING function

Number	Multiple	Result	
10	3	12	// round up to nearest 3
36	7	42	// round up to nearest 7
309	25	325	// round up to nearest 25
610	100	700	// round up to nearest 100
5.37	0.05	5.40	// round up to nearest 0.05
5.37	1	6.00	// round up to nearest 1
-5.4	1	-5	// round toward zero
-5.4	-1	-6	// round away from zero

FLOOR function

- The Excel FLOOR function rounds a given number down to the nearest specified multiple. FLOOR works like the MROUND function, but FLOOR *always rounds down*.

D5  =FLOOR(B5,C5)

	A	B	C	D	E	F	G
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							

FLOOR function

Number	Multiple	Result	
10	3	9	// round down to nearest 3
40	7	35	// round down to nearest 7
320	25	300	// round down to nearest 25
610	100	600	// round down to nearest 100
5.37	0.05	5.35	// round down to nearest 0.05
5.37	1	5.00	// round down to nearest 1
0	1	0	// no change
-5.4	1	-6	// round away from zero
-5.4	-1	-5	// round toward zero
-320	-25	-300	// round toward zero

INT Function



جامعة الجميع الذكية
EVERYONE'S SMART UNIVERSITY


- The Excel INT function returns the integer part of a decimal number

C5		X ✓ fx		=INT(B5)	
	A	B	C	D	E
1					
2	INT function				
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					

Input	Output
101.001	101
99.99	99
72.34	72
5.1	5
0.75	0
0	0
-0.75	-1
-5.1	-6
-10.8	-11
-72.34	-73
-99.99	-100
-101.001	-102

TRUNC function

- The Excel TRUNC function returns a truncated number based on an (optional) number of digits. For example, TRUNC(4.9) will return 4, and TRUNC(-3.5) will return -3. The TRUNC function does no rounding, it simply truncates as specified.



The screenshot shows the Excel interface with the formula bar displaying `=TRUNC(B5)`. Below the formula bar, a table titled "TRUNC function" illustrates various uses of the function. The table has three columns: "Value", "Digits", and "Result".


Value	Digits	Result
4.9		4
-3.5		-3
3.141593	1	3.1
3.141593	2	3.14
3.141593	3	3.141
3.141593	4	3.1415
999.99	-2	900
999.99	-1	990
999.99	0	999
999.99	1	999.9
999.99	2	999.99

Comments on the right side of the table:

- // digits default to zero
- // no rounding

ROUND function

- The Excel ROUND function returns a number rounded to a given number of digits. The ROUND function can round to the right or left of the decimal point.



The screenshot shows the Excel interface with the formula bar displaying `=ROUND(B5,C5)`. Below the formula bar, a table titled "ROUND function" illustrates various rounding scenarios. The table has three columns: "Number", "Digits", and "Result". To the right of the table, comments explain the rounding behavior for each row.

Number	Digits	Result
5.7845	1	5.8
5.7845	2	5.78
5.7845	3	5.785
23542.5	0	23543
23542.5	-1	23540
23542.5	-2	23500
23542.5	-3	24000
23542.5	-4	20000

// round to 1 decimal place
// round to 2 decimal places
// round to 3 decimal places
// round to nearest whole number
// round to nearest 10
// round to nearest 100
// round to nearest 1000
// round to nearest 10000

FV function

- The Excel FV function is a financial function that returns the future value of an investment. You can use the FV function to get the future value of an investment assuming periodic, constant payments with a constant interest rate.

File						Home						Insert						Page Layout						Formulas						Data						Review					
C10						fx						=FV(C6/C8,C7*C8,0,-C5)																													
A						B						C						D																							
1																																									
2																																									
3																																									
4																																									
5																																									
6																																									
7																																									
8																																									
9																																									
10																																									
11																																									

FV(rate, nper, pmt, [pv], [type])
FV for compound interest paid monthly

Present value	\$1,000
Interest rate	5.00%
Term (years)	10
Compounding periods per year	12
Future value	\$1,647

PV function

- The Excel PV function is a financial function that returns the present value of an investment. You can use the PV function to get the value in today's dollars of a series of future payments, assuming periodic, constant payments and a constant interest rate.
- `=PV (rate, nper, pmt, [fv], [type])`
- **rate** - The interest rate per period.
- **nper** - The total number of payment periods.
- **pmt** - The payment made each period.
- **fv** - [optional] A cash balance you want to attain after the last payment is made. If omitted, assumed to be zero.
- **type** - [optional] When payments are due. 0 = end of period, 1 = beginning of period. Default is 0.

PMT function



جامعة الجميع الذكية
EVERYONE'S SMART UNIVERSITY

- The Excel PMT function is a financial function that returns the periodic payment for a loan. You can use the PMT function to figure out payments for a loan, given the loan amount, number of periods, and interest rate.

PMT (rate, nper, pv, [fv], [type])
Using PMT to determine loan payment amount

Loan amount	\$5,000
Interest rate	4.50%
Periods (term in months)	60
Compounding periods per year	12
Monthly payment	\$93.22

Charts

- **How to create a basic chart**
- The charting system in Excel is flexible and deep. You can create charts with very little effort, and you have the power to customize almost every aspect of a chart.
- if we have annual sales for a small company. We'll use this data to build a basic column chart. The first step in creating a chart in Excel is to prepare the data. Charting works best if the data is structured in a simple grid that doesn't include blank rows or columns.


Charts



جامعة الجميع الذكية
EVERYONE'S SMART UNIVERSITY

How to create a basic chart

	A	B	C	D
1				
2		Year	Sales	
3		2006	\$225,400	
4		2007	\$314,123	
5		2008	\$509,434	
6		2009	\$542,450	
7		2010	\$579,210	
8		2011	\$695,040	
9		2012	\$834,023	
10		2013	\$1,000,858	
11		Total	\$4,700,538	
12				



Charts

- First, select the data you'd like to chart. If your data includes totals, don't include these in your selection. However, you should include data labels, if they exist, so that Excel can use them in the chart.
- Next, click the Insert tab on the ribbon; then click Column, to see a list of column chart styles. All Excel charts have several variations. For Column charts, you'll see options for 2-D columns, 3-D columns, cylinders, cones, and pyramids.
- For this example, we're going to stick with a basic 2-D column. When you select a chart option, Excel will immediately create a chart in that style. With the chart selected, Excel highlights the cells used to create the chart on the worksheet. You'll see this highlighting only when the chart is selected.

Reference



جامعة الجميع الذكية
EVERYONE'S SMART UNIVERSITY

