

# Lab - Extract an Executable from a PCAP

## Objectives

**Part 1: Analyze Pre-Captured Logs and Traffic Captures**

**Part 2: Extract Downloaded Files from PCAP**

## Background / Scenario

Looking at logs is very important, but it is also important to understand how network transactions happen at the packet level.

In this lab, you will analyze the traffic in a previously captured pcap file and extract an executable from the file.

## Required Resources

- CyberOps Workstation virtual machine

## Instructions

### Part 1: Analyze Pre-Captured Logs and Traffic Captures

In Part 2, you will work with the **nimda.download.pcap** file. Captured in a previous lab, **nimda.download.pcap** contains the packets related to the download of the Nimda malware. Your version of the file, if you created it in the previous lab and did not reimport your CyberOps Workstation VM, is stored in the `/home/analyst` directory. However, a copy of that file is also stored in the **CyberOps Workstation VM**, under the `/home/analyst/lab.support.files/pcaps` directory so that you can complete this lab. For consistency of output, the lab will use the stored version in the **pcaps** directory.

While **tcpdump** can be used to analyze captured files, **Wireshark's** graphical interface makes the task much easier. It is also important to note that **tcpdump** and **Wireshark** share the same file format for packet captures; therefore, PCAP files created by one tool can be opened by the other.

- a. Change directory to the **lab.support.files/pcaps** folder, and get a listing of files using the **ls -l** command.

```
[analyst@secOps ~]$ cd lab.support.files/pcaps
[analyst@secOps pcaps]$ ls -l
total 7460
-rw-r--r-- 1 analyst analyst 3510551 Aug  7 15:25 lab_prep.pcap
-rw-r--r-- 1 analyst analyst  371462 Jun 22 10:47 nimda.download.pcap
-rw-r--r-- 1 analyst analyst 3750153 May 25 11:10 wannacry_download_pcap.pcap
[analyst@secOps pcaps]$
```

- b. Issue the command below to open the **nimda.download.pcap** file in Wireshark.

```
[analyst@secOps pcaps]$ wireshark nimda.download.pcap &
```

- c. The **nimda.download.pcap** file contains the packet capture related to the malware download performed in a previous lab. The **pcap** contains all the packets sent and received while **tcpdump** was running.

## Lab - Extract an Executable from a PCAP

Select the fourth packet in the capture and expand the Hypertext Transfer Protocol to display as shown below.

The image shows a Wireshark window titled "nimda.download.pcap". The packet list pane shows six packets. The fourth packet is selected, and the details pane shows the expanded Hypertext Transfer Protocol section.

| No. | Time     | Source          | Destination     | Protocol | Length | Info                                                |
|-----|----------|-----------------|-----------------|----------|--------|-----------------------------------------------------|
| 1   | 0.000000 | 209.165.200.235 | 209.165.202.133 | TCP      | 74     | 48598 → 6666 [SYN] Seq=0 Win=29200 Len=0 MSS=1460   |
| 2   | 0.000259 | 209.165.202.133 | 209.165.200.235 | TCP      | 74     | 6666 → 48598 [SYN, ACK] Seq=0 Ack=1 Win=28960 Len=0 |
| 3   | 0.000297 | 209.165.200.235 | 209.165.202.133 | TCP      | 66     | 48598 → 6666 [ACK] Seq=1 Ack=1 Win=29696 Len=0 TSv  |
| 4   | 0.000565 | 209.165.200.235 | 209.165.202.133 | HTTP     | 230    | GET /w32.Nimda.Amm.exe HTTP/1.1                     |
| 5   | 0.000588 | 209.165.202.133 | 209.165.200.235 | TCP      | 66     | 6666 → 48598 [ACK] Seq=1 Ack=165 Win=30208 Len=0 T  |
| 6   | 0.000708 | 209.165.202.133 | 209.165.200.235 | TCP      | 324    | 6666 → 48598 [PSH, ACK] Seq=1 Ack=165 Win=30208 Le  |

Frame 4: 230 bytes on wire (1840 bits), 230 bytes captured (1840 bits)

- Ethernet II, Src: ea:05:2c:e1:90:3d (ea:05:2c:e1:90:3d), Dst: 16:4c:37:9e:eb:50 (16:4c:37:9e:eb:50)
- Internet Protocol Version 4, Src: 209.165.200.235, Dst: 209.165.202.133
- Transmission Control Protocol, Src Port: 48598, Dst Port: 6666, Seq: 1, Ack: 1, Len: 164
- Hypertext Transfer Protocol


0000 16 4c 37 9e eb 50 ea 05 2c e1 90 3d 08 00 45 00 .L7..P..,.-.-E.  
0010 00 d8 2f 66 40 00 40 06 d3 fd d1 a5 c8 eb d1 a5 ..f@ @ .....  
0020 ca 85 bd d6 1a 0a ec 07 5b 57 81 69 5f 03 80 18 ..... [W\_i\_...  
0030 00 3a 37 87 00 00 01 01 08 0a f1 78 74 ae b4 36 .:7.....xt.6  
0040 e5 11 47 45 54 20 2f 57 33 32 2e 4e 69 6d 64 61 ..GET /W 32.Nimda

nimda.download.pcap Packets: 316 · Displayed: 316 (100.0%) Profile: Default

- d. Packets one through three are the TCP handshake. The fourth packet shows the request for the malware file. Confirming what was already known, the request was done over HTTP, sent as a GET request.


## Lab - Extract an Executable from a PCAP

- e. Because HTTP runs over TCP, it is possible to use **Wireshark's Follow TCP Stream** feature to rebuild the TCP transaction. Select the first TCP packet in the capture, a SYN packet. Right-click it and choose **Follow > TCP Stream**.



## Lab - Extract an Executable from a PCAP

- f. Wireshark displays another window containing the details for the entire selected TCP flow.



What are all those symbols shown in the **Follow TCP Stream** window? Are they connection noise? Data? Explain.

There are a few readable words spread among the symbols. Why are they there?

**Challenge Question:** Despite the **W32.Nimda.Amm.exe** name, this executable is not the famous worm. For security reasons, this is another executable file that was renamed as **W32.Nimda.Amm.exe**. Using the word fragments displayed by **Wireshark's Follow TCP Stream** window, can you tell what executable this really is?


- g. Click **Close** in the Follow TCP Stream window to return to the Wireshark nimda.download.pcap file.

## Part 2: Extract Downloaded Files from PCAP


Because capture files contain all packets related to traffic, a PCAP of a download can be used to retrieve a previously downloaded file. Follow the steps below to use **Wireshark** to retrieve the Nimda malware.

## Lab - Extract an Executable from a PCAP

- In that fourth packet in the **nimda.download.pcap** file, notice that the **HTTP GET** request was generated from **209.165.200.235** to **209.165.202.133**. The Info column also shows this is in fact the GET request for the file.
- With the GET request packet selected, navigate to **File > Export Objects > HTTP**, from **Wireshark's** menu.



- Wireshark will display all HTTP objects present in the TCP flow that contains the GET request. In this case, only the **W32.Nimda.Amm.exe** file is present in the capture. It will take a few seconds before the file is displayed.



Why is **W32.Nimda.Amm.exe** the only file in the capture?

## Lab - Extract an Executable from a PCAP

---

- d. In the **HTTP object list** window, select the **W32.Nimda.Amm.exe** file and click **Save As** at the bottom of the screen.
- e. Click the left arrow until you see the **Home** button. Click Home and then click the **analyst** folder (not the analyst tab). Save the file there.
- f. Return to your terminal window and ensure the file was saved. Change directory to the **/home/analyst** folder and list the files in the folder using the **ls -l** command.

```
[analyst@secOps pcaps]$ cd /home/analyst
[analyst@secOps ~]$ ls -l
total 364
drwxr-xr-x 2 analyst analyst 4096 Sep 26 2014 Desktop
drwx----- 3 analyst analyst 4096 May 25 11:16 Downloads
drwxr-xr-x 2 analyst analyst 4096 May 22 08:39 extra
drwxr-xr-x 8 analyst analyst 4096 Jun 22 11:38 lab.support.files
drwxr-xr-x 2 analyst analyst 4096 Mar 3 15:56 second_drive
-rw-r--r-- 1 analyst analyst 345088 Jun 22 15:12 W32.Nimda.Amm.exe
[analyst@secOps ~]$
```

Was the file saved?

- g. The **file** command gives information on the file type. Use the file command to learn a little more about the malware, as show below:

```
[analyst@secOps ~]$ file W32.Nimda.Amm.exe
W32.Nimda.Amm.exe: PE32+ executable (console) x86-64, for MS Windows
[analyst@secOps ~]$
```

As seen above, **W32.Nimda.Amm.exe** is indeed a Windows executable file.

In the malware analysis process, what would be a probable next step for a security analyst?