

Risk Management Strategies in Medical Research Laboratories: Ensuring Safety and Success through a Quantitative Descriptive Study

Student's Name: Ms. Mona Saeed Al Ghamdi

Academic Number: 241000086

Main Supervisor: Dr. Asma AbuAnzah

Secondary Supervisor: Dr. Abdulrahim Nader

University Year: 2024

ACKNOWLEDGEMENT

First and foremost, I am profoundly grateful to Allah for His grace, guidance, and countless blessings, which have sustained and strengthened me throughout this journey.

I extend my deepest gratitude to my family, whose unwavering support and encouragement have been my foundation through every challenge and success. I am also immensely thankful to my colleagues at King Abdullah International Medical Research Center – Eastern Region, both in the Research Lab and Research Office, for their invaluable guidance, insight, and mentorship. Their expertise and dedication have enriched this study and inspired my academic and personal growth.

Lastly, to everyone who has contributed to this journey with their encouragement, assistance, and motivation—thank you. Each of you has played a crucial role in helping me reach this point, and I am genuinely appreciative of your presence and support along the way.

Copyright Notice

Copyright [2024] [Midocean University]. All rights reserved.

This research project, including all its contents, findings, and data, are protected by copyright law. Unauthorized reproduction or distribution of this work, in whole or in part, is prohibited without written permission from the University.

Abstract

Present study investigates the critical risk management strategies important for maintaining safety and ensuring high-quality results in medical research laboratories. Medical research laboratories inherently involve exposure to biological, chemical, biological, and radiological dangers that pose significant risks to laboratory technicians and compromise the reliability of research. Present study examines current risk management practices and their effectiveness, proposing a comprehensive, integrated risk management framework striving to enhance laboratory safety and aligns with international regulatory standards, such as ISO 15189. The research relies on a quantitative, descriptive design, incorporating data from various medical research facilities. The findings highlight the prevalent risks, such as, biological toxins, flammable and corrosive chemicals, and physical hazards, and finally including electrical risks. The data reveals gaps in training, standard operating procedures (SOPs), and compliance, particularly in developing regions. This research underscores the need for continuous improvement, emphasizing rigorous risk assessment, safety training, and the establishment of universal safety protocols to mitigate these risks effectively. The proposed framework intends to provide sustainable, adaptable strategies for risk management, regulatory compliance, promoting laboratory safety, and the integrity of research outcomes. The study's conclusions contribute to policy development, regulatory frameworks, and the creation of safer research environments that ensure scientific progress and protect laboratory personnel.

Contents

ACKNOWLEDGEMENT	2
Copyright Notice	3
Abstract	4
Contents	5
List of Tables	8
List of Figures	9
List of Terminology	10
List of Abbreviations	11
Introduction	12
Figure No 01: Steps of medical laboratory sample collection and processing	16
Figure No 02: Risk Management Process	18
Research Problem	19
Significance of the Study	21
Figure No 03: Significance of The Study	24
Objectives of Study	25
Research Questions	25
Research Hypothesis	25
Review of Literature	26
Table 01: Prevalent Risks and Hazards in Medical Research Laboratories	29
Current Risk Management Practices in Medical Research Laboratories	31
Integrated Risk Management System (IRMS)	36
Implementation of Theoretical Frameworks in the Research	36
Risk Management Theory:	36
Occupational Health and Safety:	36
Quality Assurance	37
Figure 04: Flow Chart: Theoretical Foundations of the Research Study	38
Research Methodology	39
• Study Design:	39
• Study Duration:	39
• Study Settings:	39
• Study Population:	39
○ Inclusion Criteria:	39
○ Exclusion Criteria:	39

○ <i>Sample Size Calculation:</i>	40
○ <i>Data collection:</i>	40
○ <i>Data Analysis:</i>	40
○ <i>Ethical Considerations:</i>	41
○ <i>Data collection tool:</i>	41
Limitations of Study	41
Figure No 05: [Limitations in Study]	45
Results and Discussion	46
Figure No 06: Gender wise distribution of Respondents	46
Figure No 07: Age Groups of Respondents	47
Figure No 08: Level of Education of Respondents	48
Figure No 09: Total Experience of Respondents	48
Figure No 10: Role in Laboratory of Respondents	49
Figure No 11: Working Experience on Current Role	50
Types of Hazards at Laboratories	50
Table 02: Types of Hazards Reported at Laboratories	51
Chemical Hazards	51
Biological Hazards	52
Radiological Hazards	52
Physical Hazards	53
Frequency of Incidents	53
Table 3: Frequency of Occurrence of Hazards at Laboratories	53
Perceived Severity	54
Table 4: Perceived Severity of Hazards at Laboratories	54
Perceived Severity of Chemical Hazards	55
Perceived Severity of Biological Hazards	55
Perceived Severity of Radiological Hazards	56
Perceived Severity of Physical Hazards	56
Discussion on Findings of Hazards, its frequency and Severity	56
Current Risk Management Practices	60
Table 5: Current Management Practices to deal with hazards at Laboratories	60
Safety Training Frequency	61
Frequency of Safety Audits	61
Risk Management Plans	61
Use of Personal Protective Equipment (PPE)	62
Standard Operating Procedures (SOPs)	62
Discussion on Findings of Current Management Practices	62
Impact Assessment	63

Major Accidents in the Past Year.....	63
Effectiveness of Risk Management Practices	64
Discussion on Findings of Impact Assessment	64
Thematic Analysis of Suggestions for Improvement by the Respondents:.....	64
Framework for Improving Laboratory Safety.....	65
Figure No 12: Framework for Improving Laboratory Safety	66
Conclusions.....	67
Recommendations for Future	68
References.....	70
Appendix A.....	73

List of Tables

Table 1: Prevalent Risks and Hazards in Medical Research Laboratories

Table 2: Types of Hazards at Laboratories

Table 3: Frequency of Occurrence of Hazards at Laboratories

Table 4: Perceived Severity of Hazards at Laboratories

Table 5: Current Management Practices to deal with hazards at Laboratories

Table 6: Impact assessment

List of Figures

Figure No 01: Steps of medical laboratory sample collection and processing

Figure No 02: Risk Management Process

Figure No 03: Significance of the Study

Figure No 04: Flow Chart: Theoretical Foundations of the Research Study

Figure No 05: Limitations in Study

Figure No 06: Gender-wise distribution

Figure No 07: Age Groups of Respondents

Figure No 08: Level of Education of Respondents

Figure No 09: Total Experience of Respondents

Figure No 10: Role in Laboratory

Figure No 11: Working Experience on Current Role

Figure No 12: Framework for Improving Laboratory Safety (Look I)

List of Terminology

Biological Hazards
Chemical Hazards
Integrated Risk Management System
Physical Hazards
Perceived severity of Hazards
Personal Protective Equipment
Risk Management
Risk Management Practices
Radiological Hazards
Standard Operating Procedures
Safety Framework
Thematic Analysis

List of Abbreviations

CDC	Center for Disease Control and Prevention
COPD	Chronic Obstructive Pulmonary Disease
FEMA	Failure Modes and Effects Analysis
IRMS	Integrated Risk Management Practices
ISO	International Organization for Standardization
OSHA	Occupational Safety and Health Administration
PPE	Personal Protective Equipment's
QA	Quality Assurance
QC	Quality Control
SOP's	Standard Operating Procedures
SDS	Safety Data Sheets
WHO	World Health Organization

Introduction

Risks can be defined as an “effect of uncertainty on the achievements” or as the “combination of probability of occurrence of harm and severity of the harm.” Medical laboratories, an integral part of the healthcare system and utilizing human resources, chemicals, and equipment, are very prone to various errors and risks to patient care. Errors associated with diagnosis, either delayed or missed, may occur with a variable frequency ranging from 26% to 78% of medical errors identified in patient care, and these may result in severe to catastrophic harm to the patient. Hence, the laboratory in charge has an additional responsibility to contain the risk to an acceptable level. For this purpose, risk management, which is a multistep process including identifying various risks, assessing the probability of occurrence, and evaluating the severity of their consequences, needs to be applied (Aita et al., 2017) The risk management process makes laboratory activity more reliable in terms of quality results of the testing process and reduces delays in the production of good-quality reports.

Risk management as a concept is relatively new to Medical laboratories (Athqiya et al., 2019). Currently, there are a few guidelines available to assist laboratory managers in the application of risk management in laboratories, such as “CLSI EP18-A2—risk management techniques to identify and control error sources,” “CLSI EP23-A—laboratory quality control based on risk management,” or “ISO/TS 22367—medical laboratories— reduction of error through risk management and continual improvement.” However, the same has not been included as a mandatory requirement by the accreditation agencies, except for the quality control procedures. Hence, risk management is still not implemented as a wholesome exercise in clinical laboratories.

Medical research laboratories are critical to improving medicine and patient care as they incubate and create new ideas and solutions. However, such laboratories are always considered at some level of risk because these laboratories deal with hazardous substances. It is, therefore, equally important to protect the researchers who work in these labs so they do not contract the bacteria. SOPs are useful for the legal regulation of the activity and for obtaining credible and accurate study results.

This is mandatory in medical research laboratories because they are involved with patients’ data and samples. The research personnel is exposed to the following risks: chemical risk, biological risk and radiological risk. Such risks are due to the handling and disposal of

hazardous materials, contact with pathogens, and correct handling of radioactive substances (Njoroge & Nichols, 2014). Due to these risks, rigorous measures of protection and continuous control of the situation are required to minimize the unfavorable influence on laboratory employees and the environment.

Some of the chemical risks encountered in the laboratory may include flammable chemicals, toxic chemicals and reactive chemicals. Special care should be taken when storing, naming and dealing with the chemicals so they do not mix or fall on other chemicals. Biological hazards include pathogenic microorganisms; the person will likely fall ill if these measures are not observed. Radiological hazards are slightly less frequent and consist of radioactive isotopes; therefore, experts and equipment are needed to contain and eliminate them.

Apart from these inherent risks, the complexity of laboratory work adds to the probability of errors at different stages of the process, namely at sample collection, sample preparation, testing, and reporting. Every step has some risks, which result in errors, and, thus, wrong conclusions are arrived at. The consequences of such inaccuracies may be unfavorable as diagnostic tests become less effective and the patient's state is at risk. This can lead to wrong diagnosis, wrong treatment regimes, and harm to the patient (Aita et al., 2017).

There are no operating standards for clinical laboratories in developing countries (Handoo & Sood, 2012). By requiring accreditation, registration, and licensing, laboratory medical practice by unlicensed and unqualified professionals must now be restricted across the majority of the states and union territories of the nation. Diagnostic laboratories must increasingly adhere to national accreditation criteria to be accepted by a growing number of healthcare systems (Zima, 2017). The requirements for competence and quality provided by the ISO 15189 standard, an international standard based on ISO/IEC 17025 and ISO 9001, are specific to medical laboratories (ISO 15189, 2022). It is acknowledged that each country may have unique rules or requirements that apply to some or all of its professionals and their work and responsibilities in this area.

Clinicians' knowledge of ISO 15189 is a crucial factor that requires consideration (Plebani & Sciacovelli, 2017). It is frequently observed that clinicians are unaware of the quality management systems of laboratories, as well as the significance of certification. It has been noted that treating physicians fail to effectively respond to such needs because they are unaware of the importance of alerts or critical values (Genzen & Tormey, 2011). Treatment physicians fall short in meeting these demands because they lack a thorough understanding of

the significance of alert or critical values. There has to be a widespread education campaign to inform treating physicians of ISO 15189 and its significance.

When clinical information was insufficient or unavailable, laboratory tests by themselves might provide a diagnosis and direct life-saving therapy thanks to advancements in laboratory technology (Wagar et al. 2017). With this advancement, the danger posed by an unreliable laboratory test increased to a life threatening level. The practice of laboratory medicine has firmly established the precision, accuracy and scientific veracity of laboratory results. A significant effort has been made over the past 20 years to obtain rapid turnaround time (TAT), which is shown in the reporting of measures examinations and evaluations to the doctor at the patient's bedside or in the office (Hawkins RC, 2007). This has been made possible by advancements in instrumentation and information processing when there is effective laboratory management and organization.

The requirements for quality and proficiency specific to medical laboratories are laid out in ISO 15189. Medical laboratories can utilize ISO 15189 to enhance their quality management systems and evaluate their competence. Accreditation authorities use ISO 15189 to validate or recognize the competence of medical laboratories (Westgard, 2020).

The competence of a laboratory is evaluated by using the following methods:

- On-the-spot assessment of the laboratory by the experts.
- By evaluating the results of a particular test or measurement in a proficiency testing program.

The ISO 15189 standard guidelines (which are subsequently explained) are followed by the expert during the assessment process to determine the suitability of the specific laboratory.

In response to continuous complaints and mounting evidence of unethical behavior, inconsistent standards, overstaffing, fraud, and a lack of performance benchmarks, the process of certifying or accrediting medical laboratories and the services they offer was started. In addition to its clients, a laboratory must be answerable to hospital management, auditors, and national health authorities. The administration of the laboratory has a moral and legal responsibility to make sure that the tests that are conducted are appropriate for the diagnostic issues and yield accurate analytic results (Department of Health Research, ICMR, 2021). The welfare and safety of lab employees must also be taken care of by the lab administration. And we are also up against another obstacle as long-standing laboratory service traditions adapt to healthcare demands by using standardized methods, which is leading to tightening regulatory constraints. It becomes critical that the laboratory lead the way in establishing these rules.

Accreditation is the first significant step toward the mutual acknowledgment of patient test findings, according to various experts. Diagnostic laboratories are increasingly required to abide by these standards as more healthcare systems demand accreditation. All parties, clinicians, and

patients involved must have more confidence in the testing results generated by the laboratories if they are to accept the report with trust. Accreditation of laboratories can help with this. As more modern testing and analytical techniques enable previously impossible diagnoses, the function of the laboratory in diagnosis and therapy continues to gain significance. Clinicians rely more and more on the results of laboratory tests (Sikaris, 2017). By using laboratory methods, many diagnoses can now be made, aetiologies can be verified, and the best course of treatment can be chosen. In the past, laboratory tests were only conducted after the history and physical examination. Now, however, they play a significant role in the choice of additional diagnostic and therapeutic issues being looked into, the patient's clinical status, and the information that is currently available on a particular patient. Real-time interactive data retrieval, communication, and excellent medical judgment are required for this.

Patient expectations are rising, the laboratory service is evolving, and financial constraints are more severe than ever. Accreditation has a clear and straightforward aim. It is an impartial third party's external audit. The applicant laboratory's quality assurance program and organizational structure are also included in this external assessment. An approved laboratory can reassure users and offer a hallmark of performance that is missing from unaccredited laboratories by announcing a defined standard of conduct and having this independently confirmed by peer review (Lindsey & Tim, 2000).

The International Standards Organization has established quality requirements for all testing laboratories. Under the Quality Council of India (QCI), a National Accreditation Board for Testing and Calibration Laboratories (NABL) was accepted and recognized in India to create standards and guidelines for testing labs (NABL 100A - General Information Brochure, 2022). Clinical professionals use medical laboratory results to make accurate patient diagnoses and manage patients. Erroneous patient care and worse morbidity and mortality rates may result from incorrect diagnoses brought on by lab reporting mistakes (Patient safety (WHO), 2019). Pre-examination, examination, and post examination are the three distinct steps of medical laboratory sample collection and processing.




Figure No 01: Steps of medical laboratory sample collection and processing

These processes required serious attention in order to safe guard humans and avoid any kind of potential damage.

The following are some critical strategies for managing risks in medical research laboratories. First, training needs to be done to make all the employees aware of what to do in an emergency and the precautions to take. It is also necessary to have refresher courses and drills to refresh the practices and to keep safety knowledge up to date. Second, standard operating procedures must be developed for every laboratory activity and compliance with the procedures. These SOPs should occasionally be reviewed to incorporate new safety information and technologies.

However, it is also important to employ certain kinds of monitoring and auditing instruments to identify the existing threats and the level of compliance with the safety measures. It may include inspection systems, risk evaluation systems, reporting systems, and the like. Hence, safety is realized at laboratories, and transformation occurs in the procedures and effects of activities conducted in such laboratories. Nevertheless, the following risk management measures are to eliminate or at least minimize such risks so that the laboratory is safe and even more productive. The following are the steps in risk management in medical

laboratories: Some of the factors that are considered concerning the management of risks in medical laboratories include:

Step 1: Risk Analysis: The first decision must be taken is the probability of each of the risks identified and the magnitude of the risk. This comprises risk assessment in all aspects concerning chemical, biological and radioactive products and substances. In other words, it is important to determine which organizational subdivisions may be potentially problematic regarding sealing inefficiencies to arrive at the right solutions (Eliza & Minodora, 2015).

Step 2: Risk Evaluation: The third step is associated with the probability of any of the risks which have been explained and the severity of the impact where the risk is present. This involves assessing the likelihood of the occurrence of the risk and the impact of this on the laboratory and the research study. FMEA is one method used to identify risks, which can be categorized according to their impact (Burnett, 2009).

Step 3: Risk Control: When evaluating the risks, proper risk control measures need to be put in place to deal with these risks. This includes ensuring that the health facility has standard operating procedures that staff and clients use protective gear and that staff conducts safety drills and contingency plans in an emergency. These control measures should be reviewed and modified repeatedly to counter new risks that may arise occasionally (David, 2022).


Step 4: Regulatory Compliance: The medical laboratory must meet set international and regulatory standards to manage risks effectively. Standards such as ISO 15189:2012 offer guidelines for introducing Quality and Safety Management Systems in laboratories. Adherence to these standards helps to maintain the highest safety standards within laboratories and the accuracy of results to safeguard the researcher and the patient (Zhou, HU, LI, PU, & Wang, 2012).

Step 5: Sustainability: Risk management is a never-ending process that must constantly be improved. Risk management programs in laboratories need to be reviewed and updated periodically to reflect on the new risks that are likely to occur and enhance safety measures. This entails risk evaluation and updating, safety checks and reviews, and feedback from employees and other authorities (James, 2014).

Risk management in medical research laboratories is crucial to avoid exposing researchers and students to risks that do not meet regulatory requirements and preserve the research. Through

risk management, the risks are evaluated, recognized, and minimized or eliminated, thus providing the best working environment for laboratories conducting scientific research.

Figure No 02: Risk Management Process



Research Problem

In medical research laboratories, the presence of hazardous chemicals, biological agents, and radiological materials introduces a complex landscape of risks that compromise both the safety of laboratory personnel and the reliability of research outcomes. The document identifies the overarching research problem as the need for a comprehensive and universally applicable risk management framework to address the unique and multifaceted dangers inherent in these settings.

The research problem is compounded by several specific issues: first, the lack of standardized risk management protocols across medical laboratories creates discrepancies in safety measures and risk mitigation strategies, potentially exposing laboratory personnel to preventable hazards. Although certain guidelines exist—such as ISO 15189, CLSI EP18A2, and ISO/TS 22367—there is a limited application of these standards, especially in developing countries, where regulatory enforcement and adherence to safety protocols are often inconsistent. This disparity results in a range of safety levels across laboratories, some of which may operate without comprehensive risk management processes, heightening the probability of laboratory accidents and contamination incidents.

Furthermore, medical research laboratories face the challenge of managing a broad spectrum of risk types, including chemical, biological, and radiological hazards. Each category presents distinct challenges: chemical risks involve flammable, corrosive, or toxic substances, biological risks include exposure to infectious agents and biohazards, and radiological risks arise from radioactive materials or radiation-emitting devices. The handling and disposal of these materials require stringent protocols, but poor compliance with safety standards increases the likelihood of harmful exposure. Additionally, the complexity of laboratory procedures across multiple stages—such as sample collection, testing, and reporting—amplifies the risk of errors, which may compromise the accuracy of diagnostic results and impact patient safety.

Another dimension of the research problem is the lack of universal training standards for laboratory personnel, many of whom operate in environments with varying degrees of safety awareness and procedural knowledge. Current training practices often fall short in frequency and scope, leading to knowledge gaps regarding safe handling practices, emergency protocols, and compliance requirements. The absence of consistent, updated safety training in laboratories further contributes to the variability in risk management effectiveness and may limit the ability of personnel to respond to evolving hazards.

This study's research problem thus revolves around the need to establish a unified risk management model that accounts for the wide-ranging hazards, standardizes protocols, and provides regular training to address these issues. The study will also investigate current practices to determine their effectiveness in mitigating risks and propose an integrated framework that can be adopted internationally. This framework aims to safeguard laboratory workers, ensure compliance with legal standards, and enhance the reliability of research results. Ultimately, addressing this research problem holds significant implications for advancing medical research quality and patient care safety.

Medical research laboratories are complex facilities that handle various substances and materials often considered dangerous, such as chemicals, biological samples, and radiation sources. These elements entail high risks of the researchers' physical endangerment and the research's reliability and validity. These laboratories are the hub of creating new medical knowledge and enhancing patient care; however, reducing these risks remains an issue.

At the current stage, it is possible to identify numerous problems in the risk management of medical research laboratories:

- the lack of a clear and rational framework for risk management
- poor compliance with the necessary safety standards and protocols
- the generally poor quality of the work conducted

Situations such as laboratory accidents, not following standard operating procedures, and contamination by dangerous materials prove that risk management should be systematic. Second, there needs to be a universally recognized risk management model, which also causes these problems; laboratories may have different levels of security and quality.

The research question that this study seeks to answer is: The question that therefore arises is what risks are involved in medical research laboratories, and how can such risks be managed?' This means developing a list of practices that should be followed by laboratories in order to safeguard their employees, ensure that they follow the laws set by the regulatory authorities, and enhance the reliability of the data produced

To address this problem, a lot of time and effort is needed to avoid laboratory accidents and mistakes, safeguard people's health under these circumstances, and ensure that all laboratory activities are correct and secure. This study aims to provide a solution to improve risk

management that can be implemented in various medical research laboratories to improve research efficiency with minimal risk.

Significance of the Study

This research will assist in protecting the usability of medical research laboratories by ascertaining the risks' value. The significance of this study is multi-faceted as importance of study can be summarized in several ways, as pointed out above; the relevance of this study can be explained in the following terms:

1. Enhancement of Laboratory Safety

The first and foremost goal of this research is to reduce laboratory risks to the lowest possible level while identifying them. This assessment is very important in avoiding any mishaps, and the lives of the researchers who encounter hazardous substances and undertake rigorous processes are preserved. Thus, by uncovering such risks, the study seeks to eliminate them to improve the safety of the laboratory working environment for the personnel and avoid such occurrences of injuries and complications from health risks. Risk management measures will help reduce the identified risks and enhance the safety climate in the conditions of laboratories.

2. Improvement in Research Quality

Risk management is crucial in providing quality laboratory results since it helps ensure they are accurate and credible. Some factors that are very sensitive and should not be allowed in research are procedural mistakes and contamination. In the medical field, proper data is very crucial because the findings of the research are applied in handling and treating patients. Hence, raising the quality of the research will help progress medical science and develop effective treatments. Conserving the initial and final accuracy in research activities will assist in creating the best and most accurate results, which is useful in the progress of science and clinical practice.

3. Regulatory Compliance

The findings of this study will show the extent to which medical laboratories have complied with the standards and provide compliance directions concerning safety standards in different countries. This framework will be useful for laboratories since it will assist them in handling

compliance and standards issues. Thus, laboratories can be confident that they comply with the legal provisions of safety and functioning in their country and other countries. This is crucial to avert legal and operational consequences, including penalties and sanctions, and also to avert disturbances to the regular operations of the laboratories.

This also helps improve the image and reliability of the medical research laboratories in attaining compliance objectives. In this case, it will show the regulatory bodies, funding agencies and other stakeholders that the organization is safe and has quality standards; hence, it will attract funding and support. Also, it informs the public and the scientific world that the laboratory's research activities are being conducted responsibly and ethically.

4. Developing a Universal Risk Management Framework

The outcome of this study will be the discovery of a standard and effective method that can be applied in laboratories worldwide. The above framework will assist in eradicating the current and future risks and offer long-term security to the employees and equipment. Risk management is relevant in laboratories because it makes it possible to reduce variability in safety procedures, hence improving safety and efficiency.

The universal risk management framework will also comprise the best practices and guidelines for chemical, biological, and radiological risks and the procedures for managing emergencies and incidents. It will hold the procedures for the regular assessment of risks, safety assessment, and other continuous improvement actions. This framework will also focus on making information on safety measures and risk control available to the laboratory personnel.

Thus, the various laboratories are placed in a way that ensures that safety is achieved to the maximum level, irrespective of the area or branch being considered. This will assist in protecting the lives of the laboratory workers, and at the same time, the research being conducted will be credible. The framework will also be able to address new risks and changes in technology. Hence, the long-term solution is sustainable since it will improve laboratory safety.

The study will seek to provide specific and direct answers to the research questions developed about the impact of risk management on medical research laboratories. Thus, the research

results in the form of specific data and the assessment of the efficiency of the practices will be useful for policymakers between institutions and regulators.

5. Enhancing Safety Measures

The quantitative data of this research will reveal the efficiency of various risk management activities regarding laboratory security. Safety interventions will be evaluated using the decrease in the number of accidents, incidents, and near-misses, which are quantitative approaches. This data will prove that establishing risk management systems effectively improves safety performance. These findings will be useful for institutions to either add to the existing safety measures or introduce new measures that will make the environment in the laboratory as safe as possible for the researchers and other personnel.

6. Informing Regulatory Standards

The study's findings will also be useful in formulating or developing new regulations since it will be based on sound research. Therefore, by offering quantitative evidence on the efficacy of the recognized risk management practices, the research will help develop legal frameworks that will more efficiently eliminate the dangers in medical research laboratories. The regulators can use this information to establish better and stricter safety measures so that all the laboratories can be in a position to meet the safety and operational requirements.

7. Supporting Policy Decisions

The research results will benefit the development of individual institutions' policies and national and international policymaking and regulation authorities. The data can explain to policymakers the areas where organizations have implemented risk management practices and the areas that need improvement. This approach offers more credibility to the policy decisions since the decisions are made with the actual performance data and real-life outcomes rather than relying on what-if scenarios.

8. Facilitating Continuous Improvement

The ongoing accumulation and assessment of quantitative data relating to risk management practices will enable improving laboratory safety. This means institutions can establish standards and measure variation over time, using the information to define trends, accomplishments, and future enhancements. This dynamic approach means that the safety

measures have to be able to change with changes in risks and the emergence of new technologies.

Figure No 03: Significance of The Study

Enhancement of Laboratory Safety

Improvement in Research Quality

Regulatory Compliance

Developing a Universal Risk Management Framework

Enhancing Safety Measures

Informing Regulatory Standards

Supporting Policy Decisions

Facilitating Continuous Improvement

Objectives of Study

- Objective 1: To identify the prevalent risks and hazards in medical research laboratories:
- Objective 2: To assess the current risk management practices in medical research laboratories:
- Objective 3: To quantify the impact of specific risks on laboratory safety and research outcomes.:

Research Questions

- What are the most common risks and hazards in medical research laboratories?
- How effective are the current risk management practices in mitigating these identified risks in medical research laboratories?
- What are these risks' quantitative impacts on laboratory safety and research outcomes?

Research Hypothesis

- Hypothesis 1: It is possible to identify specific risks and hazards in medical research laboratories that are common and real, including chemical, biological, and radiological risks.
- Hypothesis 2: The current risk management practices in medical research laboratories are inadequate in dealing with the abovementioned risks.
- Hypothesis 3: The emerging risks and hazards in medical research laboratories are significantly affecting the safety of the laboratories and the quality of research findings.

Review of Literature

Medical research laboratories engage themselves in different dangers and risks while performing their tasks that may cause loss of lives among the researchers and alteration of the results. Some of the common risks are chemical, biological and radiological risks.

Chemical Hazards: Chemicals are commonly applied in massive quantities in medical research facilities for experimentation and cleaning surfaces and instruments. This extensive use of chemicals places the researcher in a very vulnerable situation. Hazards in a laboratory context can lead to various diseases that can be acute, severe, and short-duration or chronic, severe, and long-duration. These hazards include respiratory diseases, skin diseases and other severe diseases, including cancer, which may take many years to develop (Byun & Park, 2010).

The first health effect usually linked to chemical risks is respiratory system ailments. Most chemicals used in laboratories are toxic and come in fumes, vapors, or dust, injurious to the respiratory system once inhaled. They can range from minor effects such as skin itching and rashes to asthma and COPD. Occasionally, the effects of toxic chemicals may be fatal, and even if the person exposed to such chemicals survives, the impact on the lungs may be for the rest of the life.

Skin diseases are another important problem that influences the health of the people of this nation. Chemicals on the skin may trigger skin reactions, including skin sensitivity, dermatitis, and chemical burns. Some of the chemicals are systemically toxic, meaning that once they penetrate the skin, they affect the internal organs and functions of the body. Methods like wearing gloves and lab coats should minimize skin contact and, therefore, the above effects.

Some of these chemicals, if an individual is exposed to them for a long time, then he or she becomes a candidate to get cancer. Some laboratory chemicals are carcinogenic and cause changes in the DNA of cells, leading to the formation of tumors. Another disadvantage of cancer is that it often appears many years after exposure to dangerous factors, and this is quite a dangerous type of risk. In order to prevent long-term effects on the self, researchers have to ensure that they do not come into contact with carcinogens and that they adhere to all the safety measures.

Certain measures must follow the application of hazardous chemicals to reduce the effects on the environment and the people. This entails providing all the persons involved in the laboratory with the appropriate manner of handling, storing, and disposing of the chemicals. This is because measures and standards must be implemented and complied with in the letter to eliminate accidental exposure and leakage. These are the fume hood and other types of ventilation to minimize the gaseous emissions and the spill response plans in case of any emission accidents.

Therefore, administrative controls are also useful in protecting chemical risks within the workplace. Some of these controls include preparing safety data sheets (SDS) for all the chemicals in use, risk assessment exercises, and labelling and storing chemicals by their hazard class. There should also be safety checks or safety inspections of laboratories often to avoid any dangers that may be around and to ensure that laboratories are observing the safety measures as prescribed by the government.

To increase chemical safety even more, the laboratories can employ measures such as substituting chemicals with less hazardous ones and minimizing the use of chemicals as much as possible in the experimentations. It helps reduce contamination and hazardous waste; in this regard, it helps establish a safer and environmentally sustainable lab.

Biological Hazards: Biological Hazards are another category of hazards that are very dangerous and are involved in medical research laboratories; they include bacteria, viruses, fungi, and other related pathogens. These biological hazards threaten the researchers who chiefly deal with highly pathogenic microorganisms. These are needle stick injuries, aerosols, or direct contact with fomites or articles contaminated with the virus from the infected person or animal. These are the pathogens, and any variation from the standard procedure is fatal to the patients' lives.

Needle stick injuries are one of the most common ways through which diseases spread in medical laboratories. These injuries can be acquired from simple procedures such as blood sampling, touching sharp objects like needles, or proper handling and disposal of sharps. The mere prick can cause even the penetration of dangerous pathological agents into the blood and lead to dangerous infections. To minimize this risk, the staff should be trained on handling and disposing of the needles and using safety-engineered sharps.

There is another approach through which laboratory-acquired infections occur: through aerosols, that is, small droplets or particles in the air. Any process, such as centrifugation,

pipetting, or mixing samples, may generate aerosols containing pathogens. These aerosols, if inhaled, lead to respiratory diseases and probably death. The laboratories should use other containment devices like biological safety cabinets and proper ventilation to eradicate the above risk. In addition, procedures for preventing the formation of aerosols should also be included in the researchers' instructions.

Another way a person can get infected is by touching infected objects because the pathogens can survive on surfaces for some time. The spread of the infection by touching the contaminated surfaces, equipment, or specimens is likely if the personnel is not wearing the correct outfit. Correct surfaces and equipment sanitation with protective gear such as gloves, lab coats, and face shields help prevent contact transmission.

Some diseases are contracted specifically in laboratories. Infections that are possible when working in this environment are hepatitis, particularly hepatitis B and C, since working with the patient may involve contact with the patient's blood or other bodily fluids. Consequently, vaccination and proper use of personal protective gear and measures are useful in combating these infections.

The second risk is tuberculosis, particularly in the laboratory handling clinical specimens of patients who are believed to have TB. It is also very dangerous because it is airborne and employs aerosols to transfer from one place to another. TB samples should be handled in BSL-3 containment facilities, HEPA filters, and airflow control. Another disease that is not as common as the ones mentioned above but still a threat to laboratories that deal with veterinary or clinical specimens is brucellosis, caused by *Brucella* species. It is a zoonotic disease; the transmission may be through the respiratory route through aerosols, contact with the tissues or injuries. Precautions should be taken not to acquire the bacteria; every time that involves the handling of *Brucella*, the biosafety level employed is the BSL-3.

Thus, one can state that there is no approach to handling biological risks in the context of medical research laboratories. Training should be provided to all employees, including the risks that are likely to be encountered and the precautions that need to be taken to avoid the risks. This is achievable through risk assessments and safety audits conducted from time to time to identify the risk areas and the areas of improvement. Other precautionary measures that researchers can take to avoid contact with biohazards include adherence to bio-safety measures and getting the appropriate bio-hazard containment and safety equipment (Grist, 1981).

Radiological Hazards: Medical research laboratories that contain radioactive materials apply them in the following diagnosis and treatment activities. However, these materials come with many difficulties, especially radiation difficulties, if poorly managed (Blayney & van den Eijnde, 2005). Radioactivity produces radiological risks like alpha, beta, gamma, and x-rays. Perhaps such types of radiation can have acute effects such as radiation sickness and, in case of long/intensive exposure, chronic effects, including cancer, mutations, and severe diseases.

Radiation dangers in the laboratory are connected to using radioactive isotopes in experiments and other medical research activities. These isotopes can emit dangerous radiation and, if not well guarded, expose the people dealing with the isotopes in the laboratory to more radiation. Measures such as using lead or special containers are crucial in minimizing the effect of exposure on the researchers.

Table 01: *Prevalent Risks and Hazards in Medical Research Laboratories*

Chemical Hazards	Chemicals are widely used for research and cleaning, exposing researchers to risks. Exposure can cause respiratory and skin diseases or even cancer due to chronic exposure to toxic or carcinogenic chemicals.	- Respiratory issues (asthma, COPD) - Skin reactions (dermatitis, burns) - Long-term cancer risks	- Use protective gear (gloves, lab coats) - Use ventilation (fume hoods) - Proper chemical handling, storage, and disposal procedures - Label chemicals, prepare SDS, and conduct risk assessments
Biological Hazards	Includes exposure to pathogens like bacteria, viruses, and fungi. Risks arise from handling pathogens directly or through sharps, aerosols, and contaminated surfaces.	- Needle stick injuries (Hepatitis B & C) - Aerosol	- Use safety-engineered sharps - Biosafety cabinets, ventilation

		exposure (TB, respiratory infections) - Contact transmission (Brucellosis, TB)	systems - Use protective gear - Regular training, risk assessments, and biosafety compliance
Radiological Hazards	Involves risks from radioactive materials used in diagnostic and research applications. Radiation exposure can cause acute radiation sickness and, with chronic exposure, severe health issues like cancer or genetic mutations.	- Acute radiation sickness - Long-term cancer risk - Mutations and severe diseases	- Use lead or special containers for isotopes - Follow radiation safety protocols (shielding, monitoring exposure) - Regular radiation safety training

There are several common risks associated with radiological materials in research laboratories. The following is a list of the general risks that relate to radiological materials in the research institutions:

1. **External Exposure:** This is mostly due to radiation from an outside source, such as a radiation treatment center. This may be the case when the researchers are close to the sources of the unshielded radiation. The short-term effects of radiation are skin injuries, radiation poisoning and the most lethal cancer.

2. **Internal Contamination:** This may happen when a person swallows radioactive substances, breathes them in or when radioactive substances touch the skin. Contamination inside the body results in radioactive injuries to some organs or tissues and is, in most cases, hard to diagnose and treat.

3. **Environmental Contamination:** This, therefore, means that low or single discharge of radioactive substances can lead to the destruction of the laboratory equipment, floor, walls and the environment in which the laboratory is established. This is a risk to the laboratory personnel and other people who may be around the area of the contamination.

Several measures should be implemented to manage these risks and maintain safety in the laboratory. To avoid such risks, the following should be done to enhance safety in the laboratory:

1. Training and Education: Any employee who uses radiological materials should undergo radiological safety training. This requires protecting against radiation, handling radiation sources, and taking measures in an emergency.

2. Use of Protective Equipment: Where the radiological materials are used, one must wear lead aprons, gloves, and goggles. However, the dosimeters must be worn to ascertain the radiation dose administered to each employee.

3. Proper Shielding and Containment: The exposure level should be reduced by storing the radioactive material in special, protective containers. The work areas should have the right barriers to minimize the level of radiation exposure of the researchers.

4. Monitoring and Surveillance: The other measure is sometimes to get and check the amount of radiation in the laboratory to determine if there is a leakage. Radiation detectors and survey meters should be properly used to determine the amount of radiation and identify the areas of high radiation.

5. Spill Response Plans: This cannot be the case where, in laboratories, nothing needs to be planned. These plans should indicate what should be done in case of a spill of radiological material, evacuation, the cleanup process and contacts.

6. Safe Disposal of Radioactive Waste: The disposal of radioactive wastes is essential so that the environment is not spoiled and people's lives are not in danger. The laboratory should also meet the legal measures to deal with, store and discard radioactive material (Blayney & van den Eijnde, 2005).

Current Risk Management Practices in Medical Research Laboratories

Controlling measures are essential when functioning in a medical research laboratory to reduce risks in the working environment. These are done to reduce risk and adherence to safety measures so that incidences do not occur. Some strategies include risk assessment tools, proper safety measures, and set standards.

Risk Assessment Tools

Risk assessment tools, therefore, constitute one of the fundamental preventatives and protective activities in managing risks in medical research laboratories. They help assess risks and risk management, helping laboratories apply the right control measures. Two commonly used frameworks are: Of these two frameworks, there are:

1. Failure Modes and Effects Analysis (FMEA): FMEA could be described as a systematic approach used to analyse processes to identify how and where they could fail and a prognosis of the consequences. It helps rank the risks with the intention of probability, severity and detectability so that the laboratories focus on the important issues.

2. International Organization for Standardization (ISO) Standards: ISO has offered many guidelines for quality management systems, including the ISO 15189. They are used in assessing, evaluating and managing risks that concern laboratory operations (Fatemi et al., 2022).

Personal Protective Equipment (PPE)

Some ways that some of the risks found in a laboratory can be reduced include Ensuring one is wearing the right personal protective clothing. Some PPEs include gloves, lab coats, face shields, safety goggles, and respirators. They spare the researcher from directly interacting with such substances and reduce chances of dropping, splashing, or anything of that nature.

This section deals with issues related to the identification of chemicals and the precautions to be taken when handling chemicals and chemical waste disposal.

On the usage of the chemicals, more emphasis should be given on the labels of the chemicals so that they cannot be mixed with wrong substances and chemicals and to use them appropriately. They should also have correct hazard labels and be stored in some areas with precautions. It is useful in providing quick information about the contents and their dangers, thus enhancing safe practice in the lab.

Safety Training for Personnel

All the employees in the laboratory should, therefore, undergo safety training. The objectives of the training programs should include the following: the use of equipment, how to handle and dispose of hazardous substances, evacuation measures, and the consequence of not observing

safety measures. The types of courses and drills that can be utilized are the ones that can be used to orient the new staff members on the safety measures and practices, while the other members of staff can be imparted with the new practices through the same (Harrington, 1982).

Compliance with Regulatory Standards

This is very important because all the legal requirements are met to prevent accidents in medical research laboratories. For example, ISO 15189:2012 details quality assurance, quality control, safety and risk management of laboratories. These standards give directions and assurance that laboratories are within the legal frameworks and precautions (Zhou et al., 2012). This standard relates to the safety and risk management quality system employed in a laboratory's management.

Risk management is an activity that is performed periodically, and the strategies applied should be altered periodically. Sometimes, it is performed to identify new threats and evaluate the efficiency of the implemented measures. From such appraisals, laboratories may be compelled to alter the safety measures and look for other methods of addressing such risks. It is one process that entails repetition until the working environment is as secure as required.

Continuous Safety Training and Development

Thus, safety training and development should go on to guarantee a high level of safety in the laboratory. The training programs should be updated periodically to allow for integration of the current safety laws and standards. Another method of enhancing safety in the institution is by training the laboratory personnel to handle all the risks that may occur in the laboratory.

Impact of Specific Risks on Laboratory Safeguard and Study Outcome

Risk assessment in the context of medical research laboratories is the evaluation of the likelihood of the risks and the impact on the safety of the personnel and the reliability of the results produced. Studies that have been carried out indicate that events like chemical spillage, biological contamination, and equipment failure are real threats to the lives of laboratory personnel and may harm the health of the researchers (Wedum, 1964). These disturbances impact the laboratory personnel's health and research activities, leading to time loss, data loss and low productivity. Therefore, enhancing the existing preventive measures and ensuring constant laboratory assessment is necessary to make it safer.

Probability and Consequence of Risk

The likelihood of risks in a laboratory varies with many factors, for example, the type of research being carried out, the tools and substances used in the laboratory, and the level of compliance with safety measures. Occurrences like chemical spillages are common since many chemicals are usually used and are mostly reactive and dangerous. Pathogenic microorganisms are hazardous to work with, and equipment may fail because of users' lack of proper maintenance or misuse.

The possibility of these risks is immense. Hazardous chemicals also cause diseases to the workers through respiratory diseases, skin diseases, and even diseases that take several years to manifest themselves, such as cancer (Byun & Park, 2010). This is because microorganisms cause diseases and other health-related complications, while mechanical breakdowns result in physical injuries and complications in experiments. Such incidents threaten the lives of researchers, besides influencing the quality of research results and findings.

Consequences of Laboratory Mishaps

Possible outcomes of accidents in the laboratory may be serious. Chemical seepages pollute the working environment; hence, the workers are in contact with chemicals, and such areas must be washed. Biologic contamination is also possible, and it becomes a threat to the lives of the personnel in the laboratory since it may cause an outbreak of an epidemic. Failure of equipment in research implies that the research activities are brought to a standstill, wasting time and data. They also lead to significant monetary costs due to the treatment of the injured, repair or replacement of the affected tools and equipment, and time lost.

This means that accidents in the laboratory are very frequent, so there should be high standards of precaution and regular check-ups to avoid them. Some steps that can be taken to minimize such accidents include observing certain safety measures, training the staff, and checking and repairing the equipment. However, contingency and emergency response measures are also helpful because they can prevent some of the effects of mishaps.

Long-term Health Risks

Consequences of lab hazards, if exposed for a long time, are very dangerous to the health of the people managing the hazards. The studies on the biological hazards regarding their epidemiology reveal that laboratory workers are more vulnerable to respiratory diseases, skin diseases and cancer than the general population. This is because some of the vices of

hazardous substances and chemicals, biological agents and radiation may take time before they manifest their effects on the human body (Byun & Park, 2010).

Impact on the Degree of Precision and Credibility of the Study

Sorrows and errors in the lab may negatively impact the outcomes of research. Interference by chemicals or living organisms changes the conditions in which the experiment is conducted and thus produces the wrong results. Some parts of the used equipment may be defective, disrupting the experiment and providing ambiguous or inaccurate results. Such problems affect the research activities' time, effort, and credibility. In clinical research, an error can be fatal to the patient and the treatment being administered to the patient. Thus, it is imperative to introduce certain precautions to help prevent possible mishaps and errors for the maximum reliability of the research outcomes. This includes:

1. Regular Safety Training: The following are the recommendations to improve laboratory safety. Training laboratory employees on safety measures and handling dangerous substances and emergencies.

2. Proper Equipment Maintenance: A type of prevention that entails inspecting the equipment used in the laboratory to ascertain whether they are in good working condition and safe to use.

3. Use of Personal Protective Equipment (PPE): Proper utilization of correct personal protective equipment to reduce the interaction of the researchers with hazardous materials.

4. Strict Adherence to Protocols: Sticking to all laboratory procedures to the last detail to ensure that the samples are not contaminated and mistakes are not made.

5. Risk Assessment and Management: The last one is to perform risk evaluation periodically to identify the risks that can pose threats to the company and apply the corresponding preventive measures.

6. Accurate Documentation and Reporting: Preserving all the laboratory activities' records, any incidents that took place and any safety measures taken to prevent any mishap.

Integrated Risk Management System (IRMS)

Integration of OHS, risk management and QA frameworks to create a comprehensive and holistic risk mitigation system is crucial in medical research laboratories. For instance, Risk management sets the context for the management and recognition of the risk. Occupational Health Safety ensures the protection of laboratory individuals against health hazards with an emphasis on reducing exposure and contact to the hazardous and dangerous substances. Quality Assurance facilitates the reliability, accuracy and reproducibility of research outcomes. Collectively, these frame of thoughts enable a regulated secure, safe and trustworthy health laboratory. It's not just for the protection of laboratory staff but also for the quality of the research data produced.

Implementation of Theoretical Frameworks in the Research

Through specific research activities designed to address the unique risks associated with medical research laboratories, each theoretical framework is implemented differently.

Risk Management Theory:

This study utilizes FMEA to identify and prioritize dangers in the laboratory setting and environment. The study categorizes risks based on the likelihood, identification and severity allowing for targeted control of the most serious hazards. Furthermore, ISO 15189 acts as a baseline for risk evaluation and mitigation techniques. It guarantees that the laboratory fulfils worldwide quality and safety measures.

Occupational Health and Safety:

This study contributes to Occupational Health and Safety by evaluating existing safety measures and analyzing laboratory research practices to protect the laboratory staff. It involves evaluating protective device use, adequacy of safety training, and health surveillance of laboratory personnel exposed to hazardous materials. The study also looked at how the safety practices improved and strengthens the Occupational Health and Safety objectives based on the outcome of safety and feedback audits of the staff.

Quality Assurance

This manuscript applies quality assurance (QA) practices to make sure that risk management not only protects laboratory workers but also preserves research quality. The study involves evaluation of procedural adherence, training effectiveness, and accident response protocols to preserve the validity and fidelity of research outcomes. We regularly monitor and adjust QA practices to ensure constant improvements and reach the effective lab standards. The flow chart below represents the integrated application of these theoretical foundations within the research study.

Figure 04: Flow Chart: Theoretical Foundations of the Research Study



It describes the methodology used in the present study that developed an integrated model for risk management and assessment. This is like a blending of the best parts of Risk management, Occupational Health and Safety and Quality assurance to get us the safe and reliable laboratory. Such a laboratory type of environment can generate high quality research outcomes. This study aims to articulate a flexible framework of risk management in medical research laboratories by using these frameworks of thoughts.

Research Methodology

This chapter focuses on the adopted methodology like study design, sample size, data collection tool, sampling technique and statistical analysis which was used in this study to achieve the study objectives and test of hypotheses.

- ***Study Design:***

This study employed a quantitative, descriptive research design. The study has systematically collected and analyzed data related to the identification of risks, evaluation of current risk management practices, and quantification of the impact of these risks on laboratory safety and research outcomes.

- ***Study Duration:***

The study was spanned over 3 months.

- ***Study Settings:***

The study was conducted in medical research laboratories across multiple institutions, including academic research laboratories, hospital laboratories, and independent research facilities. The employees, researchers who were working in these research laboratories were contacted once for data collection.

- ***Study Population:***

The study population included laboratory personnel working in medical research laboratories, such as researchers, lab technicians, safety officers, and laboratory managers.

- ***Inclusion Criteria:***

- Personnel currently employed in a medical research laboratory.
 - Individuals with at least one year of experience working in a laboratory setting.
 - Laboratories that handle chemical, biological, or radiological materials.

- ***Exclusion Criteria:***

- Personnel with less than one year of experience in a laboratory setting.
 - Laboratories that do not handle hazardous materials.
 - Laboratories currently under major restructuring or renovation during the study period.

- ***Sample Size Calculation:***

A power analysis was conducted using a standard statistical software package to determine the appropriate sample size. Assuming a medium effect size (Cohen's $d = 0.5$), a significance level of 0.05, and a power of 0.80, the estimated sample size will be approximately 100 laboratory personnel from various institutions. This number was adjusted based on initial pilot study findings to ensure adequate representation and statistical validity.

- ***Data collection:***

The risk identification survey for medical research laboratories is designed to comprehensively assess these environments' various risks and hazards. It begins with a demographic section to capture information about the respondents, including their gender, age, education level, years of laboratory experience, current role, and tenure. This data helps set the scene for the response given.

The survey explains several types of hazards, including chemical, biological, radiological, and physical, risks to the employees. The questions asked for rate questions concern how often, for instance, chemical spills or biological exposures occur. Participants also rate the perceived severity of these risks on a scale from 1 (very low) to 5 (very high).

The survey then evaluates other current practices in risk management, such as whether the company has a written risk management plan, the extent of safety training provided to employees, the extent to which employees use personal protective equipment, and the frequency of safety audits. This section assesses current safety policies and practices in the organization.

An impact assessment section questions the organization's significant accidents within the last year, their characteristics, actions taken to mitigate them, and the efficiency of the current risk management procedures. Last, the survey offers an opportunity to recommend other safety measures that may be needed and training that may be required, thus offering the respondents a chance to contribute with their ideas.

- ***Data Analysis:***

Qualitative data was analyzed based on the research questions, and descriptive and inferential statistics was used to analyses the quantitative data. The results from the identified risks and the risk management practices has been described using descriptive statistics.

Descriptive and inferential statistics, were applied to test the study hypotheses and the relationship between the risk factors, management practices, the safety of the laboratory, and the research productivity.

○ ***Ethical Considerations:***

This research will observe the general ethical standards of research. Participants' consent will be sought for the study, and data collected will be kept secure and anonymized. The proposed study will be submitted to the participating institutions' institutional review board (IRB) for approval.

Data collection tool:

The questionnaire used is attached in the appendix. The questions are a list of survey questions to help determine the regular dangers and risks associated with medical research laboratories. The survey will include questions on the types of hazards present, frequency of incidents, and perceived severity. This questionnaire consisted of five section in which first one is about the demographic section and basic information of respondent was asked. Section B is dealing with types of hazards, section C is about the frequency of hazards, Section D is dealing with perceived severity of hazards, and Section E is dealing with current risk management practices and last section about impact assessment. Further, few open-ended questions about the possible suggestion and recommendations was also asked. This section is very important to get the important feedback of users of medical laboratories.

Limitations of Study

I have carefully reported here all the limitations of the present study. It's an effort to collect all so to better comprehend the scope and nature of the study. It ensures the quality of the present research study as well.

- The study relies on self-reported information is a drawback because this type of data is susceptible to biases that may influence the precision and dependability of the results. Participants might unknowingly or purposely provide accounts due to apprehension, about being judged or being unable to recollect details. On the hand, there is a possibility of exaggeration if individuals think that increased reporting will result in enhanced safety precautions. Relying on individuals to report their experiences can lead to memory bias since people may struggle to remember details correctly especially if

the event was insignificant or happened a while back. Moreover, people might feel pressured to portray their lab procedures in a light due, to expectations resulting in data that may not truly represent the actual safety risks or compliance, with safety guidelines.

- The low response from the respondents limit the representatives affects the sample. It may affect the results of the study. The laboratories with different resources, safety practices and management may respond differently to such types of studies. In addition, laboratories with lower facilities may not opt to participate in this types of research studies. So the study could over present laboratories with higher standard or safety awareness. This will lead to non-response bias. This can also limit the external validity of the study findings. As a non-representative sample restrict the study finding to generalize on the whole population. Specifically, those that may have distinct risk factors or levels of risk management implementation.
- The subjectivity of the responders is the cause of the variance in risk assessment severity and security measure management effectiveness. People may perceive risk severity differently based on a variety of factors, including their training, experience, and attitude or aversion to risk. This kind of variability may lead to a response that reflects differences in security, as well as in the understanding and level of the surveys in relation to the seriousness of the risks and the effectiveness of the management measures. Data may become inconsistent as a result, making comparisons between laboratories and respondents challenging.
- The organizational cultures, standard operating procedures (SOPs), and safety regulations differ greatly throughout laboratories. Achieving data consistency among laboratories may be challenging due to this heterogeneity, which could result in variations in the identification, management, and reporting of safety issues. These variations are caused by laboratory-specific elements such local laws, management perspectives on safety, and the resources that are available. As a result, protocol variation may influence data comparability and the study's capacity to make broad inferences about the condition of risk management in labs with widely disparate practices.
- The geographical area and institutional biases may limit the study's applicability by reducing the findings' significance for international laboratory procedures. If the study's sample is geographically restricted, it might not take into consideration the differing regulatory requirements, economic circumstances, and cultural perspectives on safety

that apply to laboratories in various locations. It is also difficult to extrapolate results across different geographies or institution types because different institutions have different management styles, risk tolerances, and resources available. This restriction is especially pertinent when taking into account laboratories with limited resources, which may encounter specialized difficulties not addressed in institutions with greater funding.


- The capacity to evaluate how risk management procedures have changed over time is limited by a cross-sectional methodology, which collects data at a particular moment in time. Longitudinal data would shed light on how risk management procedures develop over time, especially in reaction to emerging hazards, modifications to laws, or advancements in lab safety technology. The study's applicability to comprehending long-term trends and the sustainability of existing practices is diminished in the absence of such temporal data, which limits its capacity to reflect the dynamic character of laboratory environments and risk management procedures.
- Only a subset of dangers (chemical, biological, and radioactive) and risk management techniques may be covered in this study, possibly ignoring additional risk categories (such as physical and ergonomic risks) or cutting-edge risk management techniques employed in certain labs. Beyond the risks typically connected with hazardous chemicals, laboratory work entails a number of other risks, such as physical strain, psychological stress, and equipment-related hazards. Strictly concentrating on chemical, biological, and radiological risks may restrict the study's scope and omit crucial information on other risk factors that have an impact on laboratory safety.
- The studies related to laboratories across regions, language differences and specialized terminology may lead to **misinterpretations** due to respondents' varied understandings. Respondents may interpret technical terms differently based on local language or familiarity with industry terminology. This limitation is especially relevant in international contexts where laboratories may operate under different frameworks or terminologies for safety practices, potentially complicating data interpretation and analysis.
- Institutional pressures or managerial impact may affect how openly respondents report incidents or risk perceptions. In laboratories where reporting is closely monitored or where personnel fear negative repercussions, respondents may be less inclined to disclose full details of incidents or safety concerns. This **reporting bias** can result in

underreporting of incidents and may create an artificially positive representation of laboratory safety, impacting the validity of the study's findings.

- There are various laboratories which may not have the infrastructure or technical capabilities to properly adopt the measures to complete online surveys or reach data entry. This restriction might also leave out the lesser-equipped laboratories which can induce sampling bias. Thus, these data may over-represent labs with access to state-of-the-art tools (which may also in turn have better safety compliance and reporting opportunities), both of which would reduce the overall findings.
- In general, this is considered somewhat complex in risk management assessment, which involves subjective judgment about the acceptability of safety practices, consequences of incidents, and how effective risk mitigation might be. For example, measures of effectiveness are bound to proxy indicators on incident frequency or personnel perceptions, which, for that matter, may fall short to reflect the strength of risk management systems. The high degree of complexity in laboratory operations, further compounded by continuous evolution of laboratory risks, makes assessment of the effectiveness of risk management and mitigation even more challenging, thereby limiting the possibilities of finding any conclusive findings relative to best practices in laboratory safety.

Despite these challenges, the study provides valuable insights into current risk management practices in medical research laboratories and underscores the need for ongoing improvements in safety standards.

Figure No 05: [Limitations in Study]



Results and Discussion

In this chapter, the results of this study have been provided. These findings have been derived from the collected data from laboratory-associated personnel. Various types of statistical tools have been employed on the collected dataset to draw the findings considering the objectives of the study. This chapter consists of several sections. The first section is the depiction of the demographic characteristics of the respondents. In this and the next sections of this chapter, various types of hazards, their frequency, severity and risk management practices to deal with such hazards have been discussed. Lastly, an impact assessment is being presented in addition to suggestions and improvements.

Findings from each section of the questionnaire is presented in the subsequent sections which are then aligned with the pre-defined objectives of the study.

Demographic Profile of Respondents

All demographic attributes have been measured qualitatively or in the form of categories. Therefore, all attributes have been displayed here in the form of Bar charts (see figures 4.1 to 4.6). These findings have shown that majority of the personnel's (70%) who are working in the laboratory settings are females that shows their dominance at workplace. Most of the respondents are young and are in the age range of 18 to 34 years. First both groups; 18-24 and 25-34 comprised of 91% of the proportion of respondents.




Figure No 06: Gender wise distribution of Respondents




Figure No 07: Age Groups of Respondents

Aligning with the age ranges, 43% have Bachelor's degree and 51% have Master's degree at the moment. There are only 6% of respondents who have higher degrees like PhD.




Figure No 08: Level of Education of Respondents




Figure No 09: Total Experience of Respondents

Further findings showed that 34% participants of study have less than 1 years of working experience, however, 42% have 1-3 years of experience. There were only 7% personnel's who had more than 7 years of experience. The respondents are from almost types of domain of laboratory; researcher, technician, safety officer and laboratory manager. This proportion was random but good to get information about each aspect of laboratory-related hazards, risk and practices. Lastly, almost 85% personnel's said that they have been working here from last 3 years or less.




Figure No 10: Role in Laboratory of Respondents




Figure No 11: Working Experience on Current Role

Types of Hazards at Laboratories

In this and next sections of this chapter, various types of hazards, their frequency, severity and risk management practices to cope such hazards have been discussed. In this thesis, four types of hazards have been asked to the participants of study; chemical, biological, radioactive and physical.

Table 4.1 is the comprehensive description of types of hazards at various laboratories where participants of study are working. Data has shown that flammable sub-category is the most prevalent (59%) category in chemical hazards which was faced by users. Corrosive category is the second most highlighted sub-category of chemical hazards. On the other side, 68% personal said that biological toxins are the most important hazard in biological hazards. However, majority of respondents said that radiological hazard is not present at their workplace. Only few of them said that they have few radioactive and radiation based material in small amount at their workplace. Lastly, electrical hazard is the most dominating hazard category in physical hazards.

Table 02: Types of Hazards Reported at Laboratories

Sr. No	Categories	Frequency	Percent
1	Chemical hazards present in the laboratory:		
	Flammable	59	59.0
	Corrosive	29	29.0
	Reactive	8	8.0
	Toxic	4	4.0
2	Biological hazards present in the laboratory:		
	Pathogenic microorganisms	32	32.0
	Biological toxins	68	68.0
3	Radiological hazards present in the laboratory:		
	radioactive materials	4	4.0
	Radiation-emitting devices	7	7.0
	Missing	89	89.0
4	Physical hazards present in the laboratory:		
	Sharp objects	23	23.0
	Heavy equipment	25	25.0
	Electrical hazards	52	52.0

The data in Table 4.1 provides a detailed breakdown of laboratory hazards encountered by participants across various laboratory environments, illustrating the prevalence of chemical, biological, radiological, and physical hazards. By analyzing these findings, we gain insight into the occupational safety challenges faced by laboratory personnel and the types of risks requiring prioritized intervention.

Chemical Hazards

The chemical hazards in laboratories are commonly understood as some of the most substantial risks with diverse respondents, especially from combustible and corrosive materials (Cooper & Dougherty, 2018). It turns out flammable hazards make for the most significant portion of chemical hazard occurrences, representing 59% of all the incidents in this category. Flammables in the laboratory Most laboratory flammables are volatile solvents and gases, which have a high tendency to catch fire when exposed to heat or a spark (Health and Safety Executive, 2022). As a result, the scale of this prevalence highlights the importance of effective

control measures such as appropriate ventilation, storage in flame-arresting containers and fume hoods.

Next to flammable materials, corrosive chemicals (29%) pose great dangers since the chemical class includes many strong acids and bases that could harm human tissue and laboratory equipment. Conferring hazardous chemical, it is considerable occupational health threat and thus need required personal protective equipment (PPE), similar to gloves and face defend (Occupational Safety and Health Administration [OSHA], 2020). Surprisingly, however, the data reflects that the laboratory environments of this study had lower frequencies of reactive (8%) and toxic (4%) chemicals; and although present, these hazards were rare in the study environments. But if prevalence is low, that does not imply that such materials are not potentially harm-causing as reactive and toxic chemicals can lead to severe accidents in little amount (Australia, 2012).

Biological Hazards

Biological hazards are another example that's very relevant, and you don't have to be sure, the only ones such as biological toxins were reported by as many as 68% of participants. According to the Centers for Disease Control and Prevention (CDC), biological toxins are mostly proteins or other compounds made by organisms which can affect human health (CDC, 2020). A high rate of biological toxins suggests laboratory microbiological work or some biomedical research dealing with such agents [2]. Another key risk highlighted is the presence of pathogenic microorganisms, reported by 32% of participants, particularly in healthcare and microbiology labs. Pathogenic microorganisms need special handling procedures because exposure via contact, inhalation or accidental imbibition can cause illness (CDC, 2020).

Radiological Hazards

When radiological hazards are present, they are relatively rare and usually well defined in laboratory environments (e.g., 4% of participants reported working with radioactive materials; 7% with radiation-emitting devices: Study data). This is consistent with the literature, which illustrates that radiological materials are confined to particular focus areas such as nuclear medicine or radiography and similarly not across all lab settings (WHO 2019). Reducing exposure to ionizing radiation (International Atomic Energy Agency [IAEA], 2020),

which is critical for only a handful of laboratories managing such materials, includes shielding, storage and monitoring protecting against occupational exposure.

Physical Hazards

Laboratories are a unique environment, and they face their own special types of physical hazards, the most common of which — present in 52% of the people in the study — were related to electrical hazards. This information also emphasizes that electrical equipment such as computers, microscopes, heating devices, and specialized instrumentation which are used in laboratories can expose laboratory workers to electrical shock, short circuit, or overheating hazards (National Institute for Occupational Safety and Health [NIOSH], 2022). The prevalence of physical hazards such as sharp objects (23%), and heavy equipment (25%) are indicative of the variety of laboratory environments where personnel handle both tools and machines that require specialized training with respect to safety practices and protocols (OSHA, 2021).

Frequency of Incidents

In this section, personnel's asked about the frequency of hazard they faced at their workplaces. This frequency was measured through using 4-point rating scale; never, rarely, occasionally and frequently. Almost 1/3rd personnel's reported the rare occurrence of chemical spills in their laboratories. In line with the chemical hazard occurrences, 1/4th participants claimed that they rarely faced biological exposure at workplace. However, this % raised to 49% in case of physical injuries during lab operations. This is quite possible that during routine work different types of physical injuries, fall, cut could be faced. Nobody claimed the occurrence of radioactive exposure problems. The reason might be the less availability of these equipment's in small research labs.

Table 3: Frequency of Occurrence of Hazards at Laboratories

Sr. No	Frequency of Occurrence	Frequency	Percent
1	Chemical spills in the laboratory:		
	Never	66	66.0
	Rarely	31	31.0
	Occasionally	03	03.0

2	Biological exposure incidents in the laboratory:		
	Never	71	71.0
	Rarely	25	25.0
	Occasionally	04	04.0
3	Radiological exposure incidents in the laboratory:		
	Never	100	100.0
4	Physical injuries (cuts, falls, etc.) in the laboratory:		
	Never	51	
	Rarely	49	

Perceived Severity

In this section participants of surveys were asked about the perceived severity of four types of hazards at their labs. It is to note that it is perception of these persons about their system. Almost half of them felt that their labs have neutral levels of chemical hazards. Neutral level means neither low nor high level of severity. In terms of biological hazards, 34% thought that same level of severity. As already discussed about the low availability of radioactive exposure at smaller labs, therefore only 5% participants thought about low levels of severity. In contrast, 44% perceive neutral level of severity in terms of physical hazards.

Table 4: Perceived Severity of Hazards at Laboratories

Sr. No	Perceived Severity	Frequency	Percent
1	On a scale of 1 to 5, how severe do you perceive the risk of chemical hazards in your laboratory?		
	Very low	44	44.0
	Neutral	49	49.0
	Moderately high	07	7.0
2	On a scale of 1 to 5, how severe do you perceive the risk of Biological hazards in your laboratory?		
	Very low	63	63.0
	Neutral	34	34.0
	Moderately high	03	03.0
3	On a scale of 1 to 5, how severe do you perceive the risk of Radiological hazards in your laboratory?		

	Very low	95	95.0
	Moderately low	05	05.0
4	On a scale of 1 to 5, how severe do you perceive the risk of physical hazards in your laboratory?		
	Very low	44	44.0
	Moderately low	5	05.0
	Neutral	44	44.0
	Moderately high	7	07.0

The data in the table 4.3 provides insights into how laboratory personnel perceive the severity of various hazard types—chemical, biological, radiological, and physical—within their working environments. This perception of severity is crucial, as it can directly influence adherence to safety protocols and the prioritization of hazard management resources in laboratories (Geller, 2000).

Perceived Severity of Chemical Hazards

The perception of chemical hazard severity reveals a balanced response, with 44% of participants rating the severity as “very low” and 49% as “neutral.” Only a small proportion (7%) perceive the risk as “moderately high,” indicating that most laboratory workers may feel their work environments are relatively safe from significant chemical risk. This neutral-to-low perception could be attributed to established chemical safety protocols, such as the use of PPE, controlled storage systems, and regular training on chemical handling. However, low perception of risk could also lead to complacency, which research has shown may increase the likelihood of accidents due to less strict adherence to safety protocols (Vincent & Amalberti, 2016).

Perceived Severity of Biological Hazards

For biological hazards, the data indicates that 63% of participants rate the perceived severity as “very low,” while 34% rate it as “neutral.” Only 3% consider the risk to be “moderately high.” Given that 68% of participants previously reported the presence of biological toxins, this low perceived severity may reflect an underestimation of risk or an over-reliance on biosafety protocols. Previous studies suggest that lower perceived severity of

biological hazards can lead to lapses in biosafety practices, as workers may not strictly follow protocols for containment or decontamination (Kirkland & Homa, 2019).

Perceived Severity of Radiological Hazards

Radiological hazards are perceived as very low risk by 95% of participants, with only 5% perceiving them as moderately low. This finding is consistent with the earlier report that most laboratories do not have significant radiological hazards, with only a small percentage of participants reporting any presence of radioactive materials or radiation-emitting devices. This almost universally low perceived severity aligns with research indicating that specialized safety training and specific storage and handling requirements for radiological materials help limit their perceived threat in laboratories where they are present (Miller et al., 2020).

Perceived Severity of Physical Hazards

Regarding physical hazards, responses are varied, with 44% rating the severity as “very low,” another 44% as “neutral,” and 7% as “moderately high.” The nearly equal split between low and neutral perceptions suggests that while some laboratory staff might be aware of the potential risks associated with physical hazards (e.g., electrical risks, heavy equipment, sharp objects), others may not see them as immediately dangerous. Physical hazards, especially electrical risks, are commonly encountered in labs, so the moderate concern reported by some respondents is consistent with findings that electrical incidents in laboratories can pose significant risks if safeguards, such as regular maintenance and equipment checks, are not rigorously followed (Alston & Barrie, 2017).

Discussion on Findings of Hazards, its frequency and Severity

The perception data in this study indicates an overall trend of low-to-neutral perceived severity for the major hazard categories in laboratories. Such a perception could have dual implications. On one hand, it may signify confidence in existing safety measures and protocols. However, a persistently low perception of hazard severity might also risk complacency, especially in handling hazards that can lead to significant accidents if not managed carefully (Geller, 2000). Ensuring that laboratory staff retain an accurate awareness of hazard severity is vital for maintaining rigorous safety standards, particularly for hazards like chemicals and

biological agents, which present potential risks even when they are common and seemingly well-controlled.

Perceived severity and sensitivity for major hazard categories in laboratories are overall low to neutral, as shown in this research perception data collected here. On the one hand this trend may have two important and potentially opposite repercussions for laboratory safety and risk management practices. Conversely, this perception may also indicate the confidence in laboratory safety protocols, practices and training that probably creates a relatively constant and carefully controlled atmosphere for laboratory workers. Present finding is consistent with the literature showing that thorough training and strict compliance to safety protocols decrease perceived risk severity (Vincent & Amalberti, 2016) as laboratory staff feel protected and well-prepared to deal with hazards. Whenever organizations offer identification of safety protocols, regular training, and utilize standard operating procedures (SOPs) people become more aware and compliant with safety practices and procedures which in turn decrease the likelihood of high perception severity risk (Namian et al., 2016). Eventually, personnel can feel more confident in this process and be able to conduct complex tasks without getting nervous. They can focus on research work rather than worrying about possible dangers. There is research showing that increased work place morale and productivity due to reduced stress and enhanced confidence in safety systems in laboratories with effective safety programs, that is, those with strong safety systems (DeJoy, 2000).

But a low perception of long term risk severity has its many negative effects as well. The perception of low risk can lead to unintended complacency, especially in the case of high-risk materials (such as biological hazards) that will always cause much more risks if not handled with due diligence and care (Geller, 2000.) Laboratories are inherently hazardous, offering the potential for exposure to infectious biological agents, toxic chemical exposure, and radiation, which can lead to serious illness if mishandled. Lower perceived risk leads to complacency in safety practice and a reduced vigilance as to adherence to safety protocols which increases the risk of an event occurring (Weick & Sutcliffe, 2011). For example, studies of occupational health show that people begin to lose sensitivity to everyday dangers in high-risk settings (Reason, 2000), which is noted among healthcare and laboratory workers. When hazards are viewed as routine or minimal risk by laboratory personals, then consistent use of personal protective equipment (PPE) and compliance to the relevant SOP may become negligent demonstrate that this overconfidence can result in preventable errors that threaten

personal safety and expose the laboratory to risk and liability (Clarke, 2006) - a poignant realization after so many years of fundamental clinical skills training and guidance.

This complacency is worrisome because many can be exposed to well-known environmental risks like biological and chemicals agents. Flash chemicals, toxic and reactive — each posing instantaneous and long-term threat to human health. The Occupational Safety and Health Administration (OSHA, 2020) states that laboratory environments performing work with such chemicals encounter hazards and dangers as mild as skin rashes and breathing complications to severe chronic diseases like cancer. A lower perceived severity for these risks may lead to lapses in the appropriate storage, handling and disposal, leading to greater risk for these chemical exposures or spill over. (OSHA, 2020). Likewise, research on biosafety practices provides evidence that biological hazards, while seemingly mild due to the high level of comfort with handling these materials, remain highly infectious and continue to pose contamination and cross-infection risks if in case protocols are not adhered and compliant with to a high level of diligence (CDC, 2020). Investigations have demonstrated major health effects of even modest exposure to biological threats in the long term, particularly when consistent implementation of applicable sterilization, biosafety and containment practices are not adhered to (Grist, 1981).

Moreover, the low-to-neutral perception may indicate a lack of awareness about the cumulative risks associated with repeated or prolonged exposure to certain hazards. Chemical exposure, for example, has been shown to cause long-term health issues that may not immediately manifest (Byun & Park, 2010). The gradual nature of these effects might reduce staff vigilance toward these risks and dangers, especially if the immediate consequences seem minor or manageable. Studies underscore that laboratory management should emphasize the importance of consistent risk mitigation strategies, even for seemingly low-risk hazards, as chronic exposure can lead to substantial long-term health consequences (Australia, 2012). Effective risk communication in laboratory settings can help clarify the cumulative impact of low-severity risks, encouraging laboratory personnel to maintain safety practices despite a low immediate threat (Hawkins, 2007).

Ongoing training and safety education are critical for reinforcing hazard awareness. Research indicates that periodic, comprehensive training helps maintain an accurate perception of risk, as it regularly reminds laboratory staff of the severity and potential consequences of common hazards and dangers (Burke et al., 2006). Regular refresher courses on proper use of

PPE, emergency procedures, and hazard-specific protocols, especially those for biological and chemical hazards, have been shown to sustain high levels of safety compliance (Reason, 2000). Clear and routine communication from management regarding the consequences of safety protocol breaches and the potential for cumulative exposure to low-severity hazards can help maintain a culture of risk awareness and vigilance. (Geller, 2000).

To address the potential drawbacks of a low-severity perception, fostering a culture of safety is important. Safety culture refers to the collective attitudes, beliefs, and practices within an organization that prioritize safety. A positive safety culture has been shown to reduce accidents, enhance adherence to safety practices and improve hazard reporting (Ayi, 2018). Management can foster such a culture by actively involving personnel in safety discussions, encouraging open reporting of near-miss incidents, and creating a supportive environment for safety feedback (Weick & Sutcliffe, 2015). In fact, studies on safety culture highlight that organizations with participatory safety management approaches experience higher compliance with safety protocols and lower incident rates (Geller, 2018).

In addition to fostering a safety culture, risk communication strategies that emphasize the dynamic nature of laboratory hazards can be beneficial. Safety briefings that precede high-risk procedures can serve as reminders of the potential risks involved, encouraging personnel to adopt a cautious approach. Case studies of laboratory incidents or near-misses can also be shared periodically to highlight the potential consequences of complacency and illustrate the importance of sustained vigilance. Research shows that such real-world examples effectively bridge the gap between theoretical knowledge and practical application, reinforcing the significance of maintaining high safety standards in laboratory environments (Ayi et al., 2018).

The results from this study indicate a complex landscape of hazards within medical research laboratories, highlighting that chemical, biological, and physical risks are the most frequently encountered by laboratory personnel. Chemical hazards, particularly flammable and corrosive substances, represent the highest risk category, underscoring the need for stringent storage and handling protocols. Biological hazards, including pathogenic microorganisms and biological toxins, also present significant safety challenges, particularly for personnel involved in microbiological processes. Physical hazards, for example electrical risks and injuries from sharp objects, were prevalent, pointing to the need for enhanced protective measures and regular equipment maintenance. While most laboratory personnel report using personal protective equipment (PPE) and following safety protocols, the study also reveals gaps in

perceived hazard severity, which could lead to complacency in risk management practices. Overall, these findings underscore the necessity for continuous safety training, rigorous adherence to established protocols, and a strong safety culture to ensure the protection of laboratory staff and maintain high standards in research integrity.

Current Risk Management Practices

Table 4.4 is the overall reflection of current risk management practices at various medical research laboratories in KSA. The findings about this section showed that majority trainings (90%) and safety audits (83%) were taken place by annual basis. However, their labs have formal risk management plans which has already been implemented. Further, majority of them (94%) used personal protective equipment such as gloves, goggles etc. for routine activities at laboratories. Lastly, their labs have SOPs to deal with hazardous materials and incidents.

Table 5: Current Management Practices to deal with hazards at Laboratories

Sr. No	Categories	Frequency	Percent
1	How often is safety training conducted for laboratory personnel?		
	Quarterly	10	10.0
	Annually	90	90.0
2	How frequently are safety audits or inspections conducted in your laboratory?		
	Quarterly	17	17.0
	Annually	83	83.0
3	Does your laboratory have a formal risk management plan?		
	Yes	100	100.0
4	Are personal protective equipment (PPE) such as gloves, goggles, and lab coats always used when handling hazardous materials?		
	Yes	94	94.0
	No	06	06.0
5	Are there standard operating procedures (SOPs) for dealing with hazardous materials?		
	Yes	100	100.0

The data in Table 4.4 reveals essential information regarding current management practices for handling hazards in laboratory settings. The data highlights key practices such as the frequency of safety training, safety audits, and the implementation of risk management protocols and standard operating procedures (SOPs). This information provides a snapshot of how laboratories manage safety risks and demonstrates an overall commitment to minimizing hazards in these environments.

Safety Training Frequency

The data indicates that 90% of laboratories conduct safety training annually, while only 10% do so quarterly. Although annual training can be beneficial in reinforcing basic safety knowledge, quarterly training provides regular refreshers, which can significantly improve retention of safety practices and enhance personnel readiness to respond to emergencies. Studies show that more frequent safety training, such as quarterly sessions, can lead to higher compliance with safety protocols, as personnel are reminded of best practices and updates more regularly (Klein & Trent, 2020). Therefore, while annual training is standard, quarterly sessions could enhance safety culture, especially in high-risk environments.

Frequency of Safety Audits

Safety audits and inspections are crucial for identifying potential hazards and ensuring compliance with safety standards. In this data, 83% of laboratories conduct annual audits, while only 17% do so quarterly. Regular audits can prevent accidents by proactively identifying and addressing safety risks, and more frequent audits allow for prompt adjustments to safety measures as new hazards emerge (Safe Work Australia, 2019). Although annual audits fulfill regulatory standards, increasing the frequency to quarterly could strengthen hazard management by addressing emerging risks and providing opportunities for continuous improvement in safety protocols.

Risk Management Plans

The data shows that 100% of laboratories have a formal risk management plan in place, indicating a universal commitment to systematic hazard identification, assessment, and mitigation. Risk management plans are essential for setting out procedures to assess and control risks associated with hazardous materials, physical hazards, and biological agents. According

to the Occupational Safety and Health Administration (OSHA, 2021), a robust risk management plan improves incident response and mitigates potential hazards effectively, demonstrating that all surveyed laboratories are aligned with best practices in this area.

Use of Personal Protective Equipment (PPE)

Personal protective equipment (PPE) is a fundamental component of laboratory safety. The data reveals that 94% of laboratories enforce the use of PPE, such as gloves, goggles, and lab coats, when handling hazardous materials. However, a small percentage (6%) reported not always using PPE, which could expose laboratory personnel to chemical, biological, or physical hazards. The lack of consistent PPE usage may be due to perceived low-risk environments or complacency, which previous studies have linked to increased accident rates (Martin et al., 2018). Ensuring that all personnel consistently use PPE is crucial for minimizing exposure to hazardous materials.

Standard Operating Procedures (SOPs)

All surveyed laboratories (100%) reported having standard operating procedures (SOPs) for handling hazardous materials. SOPs are critical for ensuring that laboratory personnel have a clear protocol for safely managing hazardous substances and responding to incidents. By implementing SOPs, laboratories provide structured guidelines that reduce the risk of human error, improve safety compliance, and enhance response efficiency in case of accidents (National Research Council, 2020). The universal presence of SOPs in these laboratories indicates a commitment to procedural compliance and safety consistency.

Discussion on Findings of Current Management Practices

The current management practices depicted in Table 4.4 suggest a well-established framework for addressing laboratory hazards, with an emphasis on formalized procedures and regular training. While the presence of risk management plans and SOPs highlights a structured approach to safety, the reliance on annual safety training and audits may indicate areas for improvement. Increasing the frequency of training and audits could bolster safety practices, especially for personnel dealing with high-risk materials. Furthermore, ensuring 100% compliance with PPE usage would enhance the effectiveness of hazard management efforts, as PPE serves as a primary defense against chemical, biological, and physical hazards.

Impact Assessment

The last formal section of these findings was related to impact assessment. This section showed that there was no major incident reported in last year. It does not mean small incidents did not happen. However, 18% respondents said that they felt about the current risk management practices cannot mitigate the risk effectively. They also highlighted few important suggestions to improve such issues which will be discussed in subsequent section.

Table 6: Impact assessment

Sr. No	Categories	Frequency	Percent
1	Have there been any major accidents in your laboratory in the past year?		
	No	100	100.0
2	Do you feel that current risk management practices effectively mitigate the risks in your laboratory?		
	Yes	82	82.0
	No	18	18.0

The impact assessment data in Table 4.4 offers a critical look at the effectiveness of laboratory risk management practices by examining the occurrence of major accidents and the perceived adequacy of current risk mitigation efforts. These findings provide insights into the strengths and potential areas for improvement within laboratory safety management systems.

Major Accidents in the Past Year

The data indicates that 100% of participants reported **no** major accidents in the past year, suggesting that the laboratories have successfully maintained a safe working environment. This accident-free record highlights the potential effectiveness of current safety protocols, training, and risk management practices. Previous research supports this view, showing that consistent application of safety measures—such as the use of PPE, adherence to standard operating procedures (SOPs), and regular safety training—can significantly reduce the likelihood of accidents in laboratory settings (Greenwood & Duff, 2019). An absence of accidents also suggests that laboratories may be well-equipped to manage daily risks, with established practices that effectively address common hazards.

Effectiveness of Risk Management Practices

While a large majority (82%) of respondents believe that current risk management practices effectively mitigate risks, 18% feel that these practices are insufficient. This divergence indicates that while most laboratories may have comprehensive safety measures, some personnel perceive gaps or limitations within the existing safety framework. Reasons for this perception could include variability in the implementation of safety protocols, lack of specific resources, or challenges with hazard-specific training (Ayi, 2018). The 18% who feel that risk mitigation practices are insufficient may benefit from more tailored safety protocols or increased frequency of training and audits to address potential gaps and further enhance safety.

Discussion on Findings of Impact Assessment

The overall positive assessment of risk management practices reflects a strong safety culture within these laboratories, likely due to consistent training, adherence to SOPs, and formalized risk management plans. The absence of major accidents supports the view that current practices are largely effective. However, the concerns expressed by a portion of respondents regarding the adequacy of risk management practices indicate a need for continuous assessment and adaptation. Regular feedback from laboratory personnel, combined with enhanced training and proactive audits, could further address any residual concerns and improve the perception of safety measures.

The differing perceptions of risk management effectiveness highlight an important area for safety leaders: the ongoing need for evaluation and improvement of safety protocols. Incorporating feedback from laboratory personnel can help ensure that risk management practices are well-suited to the specific hazards they face, ultimately contributing to a more comprehensive and adaptable safety program.

Thematic Analysis of Suggestions for Improvement by the Respondents:


Many participants gave their suggestions to improve the existing system of laboratories safety. Thematic analysis was performed on these suggestions content. There are mainly their things which have been suggested by the practitioners;

1. Trainings are insufficient regarding modern and day to day challenges in lab operations. They thought that world is changing at substantial rate and labs are regularly equipped to deal these changes but staff and users have not been trained at regular intervals. There should be regular and schedule training session to understand the updated SOP's and working of modern equipment's.
2. Secondly, they thought that quarterly auditing should be performed. It would enhance the level of responsibility on the staff and users of labs regarding compulsory learning and compliance to modern SOP's and other related things.
3. They also thought that regular trainings and auditing are associated to each other. They considered that quarterly auditing will be the forum to highlight their requirements regarding their needs at labs operations.
4. In current form, they are used to enhance their knowledge by themselves by consulting the available manuals, website material etc. This is the reason that they have low level of frequency of incidents at their workplaces. However, this is the responsibility of employer and head of department to arrange schedules trainings for their staff and researchers.

Framework for Improving Laboratory Safety

Based on study findings, Figure 12 is the proposed framework to improve the laboratory safety. It will cover all possible aspects using the data of various facilities at KSA and their personals. This whole framework mainly used the information provided in thematic analysis performed on the provided information regarding their suggestions.

Figure No 12: Framework for Improving Laboratory Safety



Conclusions

The study highlights the critical importance of comprehensive approach to safety and medical laboratory services. From current study analysis of processes and potential areas of vulnerability, it is evident that the three distinct phases of medical laboratory operations, pre-examination, examination, and post-examination play an integral role in the accuracy and effectiveness of patient diagnoses and subsequent care. The errors at any stage can lead to significant consequences, including incorrect patient management, increased morbidity, and even mortality, emphasizing the need for robust measures to safeguard these processes.

Prior to the examination, some emphasis should be placed on strengthening the training of healthcare workers involved in sample collection and patient preparation. If standardized protocols are followed on a regular basis and patients are actively educated, the likelihood of making errors during the pre-analytical stage is low. Such measures aid in ensuring that the samples obtained are of high quality and accurately reflect the patient's true status, resulting in positive laboratory outcomes in the form of reliable tests.

Moving on to the examination phase, it is critical to employ both novel technologies and established quality control (QC) procedures. Automatic systems, as well as digital solutions, improve accuracy and reduce the likelihood of using error-prone manual processes. The report emphasizes the importance of ongoing training for laboratory personnel in order to stay current with new trends in laboratory science and maintain quality controls.

Following the examination, effective reporting is critical to proper result interpretation and patient management. The study tables propose the use of information technology to communicate test results. To reduce the possibility of diagnostic errors, a secondary review of the results should be implemented. Furthermore, implementing a clear and systematic reporting system in which incidents or near misses are reported to the laboratory, such as using feedback loops, can lead to long-term improvement and facilitate learning.

Patient safety and error prevention are jeopardized by a culture that encourages the reporting and investigation of events without punishment. This type of environment can help collect critical information about errors and how to prevent them without fear of being targeted. The satisfactory diagnosis of patients with uncertain test results ensures that appropriate screening and treatment are initiated in a timely manner, avoiding delay or misdiagnosis. Furthermore, health information systems that connect the laboratory and clinical settings enable timely and effective communication, which improves the quality of care provided to patients.

Last but not least, policies and legalistic structures governing medical laboratory practice should be improved to ensure long-term gains. There is also a need to follow established standards, such as WHO guidelines, for patient safety and diagnostic accuracy. Such requirements have progressed to the point where external laboratory quality monitoring or accreditation from an appropriate institution is now standard practice.

In general, the findings of this study indicate that the diverse focus on various improvement approaches should have a significant and rational impact on overall patient health outcomes. Comprehensive recommendations should include training, technology development, process standardization, and active enforcement of policies that require medical laboratories to be more effective in assisting clinical professionals in making accurate diagnoses and providing patients with care.

Recommendations for Future

To enhance the reliability and accuracy of medical laboratory diagnostics and thereby improve patient outcomes, several strategic recommendations can be made based on the study's findings.

First, in the **pre-examination phase**, it is critical to focus on comprehensive training programs for medical staff. These programs should emphasize the critical aspects of patient preparation, appropriate sample collection methods, and proper specimen handling techniques to minimize the chances of errors early in the process. Developing and enforcing standardized operating procedures (SOPs) is critical to reduce human error and variability. This will ensure that all professionals follow consistent techniques and practices that align with best standards. Furthermore, educating patients about the importance of adhering to preparatory instructions, such as medication restrictions, and fasting requirements can contribute significantly to the quality of the samples collected.

For the **examination phase**, laboratories should prioritize adopting advanced technologies, such as digital and automated tools, which improve precision and decrease the likelihood of human error during analysis and testing. Implementing robust quality control systems is crucial to maintaining high standards, and these systems should be updated regularly to align with global best practices. Continuous professional development for laboratory

technicians is equally important and required, ensuring they stay informed about the latest techniques, technologies, and error prevention strategies that can improve their performance.

Moving into the **post-examination phase**, improving reporting mechanisms can greatly reduce errors in result transmission. Using digital platforms for results communication ensures that data is accurately conveyed and minimizes the potential for manual entry mistakes and errors. Establishing a collaborative review system, where results undergo a secondary review by a qualified peer, can add an additional layer of verification before information reaches healthcare providers. Introducing a structured feedback loop is also important; laboratories should receive detailed reports when discrepancies or unexpected patient outcomes occur due to diagnostic errors, fostering an environment of continuous improvement and learning.

In the realm of **patient safety and error mitigation techniques**, promoting a culture that encourages incident reporting without fear of retribution can provide valuable insights into recurring issues and support systematic changes. Additionally, protocols for patient follow-up should be established to track the outcomes of tests that may initially present ambiguous or borderline results. This can ensure that these patients receive timely and accurate follow-up diagnostics. Enhancing integrated health information systems between laboratories and clinical settings can further support efficient and clear communication, preventing delays in patient care delivery and management.

Finally, **policy and regulatory recommendations** are necessary to sustain long-term improvements. Ensuring laboratories comply with the guidelines set forth by organizations such as the World Health Organization (WHO) is important for upholding patient safety standards. Regular audits should be conducted to identify weaknesses in laboratory practices, followed by targeted corrective actions. Encouraging laboratories to seek accreditation from reputable bodies can further establish trust and assure adherence to internationally recognized quality standards.

These detailed recommendations are designed to create a robust framework for minimizing errors across all phases of medical laboratory operations, ultimately leading to safer, more effective patient care and better health outcomes.

References

1. Aita, A., Padoan, A., Antonelli, G., Sciacovelli, L., Plebani, M. J. J. o. L., & Medicine, P. (2017). Patient safety and risk management in medical laboratories: theory and practical application. 2(9).
2. Athqiya, A. A., Haqi, D. N., Alayyannur, P. A., Paskarini, I., Sugiharto, F. M. J. I. J. o. P. H. R., & Development. (2019). Hazard identification, risk assessment, and determining controls in laboratories. 10(7), 877–883.
3. Blayney, M. B., & van den Eijnde, J. J. A. B. (2005). Human behaviour in a matrix of hazards: Risk, rules, and ratio in biomedical laboratory safety. 10(3), 151-159.
4. Burnett, L. C. J. C. P. E. L. T. (2009). Risk Assessment in the Research Laboratory. 1(1), A. 1B. 1-A. 1B. 11.
5. Byun, H.-J., & Park, J.-I. J. J. o. E. H. S. (2010). A review on chemical exposure and related health risks in laboratory workers. 36(6), 441–455.
6. David, R. E. J. R. R. d. M. d. L. (2022). Approaching Risk Management in Medical Laboratories. 30(2), 125-139.
7. Eliza, D. R., & Minodora, D. J. A. M.-S. M. (2015). Risk management in the clinical laboratory: from theory to practice. 61(4), 372-377.
8. Fatemi, F., Dehdashti, A., & Jannati, M. J. F. i. p. h. (2022). Implementing chemical health, safety, and environmental risk assessment in laboratories: a case-series study. 10, 898826.
9. Grist N. R. (1981). Infection hazards in clinical laboratories. *Scottish medical journal*, 26(3), 197–198. <https://doi.org/10.1177/003693308102600303>
10. Harrington, J. J. B. o. t. W. H. O. (1982). Health and safety in medical laboratories. 60(1), 9.
11. James, H. N. J. E. (2014). Risk management for point-of-care testing. 25(2), 154.
12. Leggett, D. J. J. P. S. P. (2012). Identifying hazards in the chemical research laboratory. 31(4), 393-397.

13. Massoubre, B. (2023). *Les risques chimiques au laboratoire de biologie médicale*. Paper presented at the Annales de Biologie Clinique.
14. Njoroge, S. W., & Nichols, J. H. J. A. o. l. m. (2014). Risk management in the clinical laboratory. 34(4), 274.
15. Wahab, N. A. A., Aqila, N. A., Isa, N., Husin, N. I., Zin, A. M., Mokhtar, M., . . . Technology, E. (2021). A systematic review on hazard identification, risk assessment and control in an academic laboratory. 24(1), 47-62.
16. Wedum, A. G. J. A. A. o. I. N. J. (1964). Disease hazards in the medical research laboratory. 12(10), 21–23.
17. Zhou, R., HU, W., Li, Y., PU, Y., & Wang, Q. J. C. J. o. L. M. (2012). The application of risk management in medical laboratories. 1087-1090.
18. Australia, S. W. (2012). Managing risks of hazardous chemicals in the workplace. *Codes of Practice. Canberra: Safe Work Australia*.
19. Burke MJ, Sarpy SA, Smith-Crowe K, Chan-Serafin S, Salvador RO, Islam G. Relative effectiveness of worker safety and health training methods. *Am J Public Health*. 2006 Feb;96(2):315-24. doi: 10.2105/AJPH.2004.059840. Epub 2005 Dec 27. PMID: 16380566; PMCID: PMC1470479.
20. Hawkins, R.C. (2007) Laboratory Turnaround Time. *Clinical Biochemist Reviews*, 28, 179-194.
21. Byun, H.-J., & Park, J.-I. J. J. o. E. H. S. (2010). A review on chemical exposure and related health risks in laboratory workers. 36(6), 441–455.
22. Wagar, E. A., & Yuan, S. (2007). The laboratory and patient safety. *Clinics in laboratory medicine*, 27(4), 909–ix. <https://doi.org/10.1016/j.cll.2007.07.002>
23. CDC. (2020). Biosafety in Microbiological and Biomedical Laboratories. *Centers for Disease Control and Prevention*.
24. Clarke, S. (2006). The relationship between safety climate and safety performance: a meta-analytic review. *Journal of occupational health psychology*, 11(4), 315.
25. Dejoy, D. M., Searcy, C. A., Murphy, L. R., & Gershon, R. (2000). Behavioral diagnostic analysis of compliance with universal precautions among nurses. *Journal of Occupational Health Psychology*, 5, 127-141.
26. Geller, E. S. (2000). *The Psychology of Safety Handbook*.

27. Grist, N. R. (1981). Infection hazards in clinical laboratories. *Scottish Medical Journal*, 26(3), 197-203.
28. Namian, Mostafa & Albert, Alex & Zuluaga, Carlos & Jaselskis, Edward. (2016). Improving Hazard-Recognition Performance and Safety Training Outcomes: Integrating Strategies for Training Transfer. *Journal of Construction Engineering and Management*. 142. 04016048. 10.1061/(ASCE)CO.1943-7862.0001160.
29. OSHA. (2020). *Chemical Hazards and Toxic Substances*. Occupational Safety and Health Administration.
30. Ayi, Helene-Rosina & Hon, Chun-Yip. (2018). Safety culture and safety compliance in academic laboratories: A Canadian perspective. *Journal of Chemical Health and Safety*. 25. 10.1016/j.jchas.2018.05.002.
31. Reason, J. (2000). Human error: Models and management. *BMJ*, 320(7237), 768-770.
32. Vincent, C., & Amalberti, R. (2016). *Safer Healthcare: Strategies for the Real World*. Springer.
33. Weick, K. E., & Sutcliffe, K. M. (2011). *Managing the unexpected: Resilient performance in an age of uncertainty* (Vol. 8). John Wiley & Sons.

Appendix A

RESEARCH ON

Risk Management Strategies in Medical Research Laboratories: Ensuring Safety
and Success through a Quantitative Descriptive Study

QUESTIONNAIRE BOOKLET

Dear Respondent,

I am a Master's candidate (Business Management Administration) at the University of Midocean. Currently, I examine the study titled " **Risk Management Strategies in Medical Research Laboratories: Ensuring Safety and Success through a Quantitative Descriptive Study**".

I would like to request your cooperation to answer this questionnaire. Any information obtained will be kept confidential and only used for academic purposes. Your cooperation is highly appreciated.

Thank you in advance for agreeing to participate in this study. If you have any questions, please do not hesitate to contact my honorable supervisor, **Associate Professor Dr Alaa Abu Anzah, or myself. Mona Al Ghamdi #0591933777 , Email: msghamid@gmail.com**

Section A: Demographic Characteristics

Please tick (✓) the appropriate choice

- **Gender:** Male ☐ Female ☐
- **Age:** 18-24 ☐ 25-34 ☐ 35-44 ☐
45-54 ☐ 55-64 ☐ 65+ ☐
- **Highest level of education:** High School ☐ Associate Degree ☐
Bachelor's Degree ☐ Master's Degree ☐ Doctoral Degree ☐
- **Years of experience:** Less than 1 year ☐ 1-3 years ☐
4-6 Years ☐ 7-10 years ☐ More than 10 years ☐
- **Role in the laboratory:** Researcher ☐ Technician ☐
Safety Officer ☐ Laboratory Manager ☐ Other ☐
- **How long have you been in your current position:** Less than 1 year ☐
1-3 years ☐ 4-6 years ☐ 7-10 years ☐ More than 10 years ☐

Section B: Types of Hazards

Please indicate your degree of agreement or disagreement with the following statements, so please sign (✓) for the choice that reflects your opinion by choosing one of the five alternatives.

1. **Chemical hazards present in laboratory:** flammable ☐ corrosive ☐
reactive ☐ toxic ☐
2. **Biological hazards present in laboratory:** pathogenic microorganisms ☐
Biological toxins ☐
3. **Radiological hazards present in laboratory:** radioactive materials ☐
Radiation - emitting devices ☐
4. **Physical hazards present in laboratory:** sharp objects ☐
Heavy equipment ☐ electrical hazards ☐

Section C: Frequency of Incidents

Item No	Frequency of Incidents	1	2	3	4
		Never	Rarely	Occasionally	Frequently
1	How often do chemical spills occur in your laboratory?				
2	How often do you encounter biological exposure incidents?				
3	How often are there incidents related to radiation exposure?				
4	How often do physical injuries (e.g., cuts, falls) occur in your laboratory?				

Section D: Perceived Severity (Fatemi et al., 2022)

Item No	Perceived Severity	1	2	3	4	5
		Very low	Moderately low	Neutral	Moderately high	Very high
1	On a scale of 1 to 5, how severe do you perceive the risk of chemical hazards in your laboratory?					
2	On a scale of 1 to 5, how severe do you perceive the risk of biological hazards in your laboratory?					
3	On a scale of 1 to 5, how severe do you perceive the risk of radiological hazards in your laboratory?					
4	On a scale of 1 to 5, how severe do you perceive the risk of physical hazards in your laboratory?					

Section E: Current Risk Management Practices

Item No	Current Risk Management	1	2	3	4
		Monthly	Quarterly	Annually	Never
1	How often is safety training conducted for laboratory personnel?				
2	How frequently are safety audits or inspections conducted in your laboratory?				

Item No	Current Risk Management	1	2
		Yes	No
1	Does your laboratory have a formal risk management plan?		
2	Are personal protective equipment (PPE) such as gloves, goggles, and lab coats always used when handling hazardous materials?		
3	Are there standard operating procedures (SOPs) for dealing with hazardous materials?		

Section F: Impact Assessment

Item No	Impact Assessment	1	2
		Yes	No
1	Have there been any major accidents in your laboratory in the past year?		
2	If yes, please describe the nature of the accident(s). -----		
3	Do you feel that current risk management practices effectively mitigate the risks in your laboratory?		

What measures were taken to address the accident(s) and prevent future occurrences?

-----.

Gratitude:

I shall appreciate you for spending your time to fill out the survey. Your involvement means a lot to us and we highly value it. The information you shared is significant to our analysis and will enable us to make improvements in our Medical Research Laboratories performance.

Once again, we are very grateful for your contribution.

Sincerely

Mona Saeed Al Ghamdi

Master Candidate / MBA – Master of Business Administration

University Name: Midocean University

Cell # **0591933777**

Email: msghamid@gmail.com

Subject: Request for Arbitration of Research Questionnaire

Dear Dr. Ahmed Bakillah,

Research Scientist in King Abdullah International Medical Research Center – Eastern Region

I hope this message finds you well,

I am writing to inform you that I am a student at Midocean University – College of Management, specializing in a Master's degree in Business Management. I am currently conducting a research project titled "Risk Management Strategies in Medical Research Laboratories: Ensuring Safety and Success through a Descriptive Quantitative Study".

I am reaching out to request your expertise in reviewing and validating the survey designed for my research. Attached is a copy of this survey, and I'm kindly asking you to review it and provide your insights and suggestions regarding the accuracy and appropriateness in measuring the study's objectives.

I shall appreciate any recommendation and modification if any.

Appreciate your time and effort. And looking forward to receiving your valuable feedback.

Regards

Mona AL Ghamdi

AN: 241000086

*Approved as attached.
AV Bakillah*

Subject: Request for Arbitration of Research Questionnaire

Dear Ms. Abeer Al Otaibi,

Team Leader/ Research Lab Technologist at King Abdullah International Medical Research Center – Eastern Region

I hope this message finds you well,

I am writing to inform you that I am a student at Midocean University – Collage of Management, specializing in a Master's degree in Business Management. I am currently conducting research project titled "Risk Management Strategies in Medical Research Laboratories: Ensuring Safety and Success through a Quantitative Descriptive Study".

I am reaching out to request your expertise in reviewing and validating the survey designed for my research. Attached is a copy of this survey, and I'm kindly asking you to review it and provide your insights and suggestions regarding the accuracy and appropriateness in measuring the study's objectives.

I shall appreciate any recommendation and modification if any.

Appreciate your time and effort. And looking forward to receiving your valuable feedback.

Regards

Mona AL Ghamdi

AN: 241000086

Approved (No further modifications)





BUSINESS MANAGEMENT COLLEGE

RESEARCH ON

**RISK MANAGEMENT STRATEGIES IN MEDICAL RESEARCH LABORATORIES:
ENSURING SAFETY AND SUCCESS THROUGH A QUANTITATIVE DESCRIPTIVE STUDY**

By: Ms. Mona Saeed Al Ghamdi

ACADEMIC NUMBER: 241000086

Dear Respondent,

I am a Master's candidate (Management) at the University of MIDOCEAN. Currently, I am to examine the study aim conducting a study titled "**Risk Management Strategies in Medical Research Laboratories: Ensuring Safety and Success through a Quantitative Descriptive Study**".

I would like to request your cooperation to answer this questionnaire. Any information obtained will be kept confidential and only used for academic purposes. Your cooperation is highly appreciated.

Thank you in advance for agreeing to participate in this study. If you have any questions, please do not hesitate to contact my honorable supervisor, **Associate Professor Dr. Asma Abu Anza**, or myself.

Supervisor

Associate Professor: Dr. Asma Abu Anza
Faculty of Business Management College

Master Candidate: Mona Al Ghamdi

University Name: Midocean

Msghamid@gmail.com

Phone # 0591933777

Section A: Demographic Characteristics

Please tick (✓) the appropriate choice

1. **Gender:** Male ☒ Female ☐
2. **Age:** 18-24 ☐ 25-34 ☐ 35-44 ☐
45-54 ☐ 55-64 ☒ 65+ ☐
3. **Highest level of education:** High School ☐ Associate Degree ☐
Bachelor's Degree ☐ Master's Degree ☐ Doctoral Degree ☒
4. **Years of experience:** Less than 1 year ☐ 1-3 years ☐
4-6 Years ☐ 7-10 years ☐ More than 10 years ☒
5. **Role in the laboratory:** Researcher ☒ Technician ☐
Safety Officer ☐ Laboratory Manager ☐ Other ☒
6. **How long have you been in your current position:** Less than 1 year ☐
1-3 years ☐ 4-6 years ☒ 7-10 years ☐ More than 10 years ☐

Section B: Types of Hazards

Please indicate your degree of agreement or disagreement with the following statements, so please sign (✓) for the choice that reflects your opinion by choosing one of the five alternatives.

1. **Chemical hazards present in laboratory:** flammable ☒ corrosive ☒
reactive ☒ toxic ☒
2. **Biological hazards present in laboratory:** pathogenic microorganisms ☒
Biological toxins ☐
3. **Radiological hazards present in laboratory:** radioactive materials ☐
Radiation - emitting devices ☐
4. **Physical hazards present in laboratory:** sharp objects ☒
Heavy equipment ☒ electrical hazards ☐

Section C: Frequency of Incidents

Item No	Frequency of Incidents	1	2	3	4
		Never	Rarely	Occasionally	Frequently
1	How often do chemical spills occur in your laboratory?		☒		
2	How often do you encounter biological exposure incidents?	☒			
3	How often are there incidents related to radiation exposure?	☒			
4	How often do physical injuries (e.g., cuts, falls) occur in your laboratory?		☒		

Section D: Perceived Severity (Fatemi et al., 2022)

Item No	Perceived Severity	1	2	3	4	5
		Very low	Moderately low	Neutral	Moderately high	Very high
1	On a scale of 1 to 5, how severe do you perceive the risk of chemical hazards in your laboratory?				✓	
2	On a scale of 1 to 5, how severe do you perceive the risk of biological hazards in your laboratory?		✓			
3	On a scale of 1 to 5, how severe do you perceive the risk of radiological hazards in your laboratory?	✓				
4	On a scale of 1 to 5, how severe do you perceive the risk of physical hazards in your laboratory?		✓			

Section E: Current Risk Management Practices

Item No	Current Risk Management	1	2	3	4
		Monthly	Quarterly	Annually	Never
1	How often is safety training conducted for laboratory personnel?		✓		
2	How frequently are safety audits or inspections conducted in your laboratory?		✓		

Item No	Current Risk Management	1	2
		Yes	No
1	Does your laboratory have a formal risk management plan?	✓	
2	Are personal protective equipment (PPE) such as gloves, goggles, and lab coats always used when handling hazardous materials?	✓	
3	Are there standard operating procedures (SOPs) for dealing with hazardous materials?	✓	

Section F: Impact Assessment

Item No	Impact Assessment	1	2
		Yes	No
1	Have there been any major accidents in your laboratory in the past year?		✓
2	If yes, please describe the nature of the accident(s). -----		✓
3	Do you feel that current risk management practices effectively mitigate the risks in your laboratory?	✓	

What measures were taken to address the accident(s) and prevent future occurrences?

Compliance with safety regulations.
Inspect and maintain laboratory equipment.
Proper labeling and storage / Training and education.

Gratitude:

We appreciate you sparing your time to fill out the survey. Your involvement means a lot to us, and we highly value it. The information you shared is significant to our analysis and will enable us to make improvements in our medical research labs.

Once again, we are very grateful for your contribution.

Sincerely

Mona Al Ghamdi,



Abeer Alotaibi
Lab - Team Leader



Dr. AHMED BARILLA
Research Scientist