

Master of Cybersecurity

Prepared by Dr. Nermin Hamza

Lecture 2

جامعة الجميع الذكية

تسعى لتكون الكيان الأول الذي يتبنى مبدأ المجتمع التعليمي
التعاوني ويقدم العلم مقابل العمل للخدمة وبناء المجتمعات

CYB740


Penetration test and Ethical hacking




جامعة الجميع الذكية
EVERYONE'S SMART UNIVERSITY

Chapter 02


Reconnaissance and Information gathering




- Reconnaissance
- Introduction: Information gathering
- Information gathering categories
- Sources of Information Gathering
- Information gathering techniques
- Information gathering tools




- Reconnaissance and Information Gathering
- Network Enumeration and Scanning
- Vulnerability Testing and Exploitation
- Reporting




- **Reconnaissance**, also known as information gathering, is arguably the most important of the four phases we will discuss. The more time you spend collecting information on your target, the more likely you are to be successful in the later phases.




- **Information gathering** is the first phase of hacking.
- In this phase, we gather as much information as possible regarding the target's online presence, which in turn reveal useful information about the target itself.
- It is the first step or the beginning stage of Ethical Hacking, where the penetration testers or hackers (both black hat or white hat) performed this stage; this is a necessary and crucial step to be performed.



- The required information will depend on whether we are doing a network pen-test or a web application pen-test.
- The more the information gathered about the target, the more the probability to obtain relevant results.
- Information gathering is not just a phase of security testing; it is an **art that every penetration-tester** (pen-tester) and hacker should master for a better experience in penetration testing.




- There are various tools, techniques, and websites, including public sources such as Whois, nslookup that can help hackers gather information.
- This step is necessary because you may need any information (such as his pet name, best friend's name, age, or phone number to perform password guessing attack or other kinds of attacks) while performing attacks on any target.




all information gathering techniques can be classified into two main categories:

1. Active information gathering
2. Passive information gathering




Active Information Gathering

- In active information gathering, we would directly engage with the target, for example, gathering information about what ports are open on a particular target, what services they are running, and what operating system they are using.




Active Information Gathering

- However, the techniques involving active information gathering would be very noisy at the other end.
- As they are easily detected by IDS, IPS, and firewalls and generate a log of their presence, and hence are not recommended sometimes




Passive Information Gathering

- In passive information gathering, we do not directly engage with the target. Instead, we use search engines, social media, and other websites to gather information about the target. This method is recommended, since it does not generate any log of presence on the target system.



Passive Information Gathering

- A common example would be to use LinkedIn, Facebook, and other social networks to gather information about the employees and their interests. This would be very useful when we perform phishing, keylogging, browser exploitation, and other client side attacks on the employees.




Chapter 02


Sources of Information Gathering

There are many sources of information; the most important ones are as follows:


- Social media
- Search engines
- Press releases
- Job sites



- With all the Social Media platforms our lives become less and less private.
- Some of us try going incognito but most of our family members don't as a result this act of ours ends up not helping as much as it should.
- if you fail to contact me, just try someone close to me instead. This benefits hackers very much.




- You might use a pen name for most of your writing, a fake name on all your Social Media profiles and email addresses but your partner may be doing the exact opposite, like sharing your full name on a post when it's your birthday, sharing your wedding photos, your son or daughter's birth month, and a few more things we don't take into consideration which should be too personal to go online but isn't, at least not anymore.




Chapter 02

Search engines


- Compared to Social Media platforms search engines get more results because instead of a single profile they get you everything it can find on your search, not to mention that the Social Media profiles also get indexed on engines.
- So, a simple search is how you should start.



- A press release is a written document prepared for the media ("the press") that announces something newsworthy.




- Job Site means a specific worksite that deals specifically with employment or careers.
- Many employment websites are designed to allow employers to post job requirements for a position to be filled and are commonly known as job boards.
- Other employment sites offer employer reviews, career and job-search advice, and describe different job descriptions or employers.



Chapter 02


Information gathering techniques




Chapter 02

Information gathering techniques

- Website Copier
- IP Addresses
- Google Directives
- DNS Server
- E-MAIL SERVERS



- HTTRACK: WEBSITE COPIER
- we begin Step 1 by closely reviewing the target's website.
- In some cases, it maybe helpful to use a tool called **HTTrack** to make a page-by-page copy of the website.
- HTTrack is a free utility that creates an identical, offline copy of the target website.
- Utilizing a website-copying tool like HTTrack allows us to explore and thoroughly mine the website "offline" without having to spend additional time traipsing around on the company's web server.



Chapter 02

Information Gathering using IP Addresses

- Ping
- You would need to know the IP address of the webserver in order to trace the exact location

```
C:\Users\Nermin>ping www.google.com
```

```
Pinging www.google.com [142.250.180.132] with 32 bytes of data:
```

```
Reply from 142.250.180.132: bytes=32 time=1012ms TTL=117
```

```
Reply from 142.250.180.132: bytes=32 time=451ms TTL=117
```

```
Reply from 142.250.180.132: bytes=32 time=715ms TTL=117
```


```
Reply from 142.250.180.132: bytes=32 time=738ms TTL=117
```

```
Ping statistics for 142.250.180.132:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
```

```
Approximate round trip times in milli-seconds:
```

```
    Minimum = 451ms, Maximum = 1012ms, Average = 729ms
```



Chapter 02

Information Gathering using IP Addresses

- After determining the webserver's IP, we can use some online tools to track the exact location of the webserver.

- http://www.ip-adress.com/ip_tracer/yourip
- <https://www.ipaddress.com/>

<https://www.ipaddress.com/ipv4/142.250.180.132>

 **IPAddress.com**
The Best IP Address Tools

What Is My IP:
41.69.206.161 EG


142.250.180.132 us

The public IP address **142.250.180.132** is located in *United States*. It is a address belongs to **ASN 15169** which is delegated to **GOOGLE**.

Please have a look at the tables below for full details about **142.250.180.132** approximate IP location for any public IP address.

142.250.180.132 IP Address Location	
Reverse IP (PTR)	mil04s43-in-f4.1e100.net
ASN	15169 (GOOGLE)
ISP / Organization	Google Servers

- When we move to the IP Addresses area, we find extensive information regarding the IPs, including Summary by Regional Registrar, Stats by IP subnet size, as well as the full list of IPs filtered by number of IPs blocks, IP Count, Unique User Agents, RIR, Hostnames and number of hosted domain names.




Chapter 02

Information gathering using :Google Directives

GOOGLE DIRECTIVES:

- These directives are **keywords** that enable us to more accurately extract information from the Google Index.



Chapter 02

Information gathering using :Google Directives

To properly use a Google directive, you need three things:


1. The name of the directive you want to use
2. A colon
3. The term you want to use in the directive.

To utilize the “site:” directive, we need to enter the following into a Google search box:

site:domain term(s) to search

Example:

site:dsu.edu pat engebretson




Chapter 02

Information gathering using :Google Directives

- We can use the cache: directive to limit our search results and show only information pulled directly from the Google cache.
- The following search will provide us with the cached version of the Syngress homepage:

cache:syngress.com




Chapter 02

Information gathering using :Google Directives

- Another directive we will cover here is “filetype:”. We can utilize “filetype:” to search for specific file extensions.
- This is extremely useful for finding specific types of files on your target’s website.
- For example, to return only hits that contain PDF documents, you would issue the following command:
- filetype:pdf

site:esu.ac.ae filetype:pdf



Chapter 02

Information gathering using :Google Directives

What is the difference?

The image shows two Google search result snippets side-by-side, illustrating the difference in search results between using file type directives and general keywords.

Top Snippet (Left): Search query: `site:esu.ac.ae filetype:pdf`. Results: 16 results (0.16 seconds). Navigation links: [المزيد](#), [Google خرائط](#), [الأخبار](#), [صور](#), [الكل](#).


Top Snippet (Right): Search query: `esu.ac.ae pdf`. Results: 5,850,000 results (0.30 seconds). Navigation links: [Google خرائط](#), [فيديو](#), [الأخبار](#), [صور](#), [الكل](#). A dropdown menu shows the first result: <https://esu.ac.ae>.

Chapter 02

Information gathering using :Google Directives

Google Search Terms


Operator	Description
Filetype	This operator directs Google to search only within the test of a particular type of file. Example: filetype:xls
Inurl	This operator directs Google to search only within the specified URL of a document. Example: inurl:search-text
Link	The link operator directs Google to search within hyperlinks for a specific term. Example link: www.domain.com
Intitle	The intitle operator directs Google to search for a term within the title of a document. Example intitle: "Index of...etc"



Chapter 02

Information gathering using DNS servers


- A DNS server is a computer server that contains a database of public IP addresses and their associated hostnames, and in most cases serves to resolve, or translate, those names to IP addresses as requested.
- DNS servers run special software and communicate with each other using special protocols.
- The DNS server sits in the space between humans and computers to help facilitate their communication.
- It's easier to remember a domain or hostname like lifewire.com than it is to remember the site's IP address numbers 151.101.2.114. So when you access a website, like Lifewire, all you have to type is the URL <https://www.lifewire.com>.




Chapter 02

Information gathering using DNS servers

- DNS servers are an excellent target for hackers and penetration testers. They usually contain information that is considered highly valuable to attackers.
- DNS is a core component of both our local networks and the Internet. Among other things, DNS is responsible for the process of translating domain names to IP addresses.
- As humans, it is much easier for us to remember “google.com” rather than <http://74.125.95.105>. However, machines prefer the reverse.
- DNS serves as the middle man to perform this translation process.



- As penetration testers, it is important to focus on the DNS servers that belong to our target. The reason is simple?
- In order for DNS to function properly, it needs to be aware of both the IP address and the corresponding domain name of each computer on its network.




Chapter 02

EXTRACTING INFORMATION FROM DNS

- The primary tool to query DNS servers is **nslookup**.
- Nslookup provides machine name and address information.

```
C:\Users\Nermin>nslookup www.google.com
Server:  dns.google
Address:  8.8.8.8


Non-authoritative answer:
Name:      www.google.com
Addresses:  2a00:1450:4002:403::2004
           142.250.180.164
```



Chapter 02

Information gathering from E-MAIL SERVERS


- E-mail servers can provide a wealth of information for hackers and penetration testers. In many ways, e-mail is like a revolving door to your target's organization.
- we can often gather significant pieces of information by interacting directly with the e-mail sever.
- send an e-mail to the organization with an empty .bat file or a nonmalicious .exe file like calc.exe. (the goal is to send a message to the target e-mail server inside the organization in the hope of having the e-mail server inspect, and then reject the message.)



Chapter 02

Information gathering from E-MAIL SERVERS


- Once the rejected message is returned back to us, we can attempt to extract information about the target e-mail server.
- In many cases, the body of the message will include a pre-canned write-up explaining.
- This message often indicates the specific vendor and version of antivirus that was used to scan the e-mail. As an attacker, this is a great piece of information to have.




Chapter 02

Information gathering tools

- Whois
- Traceroute
- Netcraft




WHOIS: The WHOIS command is a great source of data for fetching domain- and IP-related information, including admin names, telephones, addresses, country, DNS servers, etc.



Whois :

- very simple but effective means for collecting additional information about our target.
- Whois holds a huge database that contains information regarding almost every website that is on the web, most common information are “who owns the website” and “the e-mail of the owner,” which can be used to perform social engineering attacks.



Chapter 02


Information Gathering : Whois

```
(kali@kali)-[~]  
$ whois www.google.com  
No match for "WWW.GOOGLE.COM".  
>>> Last update of whois database: 2023-02-06T15:03:30Z <<<
```


NOTICE: The expiration date displayed in this record is the date the registrar's sponsorship of the domain name registration in the registry is currently set to expire. This date does not necessarily reflect the expiration

date of the domain name registrant's agreement with the sponsoring registrar. Users may consult the sponsoring registrar's Whois database to view the registrar's reported date of expiration for this registration.

TERMS OF USE: You are not authorized to access or query our Whois database through the use of electronic processes that are high-volume and automated except as reasonably necessary to register domain names or modify existing registrations; the Data in VeriSign Global Registry




Traceroute: As one of the most popular network tools used to track the path of networks packets between one IP address to another, it's a powerful recon tool that will let you gain critical network information about IP addresses and networking routes.



Traceroute

- Traceroute is a very popular utility available in both Windows and Linux. It is used for network orientation.
- By network orientation I don't mean scanning a host for open ports or scanning for services running on a port.
- It means to figure out how the network topology, firewalls, load balancers, and control points, etc. are implemented on the network.



Chapter 02


Information Gathering :Traceroute

```
C:\Users\Nermin>tracert www.google.com
```

```
Tracing route to www.google.com [142.250.180.164]  
over a maximum of 30 hops:
```


1	1 ms	1 ms	1 ms	192.168.1.1
2	29 ms	27 ms	27 ms	41.69.0.2
3	32 ms	28 ms	33 ms	172.31.248.141
4	31 ms	28 ms	29 ms	host-81.10.86.137.tedata.net [81.10.86.137]
5	*	*	*	Request timed out.
6	71 ms	71 ms	70 ms	be3154.ccr32.mrs02.atlas.cogentco.com [154.54.76.217]
7	79 ms	83 ms	79 ms	be2865.rcr21.mil01.atlas.cogentco.com [154.54.74.178]
8	90 ms	89 ms	90 ms	ix-ae-12-0.thar1.wi3-milan.as6453.net [195.219.166.196]
9	73 ms	250 ms	72 ms	72.14.213.156
10	74 ms	75 ms	72 ms	108.170.245.81
11	72 ms	71 ms	72 ms	142.250.211.23
12	73 ms	72 ms	73 ms	mil04s44-in-f4.1e100.net [142.250.180.164]

```
Trace complete.
```



NETCRAFT

- Another great source of information is Netcraft. You can visit their site at <http://news.netcraft.com>.
- Start by searching for your target in the “What’s that site Running?”
- Netcraft contains a huge online database with useful information on websites and can be used for passive information gathering against the target.



Chapter 02

Information Gathering :Netcraft

Site report for <https://esu.ac.ae>

► 🔍 Look up another site?

Share:    

Background

Site title	جامعة الجيمع الذكية	Date first seen	December 2021
Site rank	181727	Netcraft Risk Rating 	1/10 
Description	Not Present	Primary language	Arabic

Network

Site	https://esu.ac.ae 	Domain	esu.ac.ae
------	---	--------	-----------

Chapter 02

Any Questions

