

Business Mathematics

Prepared by Dr. Faisal Hasan

Lecture NO 4

جامعة الجميع الذكية

تسعى لتكون الكيان الأول الذي يتبنى مبدأ المجتمع التعليمي
التعاوني ويقدم العلم مقابل العمل لتنمية وبناء المجتمعات.

MTH 112


Business Mathematics



جامعة الجميع الذكية
EVERYONE'S SMART UNIVERSITY



جامعة الجميع الذكية
EVERYONE'S SMART UNIVERSITY




Business Mathematics
Prepared by Dr. Faisal Hasan
Lecture NO 4

MTH 112
Business Mathematics

Business Mathematics

Prepared by Dr. Faisal Hasan

Lecture NO 4



جامعة الجميع الذكية
EVERYONE'S SMART UNIVERSITY

MTH 112

Business Mathematics

Topics

- Chapter 1: Mathematical preliminaries
- Chapter 2: The straight line and applications
- Chapter 3: Functions and Graphs
- Chapter 4: Limits and Continuity
- Chapter 5: Financial Mathematics
- Chapter 6: Differentiation
- Chapter 7: Methods of Differentiation
- Chapter 8: Function of several variables
- Chapter 9: Integration and applications
- Chapter 10: Linear algebra and applications

- 1: The Concept of Limits
- 2: Computation of Limits
- 3: Methods of Limits
- 4: Continuity

- When the values successively attributed to a variable approach indefinitely to a fixed value, in a manner so as to end by differing from it as little as one wishes, this last is called the limit of all the others.

$$\lim_{x \rightarrow a} f(x) = L$$

$$\lim_{x \rightarrow 2} x^2 + 1 = (2)^2 + 1 = 5$$

Positive value

$$\lim_{x \rightarrow 0} \frac{3}{x + 4} = \frac{3}{0 + 4} = \frac{3}{4}$$

$$\lim_{x \rightarrow -4} 2x + 1 = 2(-4) + 1 = -7$$

Negative value

$$\lim_{x \rightarrow -3} \frac{x}{x + 10} = \frac{-3}{-3 + 10} = -\frac{3}{7}$$

$$\lim_{x \rightarrow 2} x^2 - 4 = (2)^2 - 4 = 0$$

Zero

$$\lim_{x \rightarrow 1} \frac{x^3 - 1}{x + 4} = \frac{(1)^3 - 1}{1 + 4} = \frac{0}{5} = 0$$

- Divided any number by infinity ∞ , we will obtain Zero
- Divided any number by Zero 0 , we will obtain infinity ∞

$$\frac{2}{\infty} = 0 , \quad \frac{4}{0} = \infty$$

$$\lim_{x \rightarrow 3} \frac{4}{x - 3} = \frac{4}{3 - 3} = \frac{4}{0} = \infty$$

Infinity

$$\lim_{x \rightarrow 4} \frac{x^3 - 1}{x - 4} = \frac{(4)^3 - 1}{4 - 4} = \frac{64 - 1}{0} = \frac{63}{0} = \infty$$



$$\lim_{x \rightarrow \infty} \frac{4}{x + 3} = \frac{4}{\infty + 3} = \frac{4}{\infty} = 0$$

Zero

$$\lim_{x \rightarrow \infty} \frac{1}{2x + 12} = \frac{1}{\infty + 12} = \frac{1}{\infty} = 0$$

$$\lim_{x \rightarrow 2} \frac{x^2 - 4}{x - 2} = \frac{(2)^2 - 4}{2 - 2} = \frac{0}{0} \quad ???$$

- If the first substitution give **Undefined Value**

$$\frac{\infty}{\infty}, \frac{0}{0}, \infty - \infty, 1^{\infty}, 0^0$$

We Should solve the Limits

$$\lim_{x \rightarrow 2} \frac{x^2 - 4}{x - 2} = \frac{(2)^2 - 4}{2 - 2} = \frac{0}{0}$$

To get the limit of function $f(x)$ as x approach to 2

Chapter 04

The Concept of Limits

x	$\lim_{x \rightarrow 2} \frac{x^2 - 4}{x - 2}$
1.9	3.9
1.99	3.99
1.999	3.999
1.9999	3.9999
1.99999	3.99999

$\simeq 4$

x	$\lim_{x \rightarrow 2} \frac{x^2 - 4}{x - 2}$
2.1	4.1
2.01	4.01
2.001	4.001
2.0001	4.0001
2.00001	4.00001

$\simeq 4$

We can say that

$$\lim_{x \rightarrow 2} \frac{x^2 - 4}{x - 2} = 4$$

$$\lim_{x \rightarrow 2} \frac{x^2 - 4}{x - 2} = \lim_{x \rightarrow 2} \frac{(x - 2)(x + 2)}{(x - 2)}$$

Factorization

$$\lim_{x \rightarrow 2} \frac{\cancel{(x - 2)}(x + 2)}{\cancel{(x - 2)}} = \lim_{x \rightarrow 2} (x + 2) = 4$$

Limit Laws Suppose that c is a constant and the limits

$$\lim_{x \rightarrow a} f(x) \quad \text{and} \quad \lim_{x \rightarrow a} g(x)$$

exist. Then

$$1. \lim_{x \rightarrow a} [f(x) + g(x)] = \lim_{x \rightarrow a} f(x) + \lim_{x \rightarrow a} g(x)$$

$$2. \lim_{x \rightarrow a} [f(x) - g(x)] = \lim_{x \rightarrow a} f(x) - \lim_{x \rightarrow a} g(x)$$

$$3. \lim_{x \rightarrow a} [cf(x)] = c \lim_{x \rightarrow a} f(x)$$

$$4. \lim_{x \rightarrow a} [f(x)g(x)] = \lim_{x \rightarrow a} f(x) \cdot \lim_{x \rightarrow a} g(x)$$

$$5. \lim_{x \rightarrow a} \frac{f(x)}{g(x)} = \frac{\lim_{x \rightarrow a} f(x)}{\lim_{x \rightarrow a} g(x)} \quad \text{if } \lim_{x \rightarrow a} g(x) \neq 0$$



- These five laws can be stated verbally as follows:

- **Sum Law**

1. The limit of a sum is the sum of the limits.

- **Difference Law**

2. The limit of a difference is the difference of the limits.

- **Constant Multiple Law** 3. The limit of a constant times a function is the constant times the limit of the function.
- **Product Law** 4. The limit of a product is the product of the limits.
- **Quotient Law** 5. The limit of a quotient is the quotient of the limits (provided that the limit of the denominator is not 0).

Direct Substitution Property If f is a polynomial or a rational function and a is in the domain of f , then

$$\lim_{x \rightarrow a} f(x) = f(a)$$

In general, we have the following useful fact.

If $f(x) = g(x)$ when $x \neq a$, then $\lim_{x \rightarrow a} f(x) = \lim_{x \rightarrow a} g(x)$, provided the limits exist.

$$\lim_{x \rightarrow 2} (3x^2 - 5x + 4)$$

$$\lim_{x \rightarrow 2} (3x^2 - 5x + 4) = 3(2)^2 - 5(2) + 4$$

$$12 - 10 + 4 = 6$$

$$\lim_{x \rightarrow 3} \frac{(x^3 - 5x + 4)}{x^2 - 2}$$

$$\begin{aligned} \lim_{x \rightarrow 3} \frac{(x^3 - 5x + 4)}{x^2 - 2} &= \frac{(3)^3 - 5(3) + 4}{(3)^2 - 2} \\ &= \frac{16}{7} \end{aligned}$$

$$\lim_{x \rightarrow 1} \frac{x^2 - 1}{x - 1} = \frac{0}{0}$$

$$\lim_{x \rightarrow 1} \frac{x^2 - 1}{x - 1} = \lim_{x \rightarrow 1} \frac{(x - 1)(x + 1)}{(x - 1)}$$

Factorization

$$\lim_{x \rightarrow 1} \frac{\cancel{(x - 1)}(x + 1)}{\cancel{(x - 1)}} = \lim_{x \rightarrow 1} (x + 1) = 2$$

$$\lim_{x \rightarrow 2} \sqrt[5]{3x^2 - 2x}$$

$$\lim_{x \rightarrow 2} \sqrt[5]{3x^2 - 2x} = \sqrt[5]{3(2)^2 - 2(2)}$$

$$= \sqrt[5]{8}$$



$$\lim_{x \rightarrow 0} \frac{1 - e^{2x}}{e^x}$$

$$\begin{aligned} \lim_{x \rightarrow 0} \frac{1 - e^{2x}}{e^x} &= \frac{1 - e^{2(0)}}{e^0} = \frac{1 - 1}{1} \\ &= 0 \end{aligned}$$

Given that function

$$f(x) = \begin{cases} 2x & x < 2 \\ x^2 & x \geq 2 \end{cases}$$

Find

$$\lim_{x \rightarrow 2} f(x)$$

One-Sided Limits

$$\lim_{x \rightarrow 2^-} f(x)$$

$$\lim_{x \rightarrow 2^+} f(x)$$

$$x < 2 \quad \Rightarrow \quad \lim_{x \rightarrow 2^-} 2x$$

$$\lim_{x \rightarrow 2^+} x^2 \quad \Leftarrow \quad x > 2$$

$$\lim_{x \rightarrow 2^-} 2x = 2(2) = 4$$

$$\lim_{x \rightarrow 2^+} x^2 = 2^2 = 4$$

If we have

$$\lim_{x \rightarrow 2^-} f(x) = \lim_{x \rightarrow 2^+} f(x) = L$$

The limit is exist and we can say

$$\lim_{x \rightarrow 2} f(x) = L$$

If we have

$$\lim_{x \rightarrow 2^-} f(x) \neq \lim_{x \rightarrow 2^+} f(x)$$

The limit is not exist and we can say

$$\lim_{x \rightarrow 2} f(x) \text{ is not exist}$$

One-Sided Limits

$$\lim_{x \rightarrow 2^-} f(x)$$

$$\lim_{x \rightarrow 2^+} f(x)$$

$$x < 2 \quad \Rightarrow \quad \lim_{x \rightarrow 2^-} 2x$$

$$\lim_{x \rightarrow 2^+} x^2 \quad \Leftarrow \quad x > 2$$

$$\lim_{x \rightarrow 2^-} 2x = 2(2) = 4$$

$$\lim_{x \rightarrow 2^+} x^2 = 2^2 = 4$$

we have

$$\lim_{x \rightarrow 2^-} f(x) = \lim_{x \rightarrow 2^+} f(x) = 4$$

The limit is exist and we can say

$$\lim_{x \rightarrow 2} f(x) = 4$$

Given that function

$$f(x) = \begin{cases} x^2 + 1 & x < -1 \\ 3x + 1 & x \geq -1 \end{cases}$$

Find $\lim_{x \rightarrow 0} f(x)$ $\lim_{x \rightarrow -4} f(x)$ $\lim_{x \rightarrow -1} f(x)$

$$f(x) = \begin{cases} x^2 + 1 & x < -1 \\ 3x + 1 & x \geq -1 \end{cases}$$

$$0 > -1$$

$$\lim_{x \rightarrow 0} f(x) = \lim_{x \rightarrow 0} 3x + 1$$

$$\lim_{x \rightarrow 0} 3x + 1 = 3(0) + 1 = 1$$

$$f(x) = \begin{cases} x^2 + 1 & x < -1 \\ 3x + 1 & x \geq -1 \end{cases}$$

$$-4 < -1$$

$$\lim_{x \rightarrow -4} f(x) = \lim_{x \rightarrow -4} x^2 + 1$$

$$\lim_{x \rightarrow -4} x^2 + 1 = (-4)^2 + 1 = 17$$

Given that function

$$f(x) = \begin{cases} x^2 + 1 & x < -1 \\ 3x + 1 & x \geq -1 \end{cases}$$

$$\lim_{x \rightarrow -1} f(x)$$

One-Sided Limits

$$\lim_{x \rightarrow -1^-} f(x)$$

$$\lim_{x \rightarrow -1^+} f(x)$$

$$x < -1 \quad \Rightarrow \quad \lim_{x \rightarrow -1^-} x^2 + 1$$

$$\lim_{x \rightarrow -1^+} 3x + 1 \quad \Leftarrow \quad x > -1$$

$$\lim_{x \rightarrow -1^-} (-1)^2 + 1 = 2$$

$$\lim_{x \rightarrow -1^+} 3x + 1 = 3(-1) + 1 = -2$$

$$\lim_{x \rightarrow -1} f(x) \quad \text{is not exist}$$

Given that function

$$f(x) = \begin{cases} 2x + 1 & x < 3 \\ x^2 - 2 & x \geq 3 \end{cases}$$

Find $\lim_{x \rightarrow 0} f(x)$ $\lim_{x \rightarrow 5} f(x)$ $\lim_{x \rightarrow 3} f(x)$

$$f(x) = \begin{cases} 2x + 1 & x < 3 \\ x^2 - 2 & x \geq 3 \end{cases}$$

$$0 < 3$$

$$\lim_{x \rightarrow 0} f(x) = \lim_{x \rightarrow 0} 2x + 1$$

$$\lim_{x \rightarrow 0} 2x + 1 = 2(0) + 1 = 1$$

$$f(x) = \begin{cases} 2x + 1 & x < 3 \\ x^2 - 2 & x \geq 3 \end{cases}$$

$$5 > 3$$

$$\lim_{x \rightarrow 5} f(x) = \lim_{x \rightarrow 5} x^2 - 2$$

$$\lim_{x \rightarrow 5} x^2 - 2 = (5)^2 - 2 = 23$$

Given that function

$$f(x) = \begin{cases} 2x + 1 & x < 3 \\ x^2 - 2 & x \geq 3 \end{cases}$$

$$\lim_{x \rightarrow 3} f(x)$$

One-Sided Limits

$$\lim_{x \rightarrow 3^-} f(x)$$

$$\lim_{x \rightarrow 3^+} f(x)$$

$$x < 3 \quad \Rightarrow \quad \lim_{x \rightarrow 3^-} 2x + 1$$

$$\lim_{x \rightarrow 3^+} x^2 - 2 \quad \Leftarrow \quad x > 3$$

$$\lim_{x \rightarrow 3^-} 2x + 1 = 2(3) + 1 = 7$$

$$\lim_{x \rightarrow 3^+} x^2 - 2 = (3)^2 - 2 = 7$$


$$\lim_{x \rightarrow 3} f(x) = 7 \text{ is exist}$$

- Continuous functions are predictable...

No breaks in the graph


A limit must exist at every x -value or the graph will break.

- Key Point:
Continuous functions can be drawn with a single, unbroken pencil stroke.




- Mathematically speaking...
If $f(x)$ is continuous, then for every $x = c$ in the function,
- In other words, if you can evaluate any limit on the function using only the substitution method, then the function is continuous.

$$f(x) = x^3 - x$$




$$f(x) = x^2 - 2x + 3$$



- Both functions are continuous on $(-\infty, \infty)$

$$f(x) = \frac{x^2 - 1}{x - 1}$$



continuous on: $(-\infty, 1) \cup (1, \infty)$


We can say that it continuous on $\mathbb{R}$ except $\{1\}$

$$f(x) = \begin{cases} -2x, & x \leq 2 \\ x^2 - 4x + 1, & x > 2 \end{cases}$$

$$\lim_{x \rightarrow 2^-} (-2x) = -4$$

$$\lim_{x \rightarrow 2^+} (x^2 - 4x + 1) = -3$$

$$f(2) = -4$$



Continuous on $\mathbb{R}$ except 2
Function is discontinuous at 2

Discuss the continuity of function at $x = 3$

$$f(x) = \begin{cases} 2x + 1 & x < 3 \\ x^2 - 2 & x \geq 3 \end{cases}$$

$$f(3) \text{ ???}$$

$$\lim_{x \rightarrow 3^-} f(x) \text{ ???}$$

$$\lim_{x \rightarrow 3^+} f(x) \text{ ???}$$

$$\lim_{x \rightarrow 3} f(x) \text{ ??? is exist or not}$$

$$f(x) = \begin{cases} 2x + 1 & x < 3 \\ x^2 - 2 & x \geq 3 \end{cases}$$

$$f(x) = x^2 - 2$$

$$x = 3$$

$$f(3) = (3)^2 - 2 = 7$$



One-Sided Limits

$$\lim_{x \rightarrow 3^-} f(x)$$

$$\lim_{x \rightarrow 3^+} f(x)$$

$$x < 3 \quad \Rightarrow \quad \lim_{x \rightarrow 3^-} 2x + 1$$

$$\lim_{x \rightarrow 3^+} x^2 - 2 \quad \Leftarrow \quad x > 3$$

$$\lim_{x \rightarrow 3^-} 2x + 1 = 2(3) + 1 = 7$$

$$\lim_{x \rightarrow 3^+} x^2 - 2 = (3)^2 - 2 = 7$$

$$\lim_{x \rightarrow 3} f(x) = 7 \text{ is exist}$$

$$f(x) = \begin{cases} 2x + 1 & x < 3 \\ x^2 - 2 & x \geq 3 \end{cases}$$

$$f(3) = \lim_{x \rightarrow 3} f(x) = 7$$

We can say that it continuous at $x = 3$

Discuss the continuity of function at $x = -1$

$$f(x) = \begin{cases} x^2 + 1 & x < -1 \\ 3x + 1 & x \geq -1 \end{cases}$$

$$f(-1) \text{ ???}$$

$$\lim_{x \rightarrow -1^-} f(x) \text{ ???}$$

$$\lim_{x \rightarrow -1^+} f(x) \text{ ???}$$

$$\lim_{x \rightarrow -1} f(x) \text{ ??? is exist or not}$$

$$f(x) = \begin{cases} x^2 + 1 & x < -1 \\ 3x + 1 & x \geq -1 \end{cases}$$

$$f(x) = 3x + 1$$

$$f(-1) = 3(-1) + 1 = -2 \quad x = -1$$

One-Sided Limits

$$\lim_{x \rightarrow -1^-} f(x)$$

$$\lim_{x \rightarrow -1^+} f(x)$$

$$x < -1 \quad \Rightarrow \quad \lim_{x \rightarrow -1^-} x^2 + 1$$

$$\lim_{x \rightarrow -1^+} 3x + 1 \quad \Leftarrow \quad x > -1$$

$$\lim_{x \rightarrow -1^-} (-1)^2 + 1 = 2$$

$$\lim_{x \rightarrow -1^+} 3x + 1 = 3(-1) + 1 = -2$$

$$\lim_{x \rightarrow -1} f(x) \quad \text{is not exist}$$

$$f(-1) = -2$$

$$\lim_{x \rightarrow -1} f(x) \text{ is not exist}$$

We can say that it discontinuous at $x = -1$

Discuss the continuity of function at $x = 2$

$$f(x) = \begin{cases} 2x + 1 & x < 2 \\ 5 & x = 2 \\ 3x - 1 & x > 2 \end{cases}$$

$$f(2) \text{ ???}$$

$$\lim_{x \rightarrow 2^-} f(x) \text{ ???}$$

$$\lim_{x \rightarrow 2^+} f(x) \text{ ???}$$

$$\lim_{x \rightarrow 2} f(x) \text{ ??? is exist or not}$$

$$f(x) = \begin{cases} 2x + 1 & x < 2 \\ 5 & x = 2 \\ 3x - 1 & x > 2 \end{cases}$$

$$f(x) = 5 \qquad x = 2$$

One-Sided Limits

$$\lim_{x \rightarrow 2^-} f(x)$$

$$\lim_{x \rightarrow 2^+} f(x)$$

$$x < 2 \quad \rightarrow \quad \lim_{x \rightarrow 2^-} 2x + 1$$

$$\lim_{x \rightarrow 2^+} 3x - 1 \quad \leftarrow \quad x > 2$$

$$\lim_{x \rightarrow 2^-} 2x + 1 = 2(2) + 1 = 5$$

$$\lim_{x \rightarrow 2^+} 3x - 1 = 3(2) - 1 = 5$$

$$\lim_{x \rightarrow 2} f(x) = 5 \text{ is exist}$$

$$f(x) = \begin{cases} 2x + 1 & x < 2 \\ 5 & x = 2 \\ 3x - 1 & x > 2 \end{cases}$$

$$f(2) = \lim_{x \rightarrow 2} f(x) = 5$$

We can say that it continuous at $x = 2$

Discuss the continuity of function at $x = 2$

$$f(x) = \begin{cases} 2x + 3 & x < 2 \\ 8 & x = 2 \\ 3x + 1 & x > 2 \end{cases}$$

$$f(2) \text{ ???}$$

$$\lim_{x \rightarrow 2^-} f(x) \text{ ???}$$

$$\lim_{x \rightarrow 2^+} f(x) \text{ ???}$$

$$\lim_{x \rightarrow 2} f(x) \text{ ??? is exist or not}$$

$$f(x) = \begin{cases} 2x + 3 & x < 2 \\ 8 & x = 2 \\ 3x + 1 & x > 2 \end{cases}$$

$$f(x) = 8 \qquad x = 2$$

One-Sided Limits

$$\lim_{x \rightarrow 2^-} f(x)$$

$$\lim_{x \rightarrow 2^+} f(x)$$

$$x < 2 \quad \Rightarrow \quad \lim_{x \rightarrow 2^-} 2x + 3$$

$$\lim_{x \rightarrow 2^+} 3x + 1 \quad \Leftarrow \quad x > 2$$

$$\lim_{x \rightarrow 2^-} 2x + 3 = 2(2) + 3 = 7$$

$$\lim_{x \rightarrow 2^+} 3x + 1 = 3(2) + 1 = 7$$

$$\lim_{x \rightarrow 2} f(x) = 7 \text{ is exist}$$

$$f(x) = \begin{cases} 2x + 3 & x < 2 \\ 8 & x = 2 \\ 3x + 1 & x > 2 \end{cases}$$
$$f(2) = 8$$
$$\lim_{x \rightarrow 2} f(x) = 7$$
$$f(2) \neq \lim_{x \rightarrow 2} f(x)$$

We can say that it discontinuous at $x = 2$

Find the value of

$$\lim_{x \rightarrow 1} \frac{(x-1)(x+2)}{(x-1)}$$

Find the value of

$$\lim_{x \rightarrow 1} (x^3 - 2x + 7)$$



Find the value of

$$\lim_{x \rightarrow 2} \frac{(x^3 - 2x - 4)}{x}$$



Find the value of

$$\lim_{x \rightarrow 0} \frac{5 - e^{2x}}{e^x}$$



Given that

$$f(x) = \begin{cases} x^2 + 1 & x < 2 \\ 3x + 1 & x \geq 2 \end{cases}$$

Find the value of $\lim_{x \rightarrow 0} f(x)$

Given that

$$f(x) = \begin{cases} x^2 + 1 & x < 2 \\ 3x + 1 & x \geq 2 \end{cases}$$

Find the value of $\lim_{x \rightarrow 8} f(x)$

Given that

$$f(x) = \begin{cases} x^2 + 1 & x < 2 \\ 3x + 1 & x \geq 2 \end{cases}$$

Find the value of $\lim_{x \rightarrow 2^+} f(x)$

Given that

$$f(x) = \begin{cases} x^2 + 1 & x < 2 \\ 3x + 1 & x \geq 2 \end{cases}$$

Find the value of $\lim_{x \rightarrow 2^-} f(x)$

Given that

$$f(x) = \begin{cases} x^2 + 1 & x < 2 \\ 3x + 1 & x \geq 2 \end{cases}$$

Find the value of $\lim_{x \rightarrow 2} f(x)$

Given that

$$f(x) = \begin{cases} x^2 + 1 & x < 2 \\ 3x + 1 & x \geq 2 \end{cases}$$

Find the value of $f(2)$

Given that

$$f(x) = \begin{cases} x^2 + 1 & x < 2 \\ 3x + 1 & x \geq 2 \end{cases}$$

Find the value of $f(1)$

Given that

$$f(x) = x^3 - 2x + 7$$

Discuss the continuity of function

Given that

$$f(x) = \frac{x^3 - 2x + 7}{x - 3}$$

Discuss the continuity of function

Given that

$$f(x) = \begin{cases} x^2 + 1 & x < 2 \\ 3x + 1 & x > 2 \end{cases}$$

Is the function continuous at $x = 2$