

PMG510

Risk Management

Prepared by Dr. Ayman Elmaasarawy

جامعة الجميع الذكية

تسعى لتكون الكيان الأول الذي يتبنى مبدأ المجتمع التعليمي
التعاوني ويقدم العلم مقابل العمل لتنمية وبناء المجتمعات.

Risk analysis and evaluation Lecture 6



جامعة الجميع الذكية
EVERYONE'S SMART UNIVERSITY

Lecture 6 Organization

1. Application of a risk matrix
2. Inherent and current level of risk
3. Control confidence
4. 4T's of hazard risk response
5. Risk capacity
6. Risk likelihood
7. Risk Magnitude
8. Loss prevention, Limit damage, and cost containment


Application of a risk matrix:

- Large organizations frequently make use of a **risk matrix** as a means of **summarizing** their **risk profile**.
- The **risk matrix** is very useful and can be used for **a range of applications**
- It can also be used to identify **the type of risk response** that is most likely to be **employed**.

Lecture 6

Risk analysis and evaluation

Application of a risk matrix:



Application of a risk matrix:

- **Impact** is not the same as **magnitude**, because a risk may have a high **magnitude** in terms of the **size** of the event, but the **impact** and consequences may be **smaller**.
- **Example**, a road transport company may suffer the complete loss of one of its vehicles but, depending on the exact circumstances, this may have a very small overall impact on the business. This will be especially true if the company did not have sufficient work to fully utilize the type of vehicle involved in the loss.


Inherent and current level of risk:

- Many risk management practitioners assess risk at its current (also referred to as residual) level. However, internal auditors prefer to undertake an assessment of the risk at its inherent level.
- Considering the inherent level will enable the effect of individual control measures to be identified.
- NEXT Figure illustrates the effect of controls on the level of risk.

Lecture 6

Risk analysis and evaluation

Inherent and current level of risk:



Inherent and current level of risk:

- **Control 1** is an existing control and it reduces the risk from **the inherent level to the current (or residual) level** and it can be seen that this control has its main effect on the likelihood of the risk materializing.
- **Control 2** is an **additional control** that will be introduced to reduce the risk from **the current level to the target level**.

Inherent and current level of risk:

- When seeking to establish the target level of risk, a concept that is often used by health and safety practitioners is seeking to reduce the risk to the level that is 'as low as reasonably practicable' (**ALARP**).
- ALARP is one of the fundamental principles of risk management for health and safety risks.
- It is not necessary to manage risk to the point where it is eliminated, but to the point where the cost of additional controls would exceed the benefits.

Inherent and current level of risk:

As Low As Reasonably Practicable (ALARP)

- The requirement for risks to be ALARP is fundamental and in simple terms it is a requirement to take all measures to reduce risk where doing so is reasonable.
- In most cases this is not done through an explicit comparison of costs and benefits, but rather by applying established relevant good practice and standards.
- The development of relevant good practice and standards includes ALARP considerations, so in many cases meeting those standards is sufficient.
- In other cases, either where standards and relevant good practice are less evident, or not fully applicable, measures must be implemented to the point where the costs of any additional measures (in terms of money, time or trouble) would be grossly disproportionate to the further risk reduction (or safety benefit) that would be achieved

Control confidence:

- It is not possible for an organization to be **absolutely confident that controls** will always be fully **implemented** and will be as **effective as expected or required**.
- **Controls** will need to be **audited** in order to **allow confidence** that the control selected has been properly designed and implemented and is producing the **desired effect**.

Control confidence:

- If the effectiveness of a control is uncertain, a greater variability of the outcome may be expected.
- It is the responsibility of internal auditors to check that the correct controls have been selected and that they are working correctly in practice.


4T's of hazard risk response:

- **Tolerate** will be the dominant response for the **low-likelihood/low-impact** risks.
- **Treat** will be the dominant response for **high-likelihood/low-impact** risks.
- **Transfer** will be the dominant response for **high-impact/low-likelihood** risks.
- **Terminate** will be the dominant response for **high-impact/high-likelihood** risks.

Lecture 6

Risk analysis and evaluation

4T's of hazard risk response:



4T's of hazard risk response:

- **Assessment** of each of the risks will enable the organization to place the risk on a **risk matrix**.
- The **position** of the risk on **the risk matrix** will then indicate the most likely response to that risk.
- If **the risk assessment** is undertaken at **the current level of risk**, the effect of the **existing controls** will already have been evaluated as part of the risk assessment exercise.

4T's of hazard risk response:

Example:

- Consider the case of a theatre that needs to respond to the increasing use of agents who require payment at the time of the booking, rather than after the performance.
- Also, a recent failure of an actor to arrive on the night of the performance caused the theatre considerable financial loss.
- This has resulted in the theatre reviewing the booking and appearance arrangements for actors and deciding responses that are appropriate in relation to all 4Ts.

4T's of hazard risk response:

- Example :
 - The theatre might decide that it has to tolerate the new booking fee arrangements.
 - It has also decided that in order to treat/reduce the risk, it will only deal with established agents in future and terminate existing arrangements with an agency that has proved unreliable in the past.
 - The theatre might also investigate the possibility of buying insurance, so that the theatre can transfer the cost of a performance cancelled because the actor fails to arrive on the night.

Risk capacity:

- Different approaches will be taken for different types of risks. Hazard risks will give rise to a hazard tolerance, control risks will give rise to a control acceptance and opportunity risks will give rise to an investment appetite.
- Overall, the organization will have a total risk exposure. This is the sum of the total risk that the organization has taken in these three categories.
- There will also be compliance risks, but most organizations seek to minimize compliance risks and have the necessary compliance controls embedded into core processes.

Risk capacity:

- **Risk exposure** is the actual risk that the organization is taking and this may not be the same as the risk appetite that the board believes is appropriate for the organization.
- There is also another important measure of risk, and that is the risk capacity of the organization. This is a measure of how much risk the organization should take or can afford to take.
- All of these ways of analyzing risk should be compatible with the attitude of the organization to risk.

Risk capacity:

- **The risk appetite** of the board should be **within the risk capacity** of the organization and **greater than or equal to the actual risk exposure** that the organization faces.
- **Example:** *A contributing factor to the global financial crisis was that certain financial institutions were exposed to a level of risk beyond the risk-bearing capacity of those organizations.*

Risk capacity:

- It would be **inappropriate** for an **organization to embark** on a project that could **exhaust all of its resources**.
- **The capacity of the organization** to accept risk will depend on **its financial strength, the robustness of its infrastructure, the strength of its reputation and brands and the competitive nature** of the marketplace in which it operates.
- The more **rapidly the marketplace** is changing, **the greater capacity for risk the organization is required to have available**.

Risk capacity:

▪ **Example,**

- *If an organization is facing a significant change in technology, the strategic options may be limited. Consider an organization that is involved in the manufacture of DVD players when it becomes obvious that streaming technology is taking over.*
- *The organization will be faced with a significant risk related to the change in technology and will need to develop a new business model.*
- *It will have to acquire new production equipment, new skills and new distribution patterns. It may be that the transfer to the new technology and the risks that it involves are outside the resources and risk capacity of the organization.*

Risk capacity:

Risk Capacity of a bank

- Risk capacity is the level of risk the bank considers itself capable of absorbing, based on its earnings power, without damage to its dividend paying ability, its strategic plans and, ultimately, its reputation and ongoing business viability. It is based on a combination of budgeted, forecast and historical revenues and costs, adjusted for variable compensation, dividends and related taxes.
- Risk exposure is an estimate of potential loss based on current and prospective risk positions across major risk categories – primary risks, operational risk and business risk.
- It builds as far as possible on the statistical loss measures used in the day-to-day operating controls. Correlations are taken into account when aggregating potential losses from risk positions in various risk categories to obtain an overall estimate of the risk exposure.

Risk capacity:

Risk Capacity of a bank

- The bank recorded a large net loss, showing that the risk exposures remained greater than its risk capacity.
- Risk exposure remained high as a result of a lack of liquidity in the markets for securitized assets and due to significantly increased volatility levels in global markets.
- The reduction in risk exposure that was achieved through sales in addition to the significant write-downs incurred on risk positions was offset by a simultaneous decrease of risk capacity due to downward revisions of earnings expectations as a consequence of the deteriorating economic outlook

Risk likelihood:

- **For hazard risks**, previous history may be a **good indication** of how likely the risk is to occur.
- For a fleet of **motor vehicles**, there is certain to be a history of vehicle **accidents and breakdowns**.
- **Controls** will be in place to **reduce** the likelihood of **these events**.

Risk likelihood:

- A road haulage company should assess the likelihood of vehicle breakdowns on an inherent basis and also on the basis of current controls.
- There are, however, difficulties in assessing the inherent likelihood of vehicle accidents, because certain assumptions would have to be taken about what effect the removal of controls would have on the likelihood of accidents.
- For hazard risks, previous history may be a good indication of how likely the risk is to occur.

Risk likelihood:

- **Example** of a control measure that has an effect on the magnitude of the risk but may have no effect on its likelihood is the use of seat belts in cars.
- In simple terms, the driver wears a seat belt to reduce the impact of an accident, because the seat belt has no effect on the likelihood of an accident occurring.
- The driver wears the seat belt as a control measure for when the accident happens.

Risk Magnitude:

- Reducing the magnitude of a hazard risk is very important. For hazard risks, magnitude is often referred to as the inherent severity of the risk should it materialize.
- Reduction in overall hazard risk severity will be achieved by reducing both the impact and consequences when the adverse event occurs.
- The seat belt in a car can reduce the impact of an accident, but has no effect on the likelihood of having an accident.

Risk Magnitude:

- In many cases, it is likely that inadequate attention was **paid to pre-incident** planning, so that the **damage** of the organization was **not effectively minimized at the time the incident occurred.**
- **Organizations** will also need to be concerned with cost containment.

Risk Magnitude:

- Cost containment following an event is usually **based on the business continuity plan (BCP) or disaster recovery plan (DRP)** that the organization put in place before the incident occurred.
- The development of **effective BCP and DRP** will put the organization in the **best position to ensure** that the overall cost of the incident is kept as low as possible.

Risk Magnitude:

Control of fires in hotels

- Given the long emphasis on fire peril, perhaps it's not surprising that improvements in sprinkler systems have been a hallmark of the past 40 years. The single most impressive innovation as it relates to fire has been the advent of the suppression mode sprinkler.
- Standard sprinklers were control mode sprinklers, which controlled the fire until someone arrived to put it out. The fire could grow and produce a lot of smoke.
- As hotel fittings became more susceptible to smoke and water damage, the desire was to suppress the fire, not just control it. The new sprinklers resulted in smaller areas being affected by fire with less smoke and less damage.

Risk Magnitude:

Control of fires in hotels

- Sprinkler technology has evolved significantly. Where we had a single standard spray sprinkler head, we now have extra-large orifice heads and early-suppression, fast-response sprinkler heads.
- The use of sprinkler systems has also spread from more traditional manufacturing facilities into light-hazard exposures such as offices and nursing homes.
- Corporations became more deeply involved in loss control efforts. For example, hotels carried out two initiatives in the early 1980s using controlled fires to prove the efficacy of plastic piping in hotel room sprinkler systems.
- Before the successful tests, sprinklers relied on iron piping, which was more difficult to install than plastic and which took rooms out of service for days during a re-fit.

Hazard risks:

- The range of hazard risks where reducing the magnitude of the adverse event is important will include fraud, health and safety, property protection and efficient operation of IT systems, as well as incidents with the potential to cause damage to reputation.
- Although the main focus of managing hazard risks will be on **loss prevention**, successful management of hazard risks must also include consideration of **damage limitation and cost containment**.


Loss prevention, Limit damage, and cost containment:

- There is a developing trend in the insurance market towards settling claims in a more efficient and cost-effective manner.
- This trend is partly based on encouraging organizations to get back to normal operation as soon as possible. Indeed, some insurance companies refer to initiatives of this type as 'cost containment'.
- The next Figure shows how a bow-tie can be used to illustrate the three components of loss control.

Loss prevention, Limit damage, and cost containment:

- **Before the event occurs**, the organization will have controls in place to seek to achieve **loss prevention**.
- As the **event is developing**, steps should be in place **to limit the damage** that the event is causing.
- **After the event**, **cost containment controls** by way of business continuity and arrangements to reduce the cost of repair should be activated.
- **Disaster recovery** plans will be **relevant** during both the **damage limitation** and the **cost containment stages**.

Loss prevention, Limit damage, and cost containment :



Loss prevention, Limit damage, and cost containment

1- Another way of looking at loss control activities is that loss prevention is about reducing the likelihood of an adverse event occurring, although it will also be concerned with reducing the magnitude of an event that does occur.

2- Damage limitation is concerned with reducing the magnitude of the event when it does materialize. The contribution of damage limitation will be greatest if actions are planned that can be implemented as the event is actually taking place.

Loss prevention, Limit damage, and cost containment

3- Cost containment is concerned with reducing the impact and consequences of the event.

Cost containment will be concerned with ensuring the lowest cost of repairs, as well as business continuity plans to ensure that the organization can continue operations following damage to the asset that has been affected.

Loss prevention, Limit damage, and cost containment

Product recall risk management:

- Any company or organization that manufactures, assembles, processes, wholesales or retails products could be financially impacted by the direct or indirect costs of a product recall.
- Direct costs can include wages for staff who have to implement the recall plan. Other direct costs include communications and this could entail purchasing air time on radio and television and notices in newspapers or industry publications.

Loss prevention, Limit damage, and cost containment

Product recall risk management:

- Indirect costs can include lost production time for staff who must focus on the recall process, as well as the hiring of temporary employees to ensure continued production.
- However, the greatest indirect cost is the impact that adverse publicity could have on market share. A product recall should be designed to:
 - protect the customer from bodily injury or property damage;
 - remove the product from the market and from production;
 - comply with specific regulatory requirements;
 - protect the assets of the company

Conclusion

1. Application of a risk matrix
2. Inherent and current level of risk
3. Control confidence
4. 4T's of hazard risk response
5. Risk capacity
6. Risk likelihood
7. Risk Magnitude
8. Loss prevention, Limit damage, and cost containment

Thanks



جامعة الجميع الذكية
EVERYONE'S SMART UNIVERSITY