

Business Mathematics

Prepared by Dr. Alfaisal Hasan

MTH 112
Business Mathematics

Lecture NO 2





مجموعة جامعة
الجميع الذكية
للتعليم القابضة

MIDOCEAN
UNIVERSITY

Business Mathematics

Lecture NO 2

MTH 112

Business Mathematics

Prepared by
Dr. Alfaisal Hasan

www.midocean.ae



Chapter

Topics

- Chapter 1: Mathematical preliminaries
- **Chapter 2: The straight line and applications**
- Chapter 3: Functions and Graphs
- Chapter 4: Limits and Continuity
- Chapter 5: Financial Mathematics
- Chapter 6: Differentiation
- Chapter 7: Methods of Differentiation
- Chapter 8: Function of several variables
- Chapter 9: Integration and applications
- Chapter 10: Linear algebra and applications


The Straight line and Applications

- ◆ **The Cartesian Coordinate System**
- ◆ **Straight Lines**
- ◆ **Linear Functions and Mathematical Models**
- ◆ **Intersection of Straight Lines**

The Straight line and Applications

The Cartesian Coordinate System


- ◆ We can represent real numbers **geometrically** by points on a **real number**, or **coordinate**, **line**:
- ◆ This line includes **all** **real numbers**.
- ◆ Exactly **one** point on the line is associated with **each** **real number**, and vice-versa (**one dimensional space**).



The Straight line and Applications

The Cartesian Coordinate System


- ◆ The Cartesian coordinate system extends this concept to a plane (two dimensional space) by adding a vertical axis.



The Straight line and Applications

The Cartesian Coordinate System


- ◆ The **horizontal** line is called the **x -axis**, and the **vertical** line is called the **y -axis**.



The Straight line and Applications

The Cartesian Coordinate System


- ◆ The point where these two lines **intersect** is called the *origin*.



The Straight line and Applications

The Cartesian Coordinate System


- ◆ In the x -axis, **positive numbers** are to the **right** and **negative numbers** are to the **left** of the origin.



The Straight line and Applications

The Cartesian Coordinate System


- ◆ In the y -axis, **positive numbers** are **above** and **negative numbers** are **below** the origin.



The Straight line and Applications

The Cartesian Coordinate System


- ◆ A **point** in the **plane** can now be represented uniquely in this coordinate system by an **ordered pair of numbers** (x, y) .



The Straight line and Applications


The Cartesian Coordinate System

- ◆ The axes divide the plane into **four quadrants** as shown below.



The Straight line and Applications


Straight Lines



The Straight line and Applications

Slope of a Vertical Line

- ◆ Let L denote the unique straight line that passes through the two distinct points (x_1, y_1) and (x_2, y_2) .
- ◆ If $x_1 = x_2$, then L is a **vertical line**, and the **slope is undefined**.




The Straight line and Applications

Slope of a Nonvertical Line

- ◆ If (x_1, y_1) and (x_2, y_2) are two distinct points on a **nonvertical line** L , then the **slope** m of L is given by


$$m = \frac{\Delta y}{\Delta x} = \frac{y_2 - y_1}{x_2 - x_1}$$



The Straight line and Applications

Slope of a Nonvertical Line


◆ If $m > 0$, the line **slants upward** from left to right.



The Straight line and Applications

Slope of a Nonvertical Line


◆ If $m > 0$, the line **slants upward** from left to right.



The Straight line and Applications

Slope of a Nonvertical Line


◆ If $m < 0$, the line **slants downward** from left to right.



The Straight line and Applications

Slope of a Nonvertical Line

◆ If $m < 0$, the line **slants downward** from left to right.




The Straight line and Applications

Examples

- ◆ Sketch the straight line that passes through the point $(2, 5)$ and has slope $-4/3$.

Solution

1. Plot the point $(2, 5)$.
2. A slope of $-4/3$ means that if x increases by 3, y decreases by 4.
3. Plot the resulting point $(5, 1)$.
4. Draw a line through the two points.



The Straight line and Applications

Examples

- ◆ Find the **slope** m of the line that goes through the **points** $(-1, 1)$ and $(5, 3)$.

Solution

- ◆ Choose (x_1, y_1) to be $(-1, 1)$ and (x_2, y_2) to be $(5, 3)$.
- ◆ With $x_1 = -1, y_1 = 1, x_2 = 5, y_2 = 3$, we find

$$m = \frac{y_2 - y_1}{x_2 - x_1} = \frac{3 - 1}{5 - (-1)} = \frac{2}{6} = \frac{1}{3}$$

The Straight line and Applications

Examples

- ◆ Find the **slope** m of the line that goes through the **points** $(-2, 5)$ and $(3, 5)$.

Solution

- ◆ Choose (x_1, y_1) to be $(-2, 5)$ and (x_2, y_2) to be $(3, 5)$.
- ◆ With $x_1 = -2, y_1 = 5, x_2 = 3, y_2 = 5$, we find

$$m = \frac{y_2 - y_1}{x_2 - x_1} = \frac{5 - 5}{3 - (-2)} = \frac{0}{5} = 0$$


The Straight line and Applications

Examples

- Find the **slope** m of the line that goes through the **points** $(-2, 5)$ and $(3, 5)$.

Solution

- The slope of a **horizontal line** is **zero**:



The Straight line and Applications

Parallel Lines

- ◆ Two distinct lines are **parallel** if and only if their **slopes are equal** or their **slopes are undefined**.

The Straight line and Applications

Example

- ◆ Let L_1 be a line that passes through the points $(-2, 9)$ and $(1, 3)$, and let L_2 be the line that passes through the points $(-4, 10)$ and $(3, -4)$.
- ◆ Determine whether L_1 and L_2 are parallel.

Solution

- ◆ The **slope** m_1 of L_1 is given by

$$m_1 = \frac{3 - 9}{1 - (-2)} = -2$$

- ◆ The **slope** m_2 of L_2 is given by

$$m_2 = \frac{-4 - 10}{3 - (-4)} = -2$$


- ◆ Since $m_1 = m_2$, the lines L_1 and L_2 are in fact **parallel**.

The Straight line and Applications

Equations of Lines

- ◆ Let L be a **straight line parallel** to the y -axis.
- ◆ Then L **crosses** the x -axis at some **point** $(a, 0)$, with the **x -coordinate** given by $x = a$, where a is a real number.
- ◆ Any other point on L has the form $(a, \bar{y})$, where $\bar{y}$ is an appropriate number.
- ◆ The **vertical line** L can therefore be described as

$$x = a$$



The Straight line and Applications

Equations of Lines

- ◆ Let L be a **nonvertical line** with a slope m .
- ◆ Let (x_1, y_1) be a **fixed point** lying on L , and let (x, y) be a variable point on L distinct from (x_1, y_1) .
- ◆ Using the slope formula by letting $(x, y) = (x_2, y_2)$, we get

$$m = \frac{y - y_1}{x - x_1}$$

- ◆ Multiplying both sides by $x - x_1$ we get

$$y - y_1 = m(x - x_1)$$

The Straight line and Applications

Point-Slope Form

- ◆ An equation of the line that has slope m and passes through point (x_1, y_1) is given by

$$y - y_1 = m(x - x_1)$$

The Straight line and Applications

Examples

- ◆ Find an equation of the line that passes through the point $(1, 3)$ and has slope 2.

Solution

- ◆ Use the **point-slope form**

$$y - y_1 = m(x - x_1)$$

- ◆ Substituting for **point** $(1, 3)$ and **slope** $m = 2$, we obtain

$$y - 3 = 2(x - 1)$$

- ◆ **Simplifying** we get

$$2x - y + 1 = 0$$

The Straight line and Applications

Examples

- ◆ Find an equation of the line that passes through the points $(-3, 2)$ and $(4, -1)$.

Solution

- ◆ The slope is given by

$$m = \frac{y_2 - y_1}{x_2 - x_1} = \frac{-1 - 2}{4 - (-3)} = -\frac{3}{7}$$

- ◆ Substituting in the **point-slope form** for point $(4, -1)$ and slope $m = -3/7$, we obtain

$$y + 1 = -\frac{3}{7}(x - 4)$$

$$7y + 7 = -3x + 12$$

$$3x + 7y - 5 = 0$$

The Straight line and Applications

Perpendicular Lines

- ◆ If L_1 and L_2 are two distinct nonvertical lines that have slopes m_1 and m_2 , respectively, then L_1 is **perpendicular** to L_2 (written $L_1 \perp L_2$) if and only if

$$m_1 = -\frac{1}{m_2}$$

The Straight line and Applications

Example

- ◆ Find the equation of the line L_1 that passes through the point $(3, 1)$ and is perpendicular to the line L_2 described by

$$y - 3 = 2(x - 1)$$

Solution

- ◆ L_2 is described in **point-slope form**, so its **slope** is $m_2 = 2$.
- ◆ Since the lines are **perpendicular**, the **slope** of L_1 must be

$$m_1 = -1/2$$

- ◆ Using the **point-slope form** of the equation for L_1 we obtain

$$y - 1 = -\frac{1}{2}(x - 3)$$


$$2y - 2 = -x + 3$$

$$x + 2y - 5 = 0$$

The Straight line and Applications

Crossing the Axis

- ◆ A straight line L that is **neither horizontal nor vertical** cuts the x -axis and the y -axis at, say, points $(a, 0)$ and $(0, b)$, respectively.
- ◆ The numbers a and b are called the **x -intercept** and **y -intercept**, respectively, of L .



The Straight line and Applications

Slope-Intercept Form

- ◆ An equation of the line that has **slope** m and **intersects** the y -axis at the **point** $(0, b)$ is given by

$$y = mx + b$$

The Straight line and Applications

Examples

- ◆ Find the equation of the line that has **slope 3** and **y-intercept** of -4 .

Solution

- ◆ We substitute $m = 3$ and $b = -4$ into $y = mx + b$ and get

$$y = 3x - 4$$

The Straight line and Applications

Examples

- ◆ Determine the **slope** and **y-intercept** of the line whose equation is $3x - 4y = 8$.

Solution

- ◆ Rewrite the given equation in the **slope-intercept form**.

$$3x - 4y = 8$$

$$-4y = 8 - 3x$$

$$y = \frac{3}{4}x - 2$$

- ◆ Comparing to $y = mx + b$, we find that $m = \frac{3}{4}$ and $b = -2$.
- ◆ So, the **slope** is $\frac{3}{4}$ and the **y-intercept** is -2 .

The Straight line and Applications

Applied Example

- ◆ Suppose an art object **purchased** for \$50,000 is expected to **appreciate in value** at a **constant rate** of \$5000 per year for the next 5 years.
- ◆ Write an **equation** predicting the value of the art object for any given year.
- ◆ What will be its **value** 3 years after the purchase?

The Straight line and Applications

Solution

- ◆ Let $x = \text{time (in years) since the object was purchased}$
 $y = \text{value of object (in dollars)}$
- ◆ Then, $y = 50,000$ when $x = 0$, so the **y -intercept** is $b = 50,000$.
- ◆ Every year the value rises by 5000, so the **slope** is $m = 5000$.
- ◆ Thus, the equation must be $y = 5000x + 50,000$.
- ◆ After 3 years the **value of the object** will be \$65,000:

$$y = 5000(3) + 50,000 = 65,000$$

The Straight line and Applications

General Form of a Linear Equation

◆ The equation

$$Ax + By + C = 0$$

where A , B , and C are **constants** and A and B are not both zero, is called the **general form of a linear equation** in the **variables** x and y .

The Straight line and Applications

General Form of a Linear Equation

- ◆ An equation of a **straight line** is a **linear equation**; conversely, every **linear equation** represents a **straight line**.

The Straight line and Applications

Equation of Straight Lines

Vertical line: $x = a$

Horizontal line: $y = b$

Point-slope form: $y - y_1 = m(x - x_1)$

Slope-intercept form: $y = mx + b$

General Form: $Ax + By + C = 0$

Un Solved Examples

What the Slope of line that perpendicular to line with slope = 4

Un Solved Examples

What the Slope of line that parallel to line
with slope = 6

Find the slope of line with equation

$$(y - 4) = 5(x - 3)$$

Un Solved Examples

The line with equation $(y - 4) = 5(x - 3)$
is passing through point

Un Solved Examples

Un Solved Examples

What the Slope of line that passing through two points $(1,4)$ and $(2,9)$

Chapter

Un Solved Examples

Find the equation of line with slope 3 and y-intercept 7



مجموعة جامعة
الجميع الذكية
للتعليم القابضة

MIDOCEAN
UNIVERSITY



Thank You

