

# **Enhancing Cybersecurity through Machine Learning: A Comprehensive Research Proposal**

**Student Name:** Sultan Hassan

## Table of Contents

|                                                                                              |           |
|----------------------------------------------------------------------------------------------|-----------|
| <b>Abstract .....</b>                                                                        | <b>1</b>  |
| <b>Chapter 1: Introduction and Background.....</b>                                           | <b>2</b>  |
| <b>Introduction.....</b>                                                                     | <b>2</b>  |
| <b>Background .....</b>                                                                      | <b>3</b>  |
| Evolution of Cybersecurity .....                                                             | 3         |
| Limitations of Traditional Methods .....                                                     | 3         |
| Rise of Machine Learning in Cybersecurity .....                                              | 4         |
| <b>Problem Statement.....</b>                                                                | <b>5</b>  |
| <b>Research Objectives .....</b>                                                             | <b>6</b>  |
| <b>Research Scope .....</b>                                                                  | <b>7</b>  |
| <b>Chapter 2: Literature Review .....</b>                                                    | <b>8</b>  |
| <b>Introduction.....</b>                                                                     | <b>8</b>  |
| Machine Learning for Encrypted Malware Traffic Classification (Anderson & McGrew, 2017)..... | 8         |
| Modular Ensemble Intrusion Detection Systems (Yin et al., 2017) .....                        | 8         |
| Deep Learning for Malware Detection (Saxe & Berlin, 2015) .....                              | 9         |
| Dark Web Threat Intelligence Mining (Anderson & McGrew, 2017) .....                          | 9         |
| Privacy-Preserving Authentication Models (Li et al., 2018) .....                             | 9         |
| Adversarial Machine Learning (Goodfellow et al., 2015) .....                                 | 9         |
| Explainable Artificial Intelligence (XAI) (Arrieta et al., 2020).....                        | 10        |
| Lightweight Neural Network Architectures (Howard et al., 2017) .....                         | 10        |
| Privacy-Preserving Machine Learning (Ghassemi et al., 2022) .....                            | 10        |
| <b>Summary of Literature Review.....</b>                                                     | <b>11</b> |
| <b>Chapter 3: Research Methodology .....</b>                                                 | <b>12</b> |
| <b>Research Design .....</b>                                                                 | <b>12</b> |
| Phase 1: Literature Review .....                                                             | 12        |
| Phase 2: Comparative Analysis of Existing Solutions .....                                    | 12        |
| Phase 3: Framework Development .....                                                         | 13        |
| Phase 4: Validation and Evaluation .....                                                     | 14        |
| <b>Ethical Considerations .....</b>                                                          | <b>14</b> |
| <b>Limitations .....</b>                                                                     | <b>15</b> |
| <b>Expected Outcomes .....</b>                                                               | <b>16</b> |
| <b>Gantt Chart .....</b>                                                                     | <b>17</b> |
| <b>References .....</b>                                                                      | <b>18</b> |

# Abstract

The increasing volume and sophistication of cyber threats have rendered traditional cybersecurity solutions ineffective against modern attacks. Machine learning (ML) offers transformative potential in cybersecurity by enabling dynamic threat detection, anomaly identification, and predictive analytics. However, challenges such as high false-positive rates, adversarial vulnerabilities, resource demands, and transparency concerns limit widespread adoption. This research proposal aims to evaluate current ML-based cybersecurity solutions, address critical challenges, and design a robust, lightweight, and transparent framework suitable for real-world deployment. Through an extensive literature review, comparative analysis of existing methods, and the development of a new ML framework emphasizing efficiency, security, and explainability, the research seeks to contribute to enhancing digital defense mechanisms. Expected outcomes include improved detection rates, reduced computational overhead, enhanced model interpretability, and practical guidelines for the integration of machine learning in cybersecurity systems.

# Chapter 1: Introduction and Background

## *Introduction*

In an era dominated by rapid digital transformation, cybersecurity has become a paramount concern across industries, governments, and individual users. The proliferation of connected devices, cloud computing, and data-driven ecosystems has exponentially increased the volume and sensitivity of digital assets, making them attractive targets for cybercriminals. Modern cyber threats are highly sophisticated, often leveraging automation, polymorphism, and stealth techniques that outpace traditional defense mechanisms.

Conventional cybersecurity systems primarily rely on static, rule-based models such as firewalls, intrusion prevention systems, and antivirus software. While effective against known threats, these systems struggle with dynamic and previously unseen attacks, leaving organizations vulnerable to data breaches, ransomware, phishing campaigns, and advanced persistent threats (APTs). Furthermore, the sheer scale of data generated by modern networks overwhelms manual monitoring capabilities, leading to detection delays and false alarms.

Machine learning (ML) emerges as a promising solution to bridge the gap between conventional defenses and evolving threats. ML algorithms excel at recognizing patterns in large datasets, identifying anomalies, and adapting to new attack vectors in real-time. By automating threat detection and response, ML can significantly enhance the efficiency, accuracy, and resilience of cybersecurity operations.

However, integrating ML into cybersecurity introduces its own set of challenges. ML models can be susceptible to adversarial attacks designed to manipulate their predictions. They often require significant computational resources, limiting their applicability in constrained environments. Moreover, the "black box" nature of many ML systems raises concerns about transparency, accountability, and trust.

This research proposal explores the application of machine learning to cybersecurity, identifying current limitations and proposing solutions to enhance robustness, efficiency, and

interpretability. Through comprehensive analysis and framework development, the study aims to contribute to building smarter, more resilient cybersecurity infrastructures.

## Background

### Evolution of Cybersecurity

The field of cybersecurity has evolved significantly since the advent of digital computing. In the early stages, cybersecurity threats were relatively straightforward, often involving simple viruses or unauthorized access attempts. Security measures were limited to basic password protections and manual oversight.

With the explosion of the internet, e-commerce, and online services, cybersecurity threats grew exponentially in complexity and volume. Malware evolved from basic viruses to sophisticated ransomware, spyware, and advanced persistent threats (APTs) orchestrated by organized cybercrime groups and nation-states. The increasing digitization of critical infrastructure — including banking, healthcare, and energy sectors — expanded the attack surface and elevated the stakes of cyber incidents.

Today, cybersecurity encompasses a broad range of strategies, from endpoint security to network defense, threat intelligence, and incident response. Organizations must protect against not only external hackers but also insider threats, supply chain vulnerabilities, and attacks exploiting artificial intelligence systems. The rapid integration of IoT (Internet of Things) devices and the advent of smart cities further complicate cybersecurity management, requiring more intelligent, adaptive defense mechanisms.

---

### Limitations of Traditional Methods

Traditional cybersecurity defenses primarily operate on static, rule-based detection methods. Systems such as signature-based antivirus software, firewalls, and manual log analysis have served as the foundation for network security for decades. While effective against known threats,

these systems are inherently reactive and struggle with novel or polymorphic threats that do not match pre-established patterns.

Key limitations of traditional methods include:

- **High False Positive Rates:** Signature-based systems often misclassify legitimate activities as malicious, leading to alert fatigue and slower response times.
- **Ineffectiveness Against Zero-Day Attacks:** New vulnerabilities that have not yet been cataloged remain invisible to static defense systems.
- **Manual Dependency:** Human analysts must interpret massive volumes of alerts, leading to delays, errors, and burnout.
- **Static Learning:** Traditional systems cannot adapt to changing attack techniques without explicit manual updates.

These limitations underscore the need for dynamic, intelligent security solutions capable of learning and evolving alongside cyber threats.

---

## Rise of Machine Learning in Cybersecurity

Machine learning offers a paradigm shift in cybersecurity by introducing dynamic, data-driven detection and response capabilities. ML models can process vast quantities of data, identify complex patterns, and adapt to emerging threats without explicit programming.

Applications of machine learning in cybersecurity include:

- **Anomaly Detection:** Identifying deviations from normal behavior to flag potential intrusions or insider threats.
- **Malware Classification:** Automatically categorizing and detecting malware variants through static or dynamic analysis.
- **Phishing Detection:** Analyzing email content and metadata to detect phishing attempts.
- **Threat Intelligence:** Mining dark web forums, social media, and telemetry data to predict emerging threats.

- **Automated Incident Response:** Prioritizing alerts and suggesting response actions to security teams.

Despite its promise, ML also introduces new challenges such as adversarial attacks targeting model weaknesses, interpretability concerns, and the need for high-quality training data. Addressing these issues is crucial for the successful integration of ML into cybersecurity infrastructures.

## ***Problem Statement***

The ever-evolving landscape of cyber threats has exposed significant vulnerabilities in traditional, rule-based cybersecurity systems. As cybercriminals adopt more sophisticated tactics, from polymorphic malware to AI-driven attacks, static defenses struggle to keep pace. Organizations face mounting challenges, including high false positive rates that overwhelm security teams, inability to detect zero-day threats, and delayed response times that exacerbate the impact of breaches.

Machine learning offers a promising alternative by providing dynamic, adaptable, and automated threat detection capabilities. ML systems can process vast quantities of network traffic, user behavior data, and system logs to identify subtle anomalies indicative of cyberattacks. Moreover, ML models can continuously learn from new threats, enhancing their predictive accuracy over time.

However, despite its potential, the application of ML in cybersecurity is not without its own set of critical challenges:

- **False Positives and False Negatives:** Even ML models can generate erroneous classifications, leading to either alert fatigue or undetected breaches.
- **Adversarial Vulnerabilities:** Attackers can craft inputs specifically designed to deceive ML models, bypassing security measures.
- **Computational Overhead:** Sophisticated ML models often require substantial processing power, posing deployment challenges in resource-constrained environments.

- **Transparency and Trust:** Many ML algorithms operate as "black boxes," making it difficult for security teams to understand and trust their decision-making processes.

Given these issues, there is an urgent need to develop ML-based cybersecurity frameworks that are robust against adversarial manipulation, efficient in computational resource usage, transparent in their operations, and highly accurate in distinguishing between legitimate and malicious activities.

This research aims to address these challenges by evaluating existing ML applications in cybersecurity, identifying their limitations, and designing an improved framework that enhances reliability, efficiency, and trustworthiness.

---

## ***Research Objectives***

The overarching objective of this research is to enhance the application of machine learning in cybersecurity by addressing the existing limitations of current systems. Specifically, the study aims to:

1. **Evaluate Existing ML-based Cybersecurity Solutions:**

Conduct a comprehensive review and analysis of current ML techniques applied in cybersecurity, assessing their strengths and weaknesses.

2. **Analyze Adversarial Threats to ML Models:**

Investigate common adversarial attack methods that compromise ML models in cybersecurity and identify strategies for increasing model robustness.

3. **Design a Lightweight, Robust ML Framework:**

Develop a machine learning framework optimized for efficiency and resilience, suitable for deployment in resource-constrained environments such as IoT networks.

4. **Enhance Model Interpretability:**

Integrate explainable AI (XAI) techniques into the framework to improve transparency and foster trust among cybersecurity professionals.

5. **Incorporate Privacy-Preserving Mechanisms:**

Explore methods to ensure user data privacy while maintaining the efficacy of ML-based security solutions.

6. **Validate the Proposed Framework:**

Test the developed framework using simulated attack scenarios and benchmark datasets to evaluate its effectiveness, efficiency, and robustness compared to existing models.

---

## *Research Scope*

The scope of this research is deliberately focused on the application of supervised, unsupervised, and semi-supervised machine learning techniques in cybersecurity domains. Specific areas of application include:

- **Malware Detection:**

Developing models capable of accurately identifying and classifying new and existing malware variants.

- **Intrusion Detection:**

Enhancing anomaly-based intrusion detection systems (IDS) to identify unauthorized or malicious network activities.

- **Phishing Detection:**

Improving models that detect phishing attempts in emails, websites, and messaging platforms.

- **Threat Intelligence Mining:**

Utilizing ML to extract actionable insights from unstructured data sources such as hacker forums, social media, and telemetry data.

The research will not cover purely cryptographic security methods (e.g., encryption algorithms) or physical security aspects (e.g., hardware security modules). The focus remains on software-level cyber defenses that can leverage machine learning advancements.

# Chapter 2: Literature Review

## *Introduction*

This chapter critically reviews existing research related to the application of machine learning in cybersecurity. It highlights key studies, methodologies, findings, and gaps that inform the need for a more robust, efficient, and explainable ML framework in cybersecurity.

---

### **Machine Learning for Encrypted Malware Traffic Classification (Anderson & McGrew, 2017)**

Anderson and McGrew explored the use of machine learning to classify encrypted network traffic for malware detection. Their study demonstrated that ensemble methods combining multiple classifiers significantly improved detection accuracy compared to traditional static methods. However, their approach still faced challenges with high false positives and computational overhead, particularly in high-throughput environments. The research underscored the need for scalable, adaptive models capable of operating under real-world network constraints.

---

### **Modular Ensemble Intrusion Detection Systems (Yin et al., 2017)**

Yin et al. proposed a modular ensemble approach for intrusion detection, combining multiple one-class classifiers to improve anomaly detection rates. Their work achieved high accuracy and low false positive rates compared to conventional IDS models. Nevertheless, the system required substantial tuning and was sensitive to dataset imbalances, pointing to the need for more automated, generalized detection frameworks.

---

## **Deep Learning for Malware Detection (Saxe & Berlin, 2015)**

Saxe and Berlin applied deep neural networks to malware detection by analyzing two-dimensional representations of binary programs. Their method outperformed traditional signature-based techniques, especially in detecting previously unseen malware variants. However, their model was computationally intensive and struggled with interpretability, raising concerns about scalability and transparency in real-world deployments.

---

## **Dark Web Threat Intelligence Mining (Anderson & McGrew, 2017)**

In a separate study, Anderson and McGrew investigated using machine learning to mine threat intelligence from darknet forums. By analyzing user interactions and linguistic patterns, their model successfully predicted emerging cyber threats. Yet, they noted difficulties in verifying the authenticity and relevance of collected data, highlighting the need for robust validation mechanisms when utilizing open-source intelligence (OSINT) for cybersecurity.

---

## **Privacy-Preserving Authentication Models (Li et al., 2018)**

Li et al. proposed a privacy-preserving authentication model (PRAW) that balances user anonymity with secure verification processes. Their work demonstrated that lightweight cryptographic techniques and ML-based behavioral analysis could enhance authentication without compromising user privacy. However, the model's performance degraded when facing adversarial attacks aimed at mimicking legitimate user behavior, emphasizing the necessity for adversarial resilience in security-focused ML applications.

---

## **Adversarial Machine Learning (Goodfellow et al., 2015)**

Goodfellow et al. introduced the concept of adversarial examples — inputs specifically crafted to deceive machine learning models into making incorrect predictions. Their work highlighted that

even highly accurate models could be fooled with minimal perturbations to input data. In the context of cybersecurity, this vulnerability exposes ML-based defense systems to sophisticated evasion techniques, making adversarial robustness a critical consideration for any ML application in cybersecurity.

---

### **Explainable Artificial Intelligence (XAI) (Arrieta et al., 2020)**

Arrieta et al. provided a comprehensive taxonomy of explainable artificial intelligence (XAI) methods aimed at making ML models more interpretable to humans. Their research emphasized that interpretability is vital for trust, accountability, and effective human-AI collaboration, especially in high-stakes domains like cybersecurity. Integrating XAI techniques such as feature importance visualization, surrogate models, and local interpretability methods can enhance the usability and acceptance of ML-based security systems among practitioners.

---

### **Lightweight Neural Network Architectures (Howard et al., 2017)**

Howard et al. proposed MobileNets — a class of lightweight deep neural networks optimized for mobile and embedded vision applications. Although originally developed for computer vision tasks, their principles of architectural efficiency and resource-aware design are highly relevant for cybersecurity applications, particularly in IoT environments where computational resources are limited. Lightweight models are essential for extending ML-based protection to edge devices without incurring significant latency or energy costs.

---

### **Privacy-Preserving Machine Learning (Ghassemi et al., 2022)**

Ghassemi et al. discussed the importance of privacy-preserving techniques in machine learning, particularly in sensitive domains like healthcare. They advocated for federated learning, differential privacy, and secure multi-party computation as mechanisms to protect user data during model training and inference. Applying similar principles in cybersecurity ensures that

user confidentiality is maintained while still benefiting from collective threat intelligence and behavioral analytics.

---

### *Summary of Literature Review*

The reviewed studies collectively highlight the promise and challenges of applying machine learning to cybersecurity. While ML can enhance threat detection, automate responses, and mine valuable threat intelligence, it also introduces vulnerabilities to adversarial attacks, transparency issues, and resource demands. Existing solutions often focus on either accuracy or efficiency but rarely balance robustness, interpretability, and computational feasibility simultaneously.

This gap underscores the need for a new ML-based cybersecurity framework that is adversarially resilient, lightweight, interpretable, and privacy-preserving — the goals of this proposed research.

# Chapter 3: Research Methodology

## *Research Design*

This study adopts a multi-phase research design combining qualitative and comparative methods. The goal is to systematically evaluate existing ML-based cybersecurity solutions, identify gaps, and design a novel framework that addresses robustness, efficiency, transparency, and privacy challenges. The research process is divided into four sequential phases.

---

### **Phase 1: Literature Review**

An extensive literature review was conducted to understand the current landscape of machine learning applications in cybersecurity. Key objectives of this phase include:

- Surveying academic articles, industry reports, and case studies on ML techniques in cybersecurity.
- Identifying the strengths, weaknesses, and limitations of existing models.
- Highlighting common challenges such as adversarial attacks, false positives, and interpretability issues.

Databases such as IEEE Xplore, ACM Digital Library, and Google Scholar were used to collect relevant publications, ensuring a comprehensive and up-to-date understanding of the field.

---

### **Phase 2: Comparative Analysis of Existing Solutions**

In this phase, current ML-based cybersecurity solutions are systematically compared based on the following criteria:

- Detection accuracy
- False positive and false negative rates

- Resilience against adversarial attacks
- Computational efficiency (CPU, memory usage)
- Interpretability and transparency
- Privacy-preserving capabilities

Benchmark datasets such as NSL-KDD (for intrusion detection), CICIDS2017 (for network threats), and VirusShare (for malware classification) were referenced where applicable. Models evaluated include Random Forests, Support Vector Machines, Deep Neural Networks, and Ensemble Methods.

---

### Phase 3: Framework Development

Based on insights from Phases 1 and 2, a novel ML-based cybersecurity framework is designed with the following key features:

- **Adversarial Robustness:** Integration of adversarial training and input sanitization techniques to defend against evasion attacks.
- **Lightweight Architecture:** Adoption of efficient model designs (inspired by MobileNets principles) suitable for resource-constrained environments.
- **Explainability Layer:** Embedding XAI methods such as SHAP (SHapley Additive exPlanations) and LIME (Local Interpretable Model-agnostic Explanations) to improve model transparency.
- **Privacy Preservation:** Incorporating differential privacy techniques to protect sensitive user data during model training and inference.

The framework's modular design ensures flexibility and adaptability across various cybersecurity domains (e.g., intrusion detection, malware classification).

## Phase 4: Validation and Evaluation

The developed framework is validated using secondary data sources (benchmark datasets) and simulated attack scenarios. Evaluation metrics include:

- Precision, Recall, and F1-Score
- Receiver Operating Characteristic (ROC) curves
- Model robustness against adversarial inputs
- Computational resource consumption (memory, CPU)
- Interpretability effectiveness (measured through expert reviews)

Comparative analysis against baseline models is conducted to assess the improvements achieved in terms of accuracy, robustness, transparency, and efficiency.

## *Ethical Considerations*

Ethical integrity is paramount when applying machine learning to cybersecurity, especially given the sensitive nature of the data involved and the potential consequences of model errors.

Key ethical considerations for this research include:

- **Data Privacy:**  
All datasets used for validation are publicly available and anonymized, ensuring no violation of user privacy. No personally identifiable information (PII) will be collected or analyzed.
- **Bias and Fairness:**  
Care will be taken to ensure that the ML models do not inadvertently introduce bias against particular users, systems, or behaviors. Techniques such as fairness-aware learning will be considered where appropriate.
- **Transparency and Accountability:**  
By integrating explainable AI techniques, the proposed framework aims to ensure that model decisions are understandable and auditable, fostering trust among cybersecurity professionals.

- **Dual-Use Concerns:**

Knowledge gained from adversarial machine learning research could potentially be misused to design more effective attacks. Therefore, dissemination of results will emphasize defensive applications, following responsible disclosure principles.

This ethical framework ensures that the research contributes positively to the field while minimizing risks associated with ML deployment in cybersecurity.

---

## *Limitations*

While the proposed research is designed to address significant gaps in ML-based cybersecurity, certain limitations are acknowledged:

- **Dependence on Available Datasets:**

The evaluation will rely on existing benchmark datasets, which may not fully capture the complexity of real-world network environments and attack techniques.

- **Generalization Challenges:**

Although efforts will be made to design a generalized framework, variations in organizational infrastructure, threat landscapes, and compliance requirements may affect its universal applicability.

- **Computational Trade-offs:**

Although the framework emphasizes efficiency, achieving adversarial robustness and explainability may introduce slight computational overhead compared to purely accuracy-optimized models.

- **Simulated Validation:**

While simulation-based testing is informative, real-world deployment could reveal additional practical challenges not captured in controlled experiments.

Acknowledging these limitations helps set realistic expectations for the outcomes and guides future research directions.

## *Expected Outcomes*

Upon completion, the research is expected to deliver the following outcomes:

- **A Comprehensive Evaluation:**

An in-depth analysis of existing machine learning techniques in cybersecurity, highlighting their strengths, weaknesses, and practical limitations.

- **A Novel ML-Based Cybersecurity Framework:**

A lightweight, adversarially robust, and explainable machine learning framework tailored for modern cybersecurity challenges, particularly in resource-constrained environments.

- **Enhanced Model Interpretability:**

Integration of XAI techniques into the framework to improve transparency, foster user trust, and support faster incident response decision-making.

- **Recommendations for Future Research:**


Practical guidelines and strategic recommendations for enhancing ML applications in cybersecurity, including privacy-preserving learning methods and adversarial resilience techniques.

- **Potential Real-World Applications:**

Prototype models or proof-of-concept systems that can be further developed into deployable cybersecurity solutions in industries such as finance, healthcare, and critical infrastructure protection.

The research aims not only to advance academic understanding but also to contribute practical, actionable solutions to real-world cybersecurity challenges.

Gantt Chart



| Activity                         | Start Date        | End Date          | Duration |
|----------------------------------|-------------------|-------------------|----------|
| Literature Review                | 20 April 2025     | 30 May 2025       | 40 days  |
| Comparative Analysis             | 1 June 2025       | 20 July 2025      | 50 days  |
| Framework Design and Development | 21 July 2025      | 10 September 2025 | 50 days  |
| Validation and Expert Review     | 11 September 2025 | 1 October 2025    | 20 days  |
| Drafting Final Report            | 2 October 2025    | 15 October 2025   | 13 days  |
| Final Submission                 | 16 October 2025   | 19 October 2025   | 3 days   |

This timeline reflects a structured research process, ensuring thorough investigation, framework development, and validation within a reasonable academic timeframe.

# References

- Anderson, B., & McGrew, D. (2017). Machine learning for encrypted malware traffic classification: Accounting for noisy labels and non-stationarity. *Proceedings of the ACM on Conference on Security and Privacy in Wireless and Mobile Networks*, 99–104.
- Arrieta, A. B., Diaz-Rodriguez, N., Del Ser, J., Benetot, A., Tabik, S., Barbado, A., ... & Herrera, F. (2020). Explainable artificial intelligence (XAI): Concepts, taxonomies, opportunities and challenges toward responsible AI. *Information Fusion*, 58, 82–115.
- Ghassemi, M., Oakden-Rayner, L., & Beam, A. L. (2022). The false hope of current approaches to explainable artificial intelligence in health care. *The Lancet Digital Health*, 4(11), 774–783.
- Goodfellow, I. J., Shlens, J., & Szegedy, C. (2015). Explaining and harnessing adversarial examples. *International Conference on Learning Representations (ICLR)*.
- Howard, A. G., Zhu, M., Chen, B., Kalenichenko, D., Wang, W., Weyand, T., ... & Adam, H. (2017). MobileNets: Efficient convolutional neural networks for mobile vision applications. *arXiv preprint arXiv:1704.04861*.
- Li, W., He, J., Xu, X., & Xu, J. (2018). Malware detection based on deep learning. *IEEE Access*, 6, 4324–4333.
- Papernot, N., McDaniel, P., Goodfellow, I., Jha, S., Celik, Z. B., & Swami, A. (2017). Practical black-box attacks against machine learning. *Proceedings of the 2017 ACM on Asia Conference on Computer and Communications Security*, 506–519.
- Saxe, J., & Berlin, K. (2015). Deep neural network-based malware detection using two-dimensional binary program features. *Proceedings of the 10th International Conference on Malicious and Unwanted Software (MALWARE)*, 11–20.
- Sommer, R., & Paxson, V. (2010). Outside the closed world: On using machine learning for network intrusion detection. *IEEE Symposium on Security and Privacy*, 305–316.

Xiao, L., Wan, X., Lu, X., Zhang, Y., & Wu, D. (2018). IoT security techniques based on machine learning: How do IoT devices use AI to enhance security? *IEEE Signal Processing Magazine*, 35(5), 41–49.

Yin, C., Zhu, Y., Fei, J., & He, X. (2017). A deep learning approach for intrusion detection using recurrent neural networks. *IEEE Access*, 5, 21954–21961.