

```
In [1]: import numpy as np
import pandas as pd
from matplotlib import pyplot as plt
import seaborn as sns
import warnings
warnings.filterwarnings("ignore")
```

```
In [2]: df = pd.read_csv('heart (1).csv')
```

```
In [3]: df.head()
```

Out[3]:

	age	sex	cp	trestbps	chol	fbs	restecg	thalach	exang	oldpeak	slope	ca	thal	target
0	52	1	0	125	212	0	1	168	0	1.0	2	2	3	0
1	53	1	0	140	203	1	0	155	1	3.1	0	0	3	0
2	70	1	0	145	174	0	1	125	1	2.6	0	0	3	0
3	61	1	0	148	203	0	1	161	0	0.0	2	1	3	0
4	62	0	0	138	294	1	1	106	0	1.9	1	3	2	0

```
In [5]: pd.read_csv('heart (1).csv')
```

Out[5]:

	age	sex	cp	trestbps	chol	fbs	restecg	thalach	exang	oldpeak	slope	ca	thal	target
0	52	1	0	125	212	0	1	168	0	1.0	2	2	3	0
1	53	1	0	140	203	1	0	155	1	3.1	0	0	3	0
2	70	1	0	145	174	0	1	125	1	2.6	0	0	3	0
3	61	1	0	148	203	0	1	161	0	0.0	2	1	3	0
4	62	0	0	138	294	1	1	106	0	1.9	1	3	2	0
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1020	59	1	1	140	221	0	1	164	1	0.0	2	0	2	1
1021	60	1	0	125	258	0	0	141	1	2.8	1	1	3	0
1022	47	1	0	110	275	0	0	118	1	1.0	1	1	2	0
1023	50	0	0	110	254	0	0	159	0	0.0	2	0	2	1
1024	54	1	0	120	188	0	1	113	0	1.4	1	1	3	0

1025 rows × 14 columns

```
In [7]: df.describe()
```

Out[7]:

	age	sex	cp	trestbps	chol	fbs	restecg	thalach	exang	oldpeak	slope	ca	thal	target
count	1025.000000	1025.000000	1025.000000	1025.000000	1025.000000	1025.000000	1025.000000	1025.000000	1025.000000	1025.000000	1025.000000	1025.000000	1025.000000	1025.000000
mean	54.434146	0.695610	0.942439	131.611707	246.000000	0.149268	0.529756	149.114146	0.336585	1.071512	1.385366	0.754146	2.323902	0.513171
std	9.072290	0.460373	1.029641	17.516718	51.59251	0.356527	0.527878	23.005724	0.472772	1.175053	0.617755	1.030798	0.620660	0.500070
min	29.000000	0.000000	0.000000	94.000000	126.000000	0.000000	0.000000	71.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
25%	48.000000	0.000000	0.000000	120.000000	211.000000	0.000000	0.000000	132.000000	0.000000	0.000000	1.000000	0.000000	2.000000	0.000000
50%	56.000000	1.000000	1.000000	130.000000	240.000000	0.000000	1.000000	152.000000	0.000000	0.800000	1.000000	0.000000	2.000000	1.000000
75%	61.000000	1.000000	2.000000	140.000000	275.000000	0.000000	1.000000	166.000000	1.000000	1.800000	2.000000	1.000000	3.000000	1.000000
max	77.000000	1.000000	3.000000	200.000000	564.000000	1.000000	2.000000	202.000000	1.000000	6.200000	2.000000	4.000000	3.000000	1.000000

```
In [8]: print(df.isnull().sum())
```

```
age      0
sex      0
cp       0
trestbps 0
chol     0
fbs      0
restecg  0
thalach  0
exang    0
oldpeak  0
slope    0
ca       0
thal     0
target   0
dtype: int64
```

```
In [9]: df.fillna(df.mean(), inplace=True)
```

Out[9]:

	age	sex	cp	trestbps	chol	fbs	restecg	thalach	exang	oldpeak	slope	ca	thal	target
0	52	1	0	125	212	0	1	168	0	1.0	2	2	3	0
1	53	1	0	140	203	1	0	155	1	3.1	0	0	3	0
2	70	1	0	145	174	0	1	125	1	2.6	0	0	3	0
3	61	1	0	148	203	0	1	161	0	0.0	2	1	3	0
4	62	0	0	138	294	1	1	106	0	1.9	1	3	2	0
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1020	59	1	1	140	221	0	1	164	1	0.0	2	0	2	1
1021	60	1	0	125	258	0	0	141	1	2.8	1	1	3	0
1022	47	1	0	110	275	0	0	118	1	1.0	1	1	2	0
1023	50	0	0	110	254	0	0	159	0	0.0	2	0	2	1
1024	54	1	0	120	188	0	1	113	0	1.4	1	1	3	0

1025 rows × 14 columns

```
In [10]: numerical_cols = ['age', 'trestbps', 'chol', 'thalach', 'oldpeak']
```

```
In [13]: for col in numerical_cols:
    Q1 = df[col].quantile(0.25)
    Q3 = df[col].quantile(0.75)
    IQR = Q3 - Q1
    lower_bound = Q1 - 1.5 * IQR
    upper_bound = Q3 + 1.5 * IQR
```


In [14]: `df[(df[col] >= lower_bound) & (df[col] <= upper_bound)]`

Out[14]:


	age	sex	cp	trestbps	chol	fbs	restecg	thalach	exang	oldpeak	slope	ca	thal	target
0	52	1	0	125	212	0	1	168	0	1.0	2	2	3	0
1	53	1	0	140	203	1	0	155	1	3.1	0	0	3	0
2	70	1	0	145	174	0	1	125	1	2.6	0	0	3	0
3	61	1	0	148	203	0	1	161	0	0.0	2	1	3	0
4	62	0	0	138	294	1	1	106	0	1.9	1	3	2	0
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1020	59	1	1	140	221	0	1	164	1	0.0	2	0	2	1
1021	60	1	0	125	258	0	0	141	1	2.8	1	1	3	0
1022	47	1	0	110	275	0	0	118	1	1.0	1	1	2	0
1023	50	0	0	110	254	0	0	159	0	0.0	2	0	2	1
1024	54	1	0	120	188	0	1	113	0	1.4	1	1	3	0

1018 rows × 14 columns


In [15]: `plt.figure(figsize=(8, 5))
sns.countplot(x='target', data=df, palette='Set2', hue='target', legend=False)
plt.title('Distribution of Heart Disease (0 = No, 1 = Yes)')
plt.xlabel('Heart Disease Status')
plt.ylabel('Count')
plt.show()`




In [16]: `plt.figure(figsize=(8, 5))
sns.histplot(df['age'], kde=True, color='blue', bins=15)
plt.title('Age Distribution of Patients')
plt.xlabel('Age')
plt.ylabel('Frequency')
plt.show()`




In [17]: `plt.figure(figsize=(8, 5))
sns.boxplot(x='target', y='chol', data=df, palette='Pastell1', hue='target', legend=False)
plt.title('Cholesterol Levels by Heart Disease Status')
plt.xlabel('Heart Disease (0=No, 1=Yes)')
plt.ylabel('Cholesterol (mg/dl)')
plt.show()`



```
In [18]: plt.figure(figsize=(8, 5))
sns.scatterplot(x='age', y='thalach', hue='target', data=df, palette='Set1', alpha=0.8)
plt.title('Age vs Maximum Heart Rate (thalach)')
plt.xlabel('Age')
plt.ylabel('Max Heart Rate Achieved')
plt.show()
```



```
In [19]: plt.figure(figsize=(12, 10))
sns.heatmap(df.corr(), annot=True, cmap='coolwarm', fmt='.2f')
plt.title('Correlation Heatmap of Heart Disease Features')
plt.show()
```



```
In [ ]:
```