

Master Thesis Proposal

Cotton Leaf Disease through Image Analysis Using Deep learning

Prepared by

Youssif Ali Alshalakany

Youssef Abdelmotaleb Saad

Supervised by

PhD. Yasser Abdelhamid

Faculty Member in the Artificial Intelligence Program – MidOcean University

Abstract:-

The main objective of the research is to diagnose cotton Disease through Image Analysis Using Deep learning. Where it is traditional diagnosis method relies on manual inspection, which is labor-intensive and prone to human mistakes. To overcome this problem, has been proposed Image Analysis Using deep learning technologies, particularly (CNNs), cotton leaf pictures can be diagnosed with high precision to enable faster and more accurate disease detection. The main parts of the affected sheets are also highlighted by the type of disease in the database. This allows for early detection of the disease, reducing agricultural losses, increasing productivity, and improving the sustainability of cotton farming.

Approximately 80-90% of cotton diseases affect leaves, causing up to 16% budget loss and potentially 30-50% crop loss without control. This research explores AI techniques for early disease detection and prevention

Introduction

Artificial intelligence plays an important role in various fields, including: the agricultural field, as artificial intelligence has provided unprecedented capabilities to analyze large amounts of crop data, which has contributed to discovering patterns and risk factors, predicting epidemics, and enhancing the allocation of resources during agricultural crises.[1]

Thanks to these technologies, agricultural workers have more advanced tools to detect and prevent diseases. The roles of artificial intelligence in the agricultural field, especially in the cotton crop, vary between data analysis and pattern recognition, and providing predictive models to prevent the spread of cotton crop diseases, and others.[2]

The ability of artificial intelligence to analyze large data sets accurately and quickly is one of its most prominent advantages that has made it one of the important technologies in the agricultural field. Thanks to machine learning algorithms, complex data can be analyzed, such as: components and characteristics of the cotton crop, and genetic information to detect patterns that may indicate the beginning of the spread of a specific disease or the emergence of a new disease. Artificial intelligence systems are used in the field of agricultural diagnosis of agricultural crops.[3]

AI helps analyze large amounts of genetic data on crops to identify mutations that may indicate the likelihood of developing certain agricultural diseases. These technologies are used to detect agricultural risks and develop appropriate treatments. AI contributes to infectious disease surveillance by analyzing data from various sources, such as news reports and agricultural records, to identify early signs of disease spread among cotton crops.[4]

Recently, new and refined techniques have attracted many researchers in the field of cotton sheet disease and pest detection and classification. In particular, the identification of potential diseases or parasites in cotton is based on traditional methods. There is a large farm suitable for cotton planting, but only limited attention is paid to the production of cotton crops [5]. Traditionally, experts detect and identify these diseases of plants and pests on bare eyes. Eye shadow determination is considered a loss of low levels of accuracy for detecting disease. Among the various advanced technologies, advanced technologies, they have helped structure the system to support non-automatic recognition of diseases and plant pests, and to increase the accuracy of corrective actions. With the help of advanced technologies, plant diseases have been reduced, which has increased performance that has contributed to increasing the economy by increasing production.[6]

Of the various diseases and parasites, approximately 80-90% were found in cotton leaves. It has been observed that there could be about 16% of budget destruction due to plant syndrome. However, without control measures, it can cause 30%–50% of loss [6]. Owing to the importance of using artificial intelligence techniques in detecting the different crops diseases topic, this research is conducted.

Problem Definition

The core research problem lies in the challenges associated with traditional diagnostic methods for cotton diseases , which primarily rely on visual inspection. These methods are characterized by time-consumption, human intervention, and error, leading to delays in treatment and exacerbation of crop losses. Consequently, there is an urgent need to develop faster and more accurate diagnostic approaches. This leads to the main research question: How can cotton diseases be diagnosed through image analysis using deep learning?

Dataset

Limitations	Size & Samples	Biomarker	Link	Dataset Name
Difficulty in image extraction, features extracted as scalograms more accurately detect each plant condition using DL models	2432 images	approach combines DL with feature extraction methods such as continuous wavelet transform (CWT) and fast Fourier transform (FFT).	https://www.researchgate.net/publication/382251164_An_ensemble_deep_learning_models_approach_using_image_analysis_for_cotton_crop_classification_in_AI-enabled_smart_agriculture	An ensemble deep learning models approach using image analysis for cotton crop classification in AI-enabled smart agriculture [7]

Large number of images, and the difficulty in image extraction 2170 image	2170 images	Deep learning method is used to solve the issue because it will perform exceptionally well in image processing and classification problems. The network was built using a combination of the benefits of both the ResNet pre-trained on ImageNet and the Xception component, and this technique outperforms other state-of-the-art techniques	https://iarjset.com/papers/cotton-plant-disease-prediction-using-image-processing-and-transfer-learning/	Cotton plant disease-prediction using Image processing and Transfer learning [8]
Large number of images, and the difficulty in image extraction 2170 image	2170 images	Deep learning method is used to solve the issue because it will perform exceptionally well in image processing and classification problems. The network was built using a combination of the benefits of both the ResNet pre-trained on ImageNet and the Xception component, and this technique outperforms other state-of-the-art techniques	https://iarjset.com/papers/cotton-plant-disease-prediction-using-image-processing-and-transfer-learning/	Cotton plant disease-prediction using Image processing and Transfer learning [8]
Large number of images, and the difficulty in image extraction 1124 image	1124 images	Using a digital camera, I took images of a cotton field for this assignment. In the preprocessing stage, the backdrop is removed from the image using a background removal technique	https://www.researchgate.net/publication/378156934_Cotton_Leaf_Disease_Detection_Using_Image_Processing	Cotton Leaf Disease Detection Using Image Processing [10]

Related Work

According to [1], it was stated that with the advancement of artificial intelligence technologies, it has become possible to develop effective systems for automatic detection and classification of plant diseases with high accuracy, which reduces losses. These systems rely on sensors to capture images of plants and analyze them using machine learning algorithms for early detection of diseases in crops such as tomatoes, peppers, potatoes, and cucumbers .

On the one hand, [4], stated that there are several AI-based techniques for early detection of plant pests, such as image processing and computer vision techniques that use advanced algorithms to analyze images and extract information about the condition of the plant. Specialized cameras are used to enhance images and capture changes in color and texture, which helps in detecting pests. Computer vision contributes to detecting diseases more quickly and accurately than traditional methods, while machine learning is used to distinguish between disease and healthy symptoms. This technique is also effective in detecting fungal diseases such as Fusarium, which causes wilting of plants. Deep learning is

also used to analyze spectral or regular images to detect diseases such as spotting or poisoning, allowing diseases to be accurately classified even in their early stages.

On the other hand, [7] clarified that Artificial intelligence is characterized by its ability to achieve accuracy and speed in detecting plant diseases, as deep learning algorithms rely on analyzing agricultural images to quickly identify diseases, saving valuable time for farmers. It also helps reduce costs by reducing reliance on human experts. It provides smart management solutions, which helps farmers make quick and informed decisions based on accurate analysis, which enhances disease control strategies and ensures crop sustainability. The combination of artificial intelligence and agricultural technologies can improve crop productivity, as diseases can be detected early and losses can be reduced, as well as quality and yield increases, which supports food security.

Related Work Summary

Traditional cotton disease diagnosis is challenged by limitations in accuracy and time-efficiency. Deep Learning (DL), particularly Convolutional Neural Networks (CNNs), has emerged as a promising solution for efficient and rapid image-based plant disease detection, supported by recent studies and available datasets. However, these datasets remain limited, especially in covering the diversity of cotton and its local conditions. This research aims to develop an effective DL-based diagnostic system tailored to meet specific agricultural needs and address current research gaps in this domain.

Research Objective

The main objective of the current research is to identify how we diagnose Cotton Disease through Image Analysis Using Artificial Intelligence Deep learning: Disease Detection.

Research Plan

Data Collection: dataset for Cotton Disease through Image Analysis Using Artificial Intelligence Deep learning, providing a range of data types and information to advance research in these neurodegenerative conditions. Those datasets are available online which makes it easy to use .

Data Preprocessing: normalization and dimensionality reduction, are used to prepare the data for classification algorithms, ensuring it is in a suitable format for analysis.

Feature Extraction: extracting relevant features from data sources like AI imaging, and clinical records .

Validation and Testing: The trained models are validated and tested using separate datasets to assess their accuracy and generalization capabilities. This step ensures the model's reliability in early detection.

Predictive Biomarkers: Classification models can identify predictive biomarkers or patterns in the data that are indicative of cotton diseases. These biomarkers aid in the early identification of plants at risk.

Continuous Monitoring: Classification techniques can be applied to monitor changes in cotton lants, allowing for continuous assessment and early intervention as necessary.

References

- [1]S. Satraj Sohrab, E. I. Azhar, M. A. Kamal, P. S. Bhattacharya, and D. Rana .(2024). Genetic variability of cotton leaf curl betasatellite in Northern India, *Saudi Journal of Biological Sciences*, vol. 21, no. 6, pp. 626–631.
- [2]O. Kulkarni .(2018).Crop disease detection using deep learning, in *Proceedings of the 2018 Fourth International Conference on Computing Communication Control and Automation (ICCUBE)*, Pune, India .
- [3]S. Kumar, K. M. V. V. Prasad, A. Srilekha, T. Suman, B. Pranav Rao, and J. Naga Vamshi Krishna.(2020) Leaf disease detection and classification based on machine learning, in *Proceedings of the 2020 International Conference on Smart Technologies in Computing, Electrical and Electronics* .
- [4]V. C. Delfosse, M. F. Casse, Y. C. Agrofoglio .(2023)Agroinoculation of a full-length cDNA clone of cotton leafroll dwarf virus (CLRDV) results in systematic infection in cotton and the model plant *Nicotiana benthamiana*, *Virus Research*, vol. 175, no. 1, pp. 64–70, 2013 .
- [5]L. Amrao, I. Amin, M. S. Shahid, R. W. Briddon, and S. Mansoor .(2020). Cotton leaf curl disease in resistant cotton is associated with a single begomovirus that lacks an intact transcriptional activator protein, *Virus Research*, vol. 152, no. 1-2, pp. 153–163 .
- [6]W. D. Yan, W. M. Shi, B. H. Li, and M. Zhang, Overexpression of a foreign Bt gene in cotton affects the low molecular weight components in root exudates, *Pedosphere*, vol. 17, no. 3, pp. 324–330, 2007 .
- [7]Muhammad-Farrukh-Shahid, Tariq-Khanzada, Muhammad-Aslam .(2024). An ensemble deep learning models approach using image analysis for cotton crop classification in AI-enabled smart agriculture, DOI:10.1186/s13007-024-01228-w
- [8]Vani Rajasekar, Soumya Ranjan Jena .(2021). Detection of Cotton Plant Diseases Using Deep Transfer Learning, DOI:10.13052/jmm1550-4646.1828
- [9]Sushreeta Tripathy. (2021). Detection of Cotton Leaf Disease Using Image Processing Techniques, *CCIEA Journal of Physics: Conference Series* 2062 (2021) 012009, doi:10.1088/1742-6596/2062/1/012009
- [10] Sankarsan Panda & Dr Vikas Somani .(2021). Cotton Leaf Disease Detection Using Image Processing, *January 2021Webology* 18(6):3786
- [11] Ahmed M, Mukhtar M, Ahmad M, Adnan M, Afzal MN, Bilal M, et al. Deep learning and machine vision for smart agriculture and food production: A review. *J King Saud Univ - Comput Inf Sci*. 2022; 34(7): 2729-2750.: <https://doi.org/10.1016/j.atech.2022.100083>